St. Leger, Geoffrey
(Refocus) 5/6

Access DB# 115582

SEARCH REQUEST FORM

Scientific and Technical Information Center

(1)

Requester's Full Name: Gwen Liang Examiner #: 79185 Date: 2-19-04
Art Unit: 2172 Phone Number 305-3985 Serial Number: 09/692,433
Mail Box and Bldg/Room Location: CPK I 4B25 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

****

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Rules Analyzer System and Method

Inventors (please provide full names): TIFFT, William Watson

Earliest Priority Filing Date: 10-19-2000

For Sequence Searches Only *Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

Claims: 1, 6 (focus on claim 6)

none

BEST AVAILABLE COPY

****

STAFF USE ONLY		Type of Search		Vendors and cost where applicable	
Searcher:	GeoFrey St. Leger	NA Sequence (#)		STN	
Searcher Phone #:	308-7800	AA Sequence (#)		Dialog	✓
Searcher Location:	4B30	Structure (#)		Questel/Orbit	
Date Searcher Picked Up:	3/9/4	Bibliographic	✓	Dr.Link	
Date Completed:	3/9/4	Litigation		Lexis/Nexis	
Searcher Prep & Review Time:	30	Fulltext	✓	Sequence Systems	
Clerical Prep Time:		Patent Family		WWW/Internet	
Online Time:	210	Other		Other (specify)	

PTO-1590 (8-01)

STIC Search Report
EIC 2100

STIC Database Tracking Number: 115353

TO:	From:
Gwen Liang Location: 4B25 Art Unit : 2172 Tuesday, March 09, 2004 Case Serial Number: 09/692433	Geoffrey St. Leger Location: EIC 2100 PK2-4B30 Phone: 308-7800 geoffrey.stleger@uspto.gov

Search Notes

Dear Examiner Liang,

Attached please find the results of your search request for application 09/692433. I searched Dialog's foreign patent files, technical databases, product announcement files and general files.

Please let me know if you have any questions.

Regards,

Geoffrey St. Leger
4B30/308-7800

File 347:JAPIO Oct 1976-2003/Oct(Updated 040202)
(c) 2004 JPO & JAPIO
File 350:Derwent WPIX 1963-2004/UD,UM &UP=200415
(c) 2004 Thomson Derwent

Set	Items	Description
S1	14086	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR REQUIRED OR REFERENCE)(3W)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? ? OR SITE? ? OR WEBSITE? ? OR HIT? ? OR RESOURCE()LOCATOR? ?)
S2	121789	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR REQUIRED OR REFERENCE)(3W)(DATA OR PHOTO? ? OR PHOTOGRAPH? ? OR IMAGE? ? OR PICTURE? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ? OR OBJECT? ? OR URL? ?)
S3	380	("NOT" OR T OR DIFFERENT OR UNLIKE OR DISSIMILAR OR DISTINCT)(7W)S1
S4	14	(NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR RATIO OR RATE OR SCOPE)(10W)S3

4/5/1 (Item 1 from file: 347)
DIALOG(R)File 347:JAPIO

07469115 **Image available**
TEMPERATURE RECORDING DEVICE

PUB. NO.: 2002-337632 [JP 2002337632 A]
PUBLISHED: November 27, 2002 (20021127)
INVENTOR(s): KATO TAKATOSHI
APPLICANT(s): YAZAKI CORP
APPL. NO.: 2001-147621 [JP 2001147621]
FILED: May 17, 2001 (20010517)
INTL CLASS: B60R-016/02; B65G-061/00; G06F-003/06; G06K-017/00; H04B-007/24; H04B-007/26

ABSTRACT

PROBLEM TO BE SOLVED: To solve a problem regarding a lack of an amount remained of a memory card by letting a temperature recording device have a communication function utilizing ETC and realize a safety communication with an own office during traveling.

SOLUTION: When an on-vehicle machine 1 installed on a refrigeration vehicle is passed through a communication area of a road side machine 4, it receives a message from the own office through the road side machine 4. At this time, in the case where a residual **amount** of a memory capacity of the memory card 111 is **not** more than a caution **reference** value, **record** data recorded in the memory card 111 are transmitted to the own office 80 through the road side machine 4 and an ETC management center 6. Namely, at every time when the on-vehicle machine 1 is passed through a communication area of the road side machine 4, the on-vehicle machine 1 side and the own office 80 side are communication-connected and an essential processing regarding a record of temperature is carried out automatically.

4/5/2 (Item 2 from file: 347)
DIALOG(R)File 347:JAPIO

06097878 **Image available**
METHOD FOR MANAGING INSPECTION SCHEDULE

PUB. NO.: 11-039397 [JP 11039397 A]
PUBLISHED: February 12, 1999 (19990212)
INVENTOR(s): KOMATA TAKASHI
APPLICANT(s): HITACHI LTD
APPL. NO.: 09-198173 [JP 97198173]
FILED: July 24, 1997 (19970724)
INTL CLASS: G06F-017/60

ABSTRACT

PROBLEM TO BE SOLVED: To prevent the delay of an inspection process owing to an omission in the generation of a required document by following the progress situation of a design process on demand in order to surely manage the progress of the inspection process.

SOLUTION: When a presentation plan document at the time of inspection is registered in a staff number checking table 1 or when an inspection plan day is in a progress managing table 2 concerning a specified project, a staff **number** check processing part 3 checks whether or **not** the inputted presentation plan document includes the **required document** and displays alarm on a display device 7 at the time of shortage. An inspection day check processing 4 generates the electronic mail transmitting document of an inspection plan day report to the designer in charge of the project where the inspection plan day is within a fixed term. An inspection execution processing part 5 checks whether or not the generated document

includes the presentation plan document and displays alarm on the display device 7 at the time of shortage.

4/5/3 (Item 3 from file: 347)

DIALOG(R)File 347:JAPIO

04495385 **Image available**
CD-ROM RETRIEVING DEVICE

PUB. NO.: 06-139285 [JP 6139285 A]
PUBLISHED: May 20, 1994 (19940520)
INVENTOR(s): TSUNEYOSHI KAZUYUKI
APPLICANT(s): MATSUSHITA ELECTRIC IND CO LTD [000582] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 04-291368 [JP 92291368]
FILED: October 29, 1992 (19921029)
INTL CLASS: [5] G06F-015/40; G06F-015/40; G06F-012/00
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 42.5 (ELECTRONICS -- Equipment); 45.2 (INFORMATION PROCESSING -- Memory Units)
JAPIO KEYWORD:R011 (LIQUID CRYSTALS)
JOURNAL: Section: P, Section No. 1788, Vol. 18, No. 441, Pg. 167, August 17, 1994 (19940817)

ABSTRACT

PURPOSE: To omit an unnecessary operation, and to improve an operability by retrieving an item corresponding to an inputted retrieval word, displaying the item when the number of the obtained pertinent items in judged to be one, and advancing a processing.

CONSTITUTION: When the start of the processing is communicated through a keyboard I/F part 201 to a retrieval processing part 204, the retrieval processing part 204 reads documents information through a CD I/F part 202, and communicates the number of the items through an CD I/F part 203 to a number of items discriminating means 205. When the number of items is not 1, the **number** of items discriminating part 205 is **not** operated, and a user selects the **desired documents** from the displayed documents. When the number of items is 1, the number of items discriminating part 205 requests the simulation of a signal to a user selection simulation processing part 206, and the signal that one item, that is, the leading item is selected is inputted to the keyboard I/F part. Then, the item is displayed, and the processing is advanced by recognizing that the item is selected.

4/5/4 (Item 4 from file: 347)

DIALOG(R)File 347:JAPIO

04306612 **Image available**
METHOD FOR PREPARATION OF DOCUMENT

PUB. NO.: 05-298312 [JP 5298312 A]
PUBLISHED: November 12, 1993 (19931112)
INVENTOR(s): HIDAKA HIDEYUKI
APPLICANT(s): NEC CORP [000423] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 04-086821 [JP 9286821]
FILED: April 08, 1992 (19920408)
INTL CLASS: [5] G06F-015/20; G06F-015/20
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications)
JAPIO KEYWORD:R139 (INFORMATION PROCESSING -- Word Processors)
JOURNAL: Section: P, Section No. 1696, Vol. 18, No. 103, Pg. 4, February 18, 1994 (19940218)

ABSTRACT

PURPOSE: To provide a document forming method capable of simplifying the management of a series of documents having a common reference document and reducing storage capacity.

CONSTITUTION: Plural areas, i.e., a page area 13 obtained by dividing a reference document into plural pages and recording page numbers corresponding to respective pages, a main area 11 in which a flag is set up at the time of using the document as a reference document and a sub-area 12 in which a flag is set up at the time of using the document as a modified document. With respect to a page having the same page **number** and **different** contents as/from those of the **reference document** at the time of forming a new modified document, two kinds of documents are formed by the same page number so that a flag is set up only the main area 13 of the page with the page number concerned in the reference document and a flag is set upon only the sub-area 12 of the new modified document and the page setting up the flag in the sub-area 12 in the new modified document is added to the final page of the reference document. At the time of outputting the new modified document, only the page set with the flag in the sub-area is extracted and then page numbers are successively outputted.

4/5/5 (Item 5 from file: 347)

DIALOG(R)File 347:JAPIO

02763284 **Image available**

DOCUMENT MANAGING DEVICE

PUB. NO.: 01-060884 [JP 1060884 A]
PUBLISHED: March 07, 1989 (19890307)
INVENTOR(s): MORITA SHINJI
APPLICANT(s): MATSUSHITA ELECTRIC IND CO LTD [000582] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 62-218181 [JP 87218181]
FILED: September 01, 1987 (19870901)
INTL CLASS: [4] G11B-027/00; G06F-003/06; G06F-003/08; G06F-012/00; G11B-027/10
JAPIO CLASS: 42.5 (ELECTRONICS -- Equipment); 45.2 (INFORMATION PROCESSING -- Memory Units); 45.3 (INFORMATION PROCESSING -- Input Output Units)
JOURNAL: Section: P, Section No. 888, Vol. 13, No. 269, Pg. 41, June 21, 1989 (19890621)

ABSTRACT

PURPOSE: To discontinue the change of a document number managed by a user due to the update of document information, by providing a logical document number corresponding to a physical document number via a conversion table, and informing the logical document number to the user.

CONSTITUTION: The logical document number 5 is provided in a document managing device main body 1, and also, the conversion table 6 to conform the logical document number 5 to the physical document number 4 is provided, and the logical document number 5 is informed to the user. In other words, by updating the document information by indicating the logical document number 5 by the user, the physical document number 4 is updated corresponding to updated document information, and updated physical document number 4 is conformed to the updated logical document number 5 via the conversion table 6. Since only the physical document number 4 is updated and no logical document **number** 5 is updated, it is **not required** to change the **document** number by the user even when the document information is updated.

4/5/6 (Item 1 from file: 350)

DIALOG(R)File 350:Derwent WPIX

015841630 **Image available**
WPI Acc No: 2003-903834/200382
Related WPI Acc No: 2003-855933; 2003-877573; 2003-877574; 2003-877576; 2003-903830; 2003-903831; 2003-903832; 2003-903833; 2003-903835; 2003-903850; 2003-903852; 2003-903855; 2003-903856; 2003-903869
XRPX Acc No: N03-721621

Telephones connecting method, involves establishing telephone connection between telephone caller and telephone that is called under control of website and connecting established telephone connections

Patent Assignee: WEB AG (WEBW-N)
Inventor: GREVE M
Number of Countries: 103 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200394432	A2	20031113	WO 2003EP4541	A	20030430	200382	B

Priority Applications (No Type Date): US 2003457888 P 20030325; EP 20029777 A 20020430; EP 200216141 A 20020719; US 2002201446 A 20020723; EP 200220333 A 20020911; US 2003354709 A 20030129
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 200394432	A2	E	63	H04L-012/18	

Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
Designated States (Regional): AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

Abstract (Basic): WO 200394432 A2

NOVELTY - The method involves providing information characterizing a telephone to be called by a caller to a website. The telephone connection between a telephone caller and a telephone that is called is established and connected under the control of the website. The established telephone connections are connected under the control of the website.

USE - Used for provides telephone connections between two callers.

ADVANTAGE - The caller uses his/her website in order to define the telephone or the person to be called, whereby the input of the telephone **number** in a telephone is **not required** . The **website** provides practically unlimited information and interactive properties so as to improve user friendliness and user support in establishing telephone connections.

DESCRIPTION OF DRAWING(S) - The drawing shows WebPages that illustrate a telephoning method.

pp; 63 DwgNo 1/23

Title Terms: TELEPHONE; CONNECT; METHOD; ESTABLISH; TELEPHONE; CONNECT; TELEPHONE; CALL; TELEPHONE; CALL; CONTROL; CONNECT; ESTABLISH; TELEPHONE; CONNECT
Derwent Class: T01; W01
International Patent Class (Main): H04L-012/18
File Segment: EPI

4/5/7 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX

014787693
WPI Acc No: 2002-608399/200265
XRAM Acc No: C02-172001
XRPX Acc No: N02-481774

Selecting candidate ligand that binds target molecule, to identify function, by contacting target sample with library of ligands to form a complex, isolating the complex, recovering ligands from complex and identifying recovered ligands

Patent Assignee: SLANETZ A E (SLAN-I)
Inventor: SLANETZ A E
Number of Countries: 098 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200258533	A2	20020801	WO 2001US43348	A	20011119	200265	B
EP 1344060	A2	20030917	EP 2001994081	A	20011119	200362	
			WO 2001US43348	A	20011119		

Priority Applications (No Type Date): US 2001329463 P 20011015; US 2000249832 P 20001117
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 200258533	A2	E	130	A61B-000/00	

Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZM ZW
Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZM ZW

EP 1344060	A2	E		G01N-033/53	Based on patent WO 200258533

Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR

Abstract (Basic): WO 200258533 A2

NOVELTY - Selecting (M1) a candidate ligand (CL) that binds a target molecule (I), by contacting an in vitro sample comprising (I) with a library (L) of CLs under conditions allowing complex (CX) formation between (I) and one or more CLs, where (L) comprises at least 2 different chemical scaffolds or 11 different compounds, isolating the CX, recovering CL from the CX and identifying the CLs, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

(1) reacting two ligands that bind a target molecule of interest;

(2) isolating a second protein which binds a first protein;

(3) an electronic database (ED1) comprising at least 10 records of target molecules correlated to records of ligands and their ability to bind or modulate the activity of the target molecules;

(4) an electronic database (ED2) comprising at least 10 records of target molecule domains correlated to records of ligands and their ability to bind the domains;

(5) an electronic database (ED3) comprising at least 1000 records of compounds correlated to records of a phenotype in one or more biological assays effected by the compounds, where the biological assay involves a cell or in vitro sample that does not contain an exogenous copy of a nucleic acid encoding a protein that binds the compound;

(6) a computer comprising ED3 and a user interface capable of displaying one or more phenotypes in one or more biological assays for a compound whose record is stored in the computer or capable of displaying one or more compounds that effects a phenotype whose record is stored in the computer;

(7) an electronic database (ED4) comprising at least 10 records of target molecules correlated to records of an expression profile or activity of the target molecules;

(8) a computer comprising ED4 and a user interface, capable of displaying one or more expression profiles or activities of a target molecule whose record is stored in the computer or capable of displaying one or more target molecules that have an expression profile or activity whose record is stored in the computer;

(9) determining whether a compound of interest is present in the sample;

(10) a computer readable memory having a program stored on it for determining whether a compound of interest is present in a sample, comprising a computer code that receives as input mass spectrometry data comprising the mass to charge ratio for one or more peaks in reference mass spectra for two or more compounds from a library of compounds, a computer code that receives as input mass spectrometry data comprising the mass to charge ratio for one or more peaks in a

test mass spectra of a sample comprising one or more compounds from the library, and computer code that determines whether peaks of the reference mass spectrum are included in the test mass spectrum, thus determining whether the compound that generated the reference mass spectrum is present in the sample;

(11) producing two or more vectors encoding proteins of interest; and

(12) purification of proteins.

USE - M1 is useful for determining the biological function of a target molecule. The electronic databases are useful for identifying a target molecule associated with a phenotype of interest, identifying a phenotype that is associated with a target molecule of interest, identifying a ligand that binds or modulates the activity of a target molecule of interest, where the ligand is used in drug discovery, development or lead optimization and in the development of an agricultural or environmental agent, determining the selectivity of a ligand of interest and selecting a therapy for a subject for the treatment stabilization or prevention of a disease or disorder (claimed). The methods are useful to define the function of genes and to simultaneously validate the drug target and generate a drug lead thus streamlining the drug discovery process.

ADVANTAGE - The method does not require any prior knowledge of target identity or function while the conventional methods are only for screening against known targets, and does not absolutely require the constraint of a predetermined subunit of a particular mass in the construction of its library. The methods allow the expression and purification of every protein in the proteome of an organism (e.g. human proteome) and the identification of high-affinity, drug-like scaffolds for each protein. The methods also allow a theoretically unlimited number of candidate compounds and candidate scaffolds to be screened. Because the methods are so rapid and can be performed on such a large scale, they are useful for assaying target molecules that have not been previously validated as drug targets or target molecules of unknown biological function to select ligands that bind and/or modulate the activity of the target molecules. In contrast, current methods of selecting ligands that bind a target molecule have been limited to target molecules that have been validated as drug targets. Thus, the above said methods greatly expand the number of target molecules that can be assayed. In contrast to many current assays which measure a specific activity of the target protein, the above said method can be readily applied to any target in the proteome without customization. The methods also use a very small amount of reagents (such as less than 300 microg of each target for 200000 compounds, and less than 35 ng of each compound for each target). The methods also allow a library of compounds to be screened without tagging or purifying individual members of the library of compounds to be screened without tagging or purifying individual members of the library before screening, thus greatly decreasing the amount of time necessary to screen the library. The length of time required to screen libraries can also be reduced by using the automated methods which allow multiple libraries and/or multiple targets to be analyzed in parallel.

pp; 130 DwgNo 0/19

Title Terms: SELECT; CANDIDATE; LIGAND; BIND; TARGET; MOLECULAR; IDENTIFY; FUNCTION; CONTACT; TARGET; SAMPLE; LIBRARY; LIGAND; FORM; COMPLEX; ISOLATE; COMPLEX; RECOVER; LIGAND; COMPLEX; IDENTIFY; RECOVER; LIGAND

Derwent Class: B04; C07; D16; P31; S03; T01

International Patent Class (Main): A61B-000/00; G01N-033/53

File Segment: CPI; EPI; EngPI

4/5/8 (Item 3 from file: 350)

014707214

WPI Acc No: 2002-527918/200256

Related WPI Acc No: 2003-456550; 2003-466074

XRAM Acc No: C02-149484

New zinc finger protein that binds to target site in vascular endothelial growth factor gene, useful for modulating expression of the gene and for treating atherosclerosis, ischemia, arthritis, wound or ulcer

Patent Assignee: SANGAMO BIOSCIENCES INC (SANG-N)
Inventor: EISENBERG S P; JAMIESON A; JARVIS E; LIU P; LIU Q; REBAR E; WOLFFE A

Number of Countries: 100 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200246412	A2	20020613	WO 2001US46861	A	20011206	200256	B
AU 200228841	A	20020618	AU 200228841	A	20011206	200262	
EP 1341914	A2	20030910	EP 2001989961	A	20011206	200367	
			WO 2001US46861	A	20011206		

Priority Applications (No Type Date): US 2001846033 A 20010430; US 2000733604 A 20001207; US 2000736083 A 20001212
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 200246412	A2	E	195	C12N-015/12	

Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZM ZW
Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZM ZW

AU 200228841	A		C12N-015/12	Based on patent WO 200246412
EP 1341914	A2	E	C12N-015/12	Based on patent WO 200246412

Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR

Abstract (Basic): WO 200246412 A2

NOVELTY - A zinc finger protein (I) that binds to a target site in one or more vascular endothelial growth factor (VEGF) genes, where the target site has a nucleotide sequence (S) selected from 33 fully defined sequences comprising 9-18 nucleotides as given in the specification, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

(1) a nucleic acid (II) encoding (I);

(2) a pharmaceutical composition (III) comprising (II) operably linked to a regulatory sequence and a pharmaceutically acceptable carrier, where the regulatory sequence allows for expression of (II) in a cell; and

(3) screening for a modulator of expression of a VEGF gene comprising contacting a test cell with (I) and a test agent and comparing the level of expression of the VEGF gene in the test cell with a baseline level, a statistically significant difference in the level of expression in the test cell relative to the baseline level indicating the test agent is a potential modulator of VEGF expression.

ACTIVITY - Antiatherosclerotic; Vasotropic; Antiarthritic; Vulnerary; Antiulcer; Cytostatic; Antipsoriatic; Antidiabetic; Ophthalmological; Osteopathic; Antiinfertility. Stimulation of wound healing and angiogenesis in mice using vascular endothelial growth factor (VEGF)-targeted zinc finger protein (ZFP) fusions was as follows: Punch biopsy wounds were made in both quadriceps muscles of a mouse. A plasmid encoding the VG10A/8A ZFP-VP16 fusion under the transcriptional control of a cytomegalovirus (CMV) promoter was injected into the periphery of one of the wounds, and a control plasmid, lacking sequences encoding a ZFP binding domain, was injected into the contralateral wound. After three days, tissue was excised, and hematoxylin and eosin-stained thin sections were examined microscopically. The results indicated that activation of the VEGF gene by targeted ZFP fusions led to faster wound healing and increased vascularization.

MECHANISM OF ACTION - Modulator of expression of a VEGF gene; Modulator of angiogenesis, lymphogenesis or myelopoiesis (claimed); Gene therapy; Regulator of endothelial cell growth.

USE - (I) is useful for modulating expression of a VEGF gene, by contacting a target site of a nucleic acid within a cell with (I), where binding of (I) to the target site modulates expression of the VEGF gene in the cell. The expression of a number of splice variants of the VEGF gene is modulated. A number of target sites are contacted with a **number** of (I), and each of (I) binds to a **distinct target site**. The **target site** is located in a single type of VEGF gene or different types of VEGF genes, and binding of (I) to the target site modulates expression of the gene. (I) is a fusion protein comprising a regulatory domain, where each of (I) is fused to a different regulatory domain. The regulatory domain comprises an activation domain and binding of (I) to the target site activates or represses transcription of the VEGF gene in the cell. Activation of VEGF transcription activates angiogenesis, lymphogenesis or myelopoiesis in the cell, and repression of VEGF transcription represses angiogenesis in the cell. The method further comprises administering (I) in combination with a delivery vehicle, or administering (II) into the cell. (II) is delivered into the cell in a naked form. (II) is contained within an expression vector (preferably viral expression vector selected from retroviral, adenoviral, or adeno-associated virus (AAV) expression vector) and is operably linked to a promoter, and administering comprises delivering the vector into the cell. The promoter is an inducible promoter. The cell is a population of cells in a cell culture or in a mammalian subject. (I) or (II) is administered in an amount effective to treat a disease or injury, where the disease or injury is selected from atherosclerosis, ischemia, arthritis, wound, ulcer or tumor. (I) is useful for modulating angiogenesis by introducing (I) into an animal having a genome comprising a target site within a VEGF gene, where modulation of angiogenesis comprises inhibition or stimulation of new blood vessel formation, where the blood vessels are nonhyperpermeable. (I) is useful for screening for a modulator of expression of a VEGF gene. A lower level of expression in the test cell relative to the baseline level indicates that the test agent is a repressor of the VEGF gene, and an increased level of expression in the test cell relative to the baseline level indicates that the test agent is an activator of the VEGF gene (claimed). (I) or (II) is useful for regulating endothelial cell growth, to detect target nucleic acids containing target sequences, in bone repair, for treating diabetic retinopathy and psoriasis, to promote development of the corpus luteum and endometrium, for initiating and/or maintaining pregnancy, for supporting embryogenesis, in diverse surgical applications, in general surgery, and in treating and repairing cuts and lacerations.

pp; 195 DwgNo 0/22

Title Terms: NEW; ZINC; FINGER; PROTEIN; BIND; TARGET; SITE; VASCULAR; ENDOTHELIUM; GROWTH; FACTOR; GENE; USEFUL; MODULATE; EXPRESS; GENE; TREAT; ATHEROSCLEROSIS; ISCHAEMIC; ARTHRITIS; WOUND; ULCER

Derwent Class: B04; D16

International Patent Class (Main): C12N-015/12

International Patent Class (Additional): A61K-038/17; A61K-048/00; C07K-014/47

File Segment: CPI

4/5/9 (Item 4 from file: 350)

DIALOG(R)File 350:Derwent WPIX

014358651

WPI Acc No: 2002-179352/200223

Related WPI Acc No: 2002-034512; 2002-034538; 2002-066534; 2002-075165; 2002-607412

XRAM Acc No: C02-055563

Designing exogenous regulatory molecules for regulating a gene of interest comprises preparation based on identified regulatory sequence elements from accessible regions of chromatin

Patent Assignee: SANGAMO BIOSCIENCES INC (SANG-N)

Inventor: COLLINGWOOD T; GUSCHIN D; JOHNSTONE B; LI X; URNOV F; WOLFFE A

Number of Countries: 094 Number of Patents: 003

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200183819	A2	20011108	WO 2001US13562	A	20010427	200223	B
AU 200157331	A	20011112	AU 200157331	A	20010427	200225	
US 6511808	B2	20030128	US 2000200590	P	20000428	200311	
			US 2000214674	P	20000627		
			US 2000228605	P	20000828		
			US 2001844493	A	20010427		

Priority Applications (No Type Date): US 2000228605 P 20000828; US 2000200590 P 20000428; US 2000214674 P 20000627; US 2001844493 A 20010427

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 200183819	A2	E	151	C12Q-001/68	
	Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW				
	Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW				
AU 200157331	A			C12Q-001/68	Based on patent WO 200183819
US 6511808	B2			C12Q-001/68	Provisional application US 2000200590
					Provisional application US 2000214674
					Provisional application US 2000228605

Abstract (Basic): WO 200183819 A2

NOVELTY - Designing exogenous regulatory molecules (ERM) for regulating gene of interest (I) comprises: (a) providing polynucleotide sequences (II) corresponding to accessible regions related to (I); (b) identifying potential regulatory sequence elements (RSE) from (II); and (c) preparing ERM, comprising selecting the DNA binding domain, the functional domain (or both) based upon identified RSE.

DETAILED DESCRIPTION - Designing one or more exogenous regulatory molecules (ERM) for regulating a gene of interest (I) comprises: (a) providing one or more polynucleotide sequences (II) (or a collection (III) of (II)) corresponding to one or more accessible regions related to (I); (b) identifying one or more potential regulatory sequence elements (RSE) from (II) or (III); and (c) preparing an ERM that comprises a DNA binding domain that activates or represses (I), where the preparing comprises selecting the DNA binding domain, the functional domain (or both) based upon the identified RSE.

USE - For designing one or more ERMs for regulating a gene of interest (claimed).

pp; 151 DwgNo 0/28

Title Terms: DESIGN; EXOGENOUS; REGULATE; MOLECULAR; REGULATE; GENE; INTEREST; COMPRISE; PREPARATION; BASED; IDENTIFY; REGULATE; SEQUENCE; ELEMENT; ACCESS; REGION; CHROMATIN

Derwent Class: B04; D16

International Patent Class (Main): C12Q-001/68

File Segment: CPI

4/5/10 (Item 5 from file: 350)

DIALOG(R)File 350:Derwent WPIX

012224467 **Image available**

WPI Acc No: 1999-030573/199903

XRPX Acc No: N99-023653

Fee calculating method for software utilization - involves recording prepaid fee amount in user terminal and subtracting required fee whenever user executes software and obtains final output

Patent Assignee: HISAGO COMMUNICATIONS KK (HISA-N)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 10293688	A	19981104	JP 97101966	A	19970418	199903	B

Priority Applications (No Type Date): JP 97101966 A 19970418
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 10293688	A		6	G06F-009/06	

Abstract (Basic): JP 10293688 A

The method involves recording the account for prepaid amount for using the software in user terminal. Based on usage of the software, the corresponding fee is subtracted from prepaid amount. The fee is subtracted, when the user executes the software and when the final output result is obtained.

When the subtraction result is below the predetermined **amount** , the final result is **not** output. The user again pays the **required amount** and **records** the prepaid amount, for a new account.

ADVANTAGE - Offers reliable billing system depending on usage of software.

Dwg.3/5

Title Terms: FEE; CALCULATE; METHOD; SOFTWARE; RECORD; PREPAYMENT; FEE; AMOUNT; USER; TERMINAL; SUBTRACT; REQUIRE; FEE; USER; EXECUTE; SOFTWARE; OBTAIN; FINAL; OUTPUT
Derwent Class: T01
International Patent Class (Main): G06F-009/06
International Patent Class (Additional): G06F-017/60
File Segment: EPI

4/5/11 (Item 6 from file: 350)

008646632 **Image available**
WPI Acc No: 1991-150661/199121
Related WPI Acc No: 1991-000789; 1991-150660; 1991-150662; 1991-150663; 1991-150679; 1991-157232; 1991-157970; 1991-157980; 1991-165301; 1991-165302; 1991-165303
XRPX Acc No: N91-115692

Transfer device for electrophotography - has transfer charger which faces recording medium at upstream portion, and insulator which blocks part of charger

Patent Assignee: ASAHI KOGAKU KOGYO KK (ASAO)
Inventor: HONDA R; KAMASAKO S; KITA M; NEGISHI K; NISHIKAWA T; SATO T; YANO T; YOSHIDA T; KIYOSHI N
Number of Countries: 004 Number of Patents: 007
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
GB 2238019	A	19910522	GB 90245747	A	19901112	199121	B
DE 4035733	A	19910529	DE 4035733	A	19901109	199123	
AU 9066545	A	19910516				199127	
US 5101239	A	19920331	US 90612083	A	19901113	199216	
AU 637291	B	19930520	AU 9066545	A	19901112	199327	
GB 2238019	B	19940112	GB 9024574	A	19901112	199402	
DE 4035733	C2	19951123	DE 4035733	A	19901109	199551	

Priority Applications (No Type Date): JP 9098226 A 19900411; JP 89293712 A 19891110
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5101239	A		25		
AU 637291	B			G03G-015/16	Previous Publ. patent AU 9066545
DE 4035733	C2		5	G03G-015/16	
GB 2238019	B			G03G-015/16	

Abstract (Basic): GB 2238019 A

The electrophotographic printer has a toner image formed on a photoconductive member transferred onto a recording medium by charging the recording medium and by making the charged recording medium contact the toner image formed on the photoconductive member. A transfer charger charges the recording medium arranged in such a fashion that

the transfer charger faces the recording medium at the upstream-side portion, w.r.t. the feeding direction of the recording medium, of an area where the photoconductive member and the recording medium contacts.

The recording medium is charged at the upstream side of the portion w.r.t. the lateral centre of the portion where the recording medium and the image carrying means contacts. An insulating member blocks part of the open side of the charger.

ADVANTAGE - Provides constant transfer efficiency irrespective of humidity. (53pp Dwg.No.1/13)

Title Terms: TRANSFER; DEVICE; ELECTROPHOTOGRAPHIC; TRANSFER; CHARGE; FACE; RECORD; MEDIUM; UPSTREAM; PORTION; INSULATE; BLOCK; PART; CHARGE
Derwent Class: P74; P84; S06; T04
International Patent Class (Main): G03G-015/16
File Segment: EPI; EngPI

4/5/12 (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX

003344349
WPI Acc No: 1982-K2368E/198231
Universal document format system - reduces number of software packages required, by using utilisation device and format character, esp. for automated systems
Patent Assignee: ENGINEERED SYSTEMS INC (ENGI-N)
Inventor: SHELDON J R
Number of Countries: 003 Number of Patents: 004
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
GB 2091637	A	19820804				198231	B
US 4362928	A	19821207				198251	
CA 1159954	A	19840103				198406	
GB 2091637	B	19840523				198421	

Priority Applications (No Type Date): US 81223982 A 19810112
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
GB 2091637	A		9		

Abstract (Basic): GB 2091637 A

To reduce the **number** of **different** software packages **required** for **document** controlled systems of the type used in automated fueling systems, automated bank teller systems, and the like, a 'format' character is encoded in a pre-established location on the card used to activate the system. Typically, the system activation cards include an identity section having a maximum number of characters in it which may be utilised to perform the identity function.

Different system users, however, frequently divide this identity section into different formats of groups of characters separated by wasteful 'space' characters. By employing a separate format identity character, a wide variety of formats may be possible while using all of the characters possible in the identity field for their chosen function. The system then processes the data.

1/3

Title Terms: UNIVERSAL; DOCUMENT; FORMAT; SYSTEM; REDUCE; NUMBER; SOFTWARE; PACKAGE; REQUIRE; UTILISE; DEVICE; FORMAT; CHARACTER; AUTOMATIC; SYSTEM
Derwent Class: P76; T04; T05
International Patent Class (Additional): B42D-015/02; G06K-005/00; G06K-019/00; G07F-007/08
File Segment: EPI; EngPI

4/5/13 (Item 8 from file: 350)
DIALOG(R)File 350:Derwent WPIX

002131565
WPI Acc No: 1979-F1497B/197924
Plastics separation sheets for document file - have index tags arranged so that each sheet can be used in two places
Patent Assignee: DANZER S & CO GMBH (DANZ-N)
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
BE 874063	A	19790529				197924	B

Priority Applications (No Type Date): BE 874063 A 19790209

Abstract (Basic): BE 874063 A
A document file uses ten sheets of rigid plastics which separate the documents into their appropriate classes. Each sheet has an index tag (12a) to (12k) projecting from its outer edge. Each tag has the same length (1) but occupies a different position for each sheet so that the information on each tag is readily visible.
To reduce the **number** of **different** types **required** for each **file** only five types are made and these have tags which are formed on the same half of each sheet. The remaining five sheets are produced by simply reversing each of the first five sheets.
Title Terms: PLASTICS; SEPARATE; SHEET; DOCUMENT; FILE; INDEX; TAG; ARRANGE ; SO; SHEET; CAN; TWO; PLACE
Derwent Class: P76
International Patent Class (Additional): B42F-000/00
File Segment: EngPI

4/5/14 (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

001526325
WPI Acc No: 1976-J9261X/197641
Cathode ray storage screen tube - has increased storage time from intermittent electron flow and has bistable storage screen with unstable secondary emission curve
Patent Assignee: SIEMENS AG (SIEI)
Number of Countries: 001 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
DE 2513913	A	19760930				197641	B
DE 2513913	B	19770317				197712	

Priority Applications (No Type Date): DE 2513913 A 19750327

Abstract (Basic): DE 2513913 B
A method for increasing the storage time of a cathode ray tube with a bistable storage screen involves means to generate flood electrons in which the secondary emission curve shows a point of instability (1) whence the binstable effect derives. The electrons are fed intermittently to the storage layer in such a way that the secondary emission **ratio** of the part of the **target not hit** by the recording beam remains below the point of instability. The intermittent feed of electrons can be produced by a circuit in which a barrier electrode shutting off the flood electrons is fed by a keying stage fed from a multivibrator.
DE 2513913 A
A method for increasing the storage time of a cathode ray tube with a bistable storage screen involves means to generate flood electrons in which the secondary emission curve shows a point of instability (1) whence the binstable effect derives. The electrons are fed intermittently to the sotrage layer in such a way that the secondary emission **ratio** of the part of the **target not hit** by the recording beam remains below the point of instability. The intermittent feed of electrons can be produced by a circuit in which a barrier electrode shutting off the flood electrons is fed by a keying stage fed

from a multivibrator.

Title Terms: CATHODE; RAY; STORAGE; SCREEN; TUBE; INCREASE; STORAGE; TIME; INTERMITTENT; ELECTRON; FLOW; BISTABLE; STORAGE; SCREEN; UNSTABLE; SECONDARY; EMIT; CURVE

Derwent Class: S01

International Patent Class (Additional): G01R-013/26

File Segment: EPI

File 348:EUROPEAN PATENTS 1978-2004/Feb W05
(c) 2004 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20040304,UT=20040226
(c) 2004 WIPO/Univentio

Set	Items	Description
S1	49493	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR REQUIRED OR REFERENCE)(3W)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? ? OR SITE? ? OR WEBSITE? ? OR HIT? ? OR RESOURCE()LOCATOR? ?)
S2	129329	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR REQUIRED OR REFERENCE)(3W)(DATA OR PHOTO? ? OR PHOTOGRAPH? ? OR IMAGE? ? OR PICTURE? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ? OR OBJECT? ? OR URL? ?)
S3	3411	("NOT" OR T OR DIFFERENT OR UNLIKE OR DISSIMILAR OR DISTINCT)(7W)S1
S4	162	(NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR RATIO OR RATE OR SCOPE)(10W)S3
S5	[redacted]2	S4 AND IC=G06F

5/3,K/1 **(Item 1 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

01503839
Display engagement system
System zum Engagement von Anzeigen
Systeme pour l'engagement des ecrans
PATENT ASSIGNEE:
FUJITSU LIMITED, (211463), 1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki-shi, Kanagawa 211-8588, (JP), (Applicant designated States: all)
INVENTOR:
Nakagawa, Kenichi, c/o Fujitsu Hokuriku, Systems Limited, 4-30, Masuizumi 3-chome, Kanazawa-shi, Ishikawa 921-8611, (JP)
Katada, Keisuke, c/o Fujitsu Hokuriku, Systems Limited, 4-30, Masuizumi 3-chome, Kanazawa-shi, Ishikawa 921-8611, (JP)
LEGAL REPRESENTATIVE:
Fenlon, Christine Lesley et al (61591), Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD, (GB)
PATENT (CC, No, Kind, Date): EP 1258820 A2 021120 (Basic)
APPLICATION (CC, No, Date): EP 2002252686 020416;
PRIORITY (CC, No, Date): JP 2001126081 010424
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 110
NOTE:
Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200247	1521
SPEC A	(English)	200247	4798
Total word count - document A			6319
Total word count - document B			0
Total word count - documents A + B			6319

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...SPECIFICATION an object, and the "REGISTER" button. The user of the client 30 enters a palette **number not** -yet-assigned to any object, and a **desired file** name of an object into the respective text boxes. Then, the user can register the...

5/3,K/2 **(Item 2 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

01424766
GOODS SALES METHOD AND GOODS SALES APPARATUS
WAREN-VERKAUFS-VERFAHREN UND WAREN-VERKAUFS-VORRICHTUNG
PROCEDE ET APPAREIL DE VENTE DE MARCHANDISES
PATENT ASSIGNEE:
NTT DoCoMo, Inc., (3031180), 11-1, Nagatacho 2-chome, Chiyoda-ku, Tokyo 100-6150, (JP), (Applicant designated States: all)
INVENTOR:
NAGAOKA, Tatsuji, 4-11, Ainosato 2-jyo 7-chome, Kita-ku, Sapporo-shi, Hokkaido 002-8072, (JP)
NOMURA, Kazuo, 26-12-401, Chidori 2-chome, Ota-ku, Tokyo 146-0083, (JP)
HIRUMA, Yutaka, 26-9-205, Nerima 1-chome, Nerima-ku, Tokyo 176-0001, (JP)
LEGAL REPRESENTATIVE:
HOFFMANN EITLE (101512), Patent- und Rechtsanwalte Arabellastrasse 4, 81925 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1220134 A1 020703 (Basic)

WO 200219194 020307
APPLICATION (CC, No, Date): EP 2001961256 010831; WO 2001JP7540 010831
PRIORITY (CC, No, Date): JP 2000264698 000831
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/60**
ABSTRACT WORD COUNT: 160
NOTE:
Figure number on first page: 6

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200227	380
SPEC A	(English)	200227	4807
Total word count - document A			5187
Total word count - document B			0
Total word count - documents A + B			5187

INTERNATIONAL PATENT CLASS: **G06F-017/60**

...TELEPHONE telephone directory, but the person can be specified by ... mail to the telephone **number** . That is to say, in this case, ... name is **not required** information..
...URL (Universal **Resource Locator**) may be adopted as the information for describing goods. That is to say, the goods...

5/3,K/3 (Item 3 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

01308263
Adaptive web crawling using a statistical model
Selbstanpassende Internetsuchmaschine mit Berucksichtigung statistischer Modelle
Moteur de recherche web avec la possibilite de s'adapter et utiliser un modele statistique
PATENT ASSIGNEE:
MICROSOFT CORPORATION, (749866), One Microsoft Way, Redmond, WA 98052, (US), (Applicant designated States: all)
INVENTOR:
Obata, Kenji C., 424 19th Avenue E, No.205, Seattle, Washington 98112, (US)
Meyerzonk, Dmitriy, 2680 139th Avenue SE, Unit 116, Bellevue, Washington 98005, (US)
LEGAL REPRESENTATIVE:
Spall, Christopher John (36171), Barker Brettell, 138 Hagley Road, Edgbaston, Birmingham B16 9PW, (GB)
PATENT (CC, No, Kind, Date): EP 1120717 A2 010801 (Basic)
EP 1120717 A3 020911
APPLICATION (CC, No, Date): EP 2000309121 001018;
PRIORITY (CC, No, Date): US 493748 000128
DESIGNATED STATES: DE; FR; GB
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 142
NOTE:
Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200131	978
SPEC A	(English)	200131	12428
Total word count - document A			13406
Total word count - document B			0

Total word count - documents A + B 13406

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...SPECIFICATION updated with the new hash value 416, the document time stamp 414, and the crawl **number** modified 420 that was set at step 1026. While **not required** , data from the **document** may be stored along with the newly computed hash value and document time stamp even...

5/3,K/4 (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

01270156
Method and apparatus for interfacing with a secondary storage system
Verfahren und Vorrichtung zur Schnittstellenbildung mit einem sekundaren Speichersystem
Procede et dispositif d'interface avec un systeme de stockage secondaire
PATENT ASSIGNEE:
SUN MICROSYSTEMS, INC., (1392733), 901 San Antonio Road, Palo Alto, California 94303, (US), (Applicant designated States: all)
INVENTOR:
Nazari, Siamak, 1862 Oakwood Avenue, Arcadia, CA 91006, (US)
LEGAL REPRESENTATIVE:
Hanna, Peter William Derek et al (72343), Hanna, Moore & Curley, 11 Mespil Road,, Dublin 4, (IE)
PATENT (CC, No, Kind, Date): EP 1094392 A1 010425 (Basic)
APPLICATION (CC, No, Date): EP 203644 001018;
PRIORITY (CC, No, Date): US 160957 991022; US 686110 001010
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-012/08**
ABSTRACT WORD COUNT: 167
NOTE:
Figure number on first page: 3

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200117	1080
SPEC A	(English)	200117	2581
Total word count - document A			3661
Total word count - document B			0
Total word count - documents A + B			3661

INTERNATIONAL PATENT CLASS: **G06F-012/08**

...SPECIFICATION is located outside of layout manager 104. Target buffer address 208 may point to a **number** of **different** types of target buffers, such as **target** buffer 115 within **page** cache 116, target buffer 118 within user space 120, or target buffer 124 within kernel...

5/3,K/5 (Item 5 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00711605
Reconfigurable data processing stage
Rekonfigurierbare Datenverarbeitungsstufe
Etage d'operation de donnees reconfigurable
PATENT ASSIGNEE:
DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA 92714, (US), (Proprietor designated states: all)
INVENTOR:
Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA,

(GB)
Sheehan, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire, GL11 6BD, (GB)
Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE, (GB)
LEGAL REPRESENTATIVE:
Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 674446 A2 950927 (Basic)
EP 674446 A3 960814
EP 674446 B1 010801
APPLICATION (CC, No, Date): EP 95301300 950228;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
INTERNATIONAL PATENT CLASS: H04N-007/24; **G06F-013/00** ; **G06F-009/38**
ABSTRACT WORD COUNT: 144
NOTE:
Figure number on first page: 10

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPAB95	2475
CLAIMS B	(English)	200131	1079
CLAIMS B	(German)	200131	1072
CLAIMS B	(French)	200131	1186
SPEC A	(English)	EPAB95	125236
SPEC B	(English)	200131	121335

Total word count - document A 127738
Total word count - document B 124672
Total word count - documents A + B 252410

...INTERNATIONAL PATENT CLASS: **G06F-013/00** ...
... **G06F-009/38**

...SPECIFICATION start timing;
Figure 110 shows a fast page read cycle;
Figure 111 shows a fast **page** write cycle;
Figure 112 shows a refresh cycle;
Figure 113 shows extracting row and column...

5/3,K/6 **(Item 6 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

00594293
Process management and control system and method for converting documents.
Prozessverwaltungs- und Steuerungssystem und Verfahren zum Umsetzen von Dokumenten.
Gestion de processus, systeme de commande et methode pour la conversion de documents.
PATENT ASSIGNEE:
MOTOROLA, INC., (205770), 1303 East Algonquin Road, Schaumburg, IL 60196, (US) , (applicant designated states: DE;FR;GB)
INVENTOR:
Poole, Brian, 4709 Creekstone Drive, Suite 300, Morrisville North Carolina 27560, (US)
LEGAL REPRESENTATIVE:
Hudson, Peter David et al (52403), MOTOROLA European Intellectual Property Operations Jays Close Viables Industrial Estate, Basingstoke, Hampshire RG22 4PD, (GB)
PATENT (CC, No, Kind, Date): EP 603513 A2 940629 (Basic)
EP 603513 A3 941102
APPLICATION (CC, No, Date): EP 93117870 931104;
PRIORITY (CC, No, Date): US 994376 921221
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: **G06F-015/21**

ABSTRACT WORD COUNT: 155

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	960
SPEC A	(English)	EPABF2	6645
Total word count - document A			7605
Total word count - document B			0
Total word count - documents A + B			7605

INTERNATIONAL PATENT CLASS: **G06F-015/21**

...SPECIFICATION steps of FIG. 7. PMACC 10 is able to handle the management of a large **number** of transactions simultaneously and determine the many **different** workflow tasks **required** by **different** **documents** based on differing contractual requirements.
It is through job control that PMACC 10 controls the...

5/3,K/7 **(Item 7 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00438100
Dynamic optimization of a single relation access
Dynamische Optimierung eines einzelnen relationalen Zugriffs
Optimisation dynamique d'un seul acces relationnel
PATENT ASSIGNEE:
ORACLE CORPORATION, (1640220), 500 Oracle Parkway, Redwood Shores, CA 94065, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
Antoshenkov, Gennady, 1 North Meadow Road, Amherst, New Hampshire 03031, (US)
LEGAL REPRESENTATIVE:
Goodman, Christopher et al (31122), Eric Potter Clarkson, Park View House, 58 The Ropewalk, Nottingham NG1 5DD, (GB)
PATENT (CC, No, Kind, Date): EP 444358 A2 910904 (Basic)
EP 444358 A3 930317
EP 444358 B1 980819
APPLICATION (CC, No, Date): EP 90314157 901221;
PRIORITY (CC, No, Date): US 487011 900227
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 167

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	9834	2107
CLAIMS B	(German)	9834	1890
CLAIMS B	(French)	9834	2417
SPEC B	(English)	9834	5379
Total word count - document A			0
Total word count - document B			11793
Total word count - documents A + B			11793

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...SPECIFICATION in the prior scan; the first mentioned fraction is reduced geometrically so that the total **number** of fetches incurred in all scans does **not** exceed the **number** **required** to retrieve all **records** .
The invention performs index-only retrievals (where indexed fields are delivered, instead of full records...

5/3,K/8 **(Item 8 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

00332505
DOCUMENT PROCESSING SYSTEM.
DOKUMENTENVERARBEITUNGSANORDNUNG.
SYSTEME DE TRAITEMENT DE DOCUMENTS.
PATENT ASSIGNEE:
HONDA GIKEN KOGYO KABUSHIKI KAISHA, (237837), 1-1, 2-chome Minami-Aoyama, Minato-ku Tokyo, (JP), (applicant designated states: DE;FR;GB)
INVENTOR:
MIYOSHI, Akito, 244-14, Kamihiroya Tsurugashima-machi, Iruma-gun Saitama 350-02, (JP)
TERAI, Hiromitsu, 2898-13-206, Ishii, Sakado-shi Saitama 350-02, (JP)
LEGAL REPRESENTATIVE:
Lehn, Werner, Dipl.-Ing. et al (7471), Hoffmann, Eitle & Partner, Patentanwalte, Postfach 81 04 20, D-81904 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 328684 A1 890823 (Basic)
EP 328684 A1 900214
EP 328684 B1 940518
WO 8902116 890309
APPLICATION (CC, No, Date): EP 88907362 880817; WO 88JP810 880817
PRIORITY (CC, No, Date): JP 87216231 870828; JP 87258292 871015
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: **G06F-015/20** ; **G06F-015/40**
ABSTRACT WORD COUNT: 159

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	477
CLAIMS B	(German)	EPBBF1	406
CLAIMS B	(French)	EPBBF1	571
SPEC B	(English)	EPBBF1	18449
Total word count - document A			0
Total word count - document B			19903
Total word count - documents A + B			19903

INTERNATIONAL PATENT CLASS: **G06F-015/20** ...

... **G06F-015/40**

...SPECIFICATION to the case of the service data.
Since the data concerning the diameter and the **number** are **not required** to **be** converted by the unit, no unit conversion is needed for these two pieces of data...

5/3,K/9 (Item 9 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00291054
Method for managing subpage concurrency control and partial transaction rollback in a transaction-oriented system of the write-ahead logging type.
Verfahren zur Steuerung von gleichzeitigen Zugriffen innerhalb einer Seite sowie Teilwiederholung von Transaktionen in einem transaktionsorientierten System des
Methode pour gerer la commande de simultaneite de sous-pages et le repositionnement partiel de transactions dans un systeme transactionnel du type d'enregistrem
PATENT ASSIGNEE:
International Business Machines Corporation, (200120), Old Orchard Road, Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
Haderle, Donald James, 812 Lilac Way, Los Gatos, CA 95030, (US)
Lindsay, Bruce Gilbert, 1185 Settle Avenue, San Jose, CA 95125, (US)
Mohan, Chandrasekaran, 3837 Ramirez Court, San Jose, CA 95121, (US)

Pirahesh, Mir Hamid, 6815 Royalwood Way, San Jose, CA 95120, (US)
Schwarz, Peter Martin, 94 Glen Eyrie Avenue, Apt 6, San Jose, CA 95125, (US)
LEGAL REPRESENTATIVE:
Burt, Roger James, Dr. et al (52152), IBM United Kingdom Limited Intellectual Property Department Hursley Park, Winchester Hampshire SO21 2JN, (GB)
PATENT (CC, No, Kind, Date): EP 295424 A2 881221 (Basic)
EP 295424 A3 900523
EP 295424 B1 940427
APPLICATION (CC, No, Date): EP 88107496 880510;
PRIORITY (CC, No, Date): US 59666 870608
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: **G06F-011/14**
ABSTRACT WORD COUNT: 55

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	549
CLAIMS B	(German)	EPBBF1	548
CLAIMS B	(French)	EPBBF1	612
SPEC B	(English)	EPBBF1	7134
Total word count - document A			0
Total word count - document B			8843
Total word count - documents A + B			8843

INTERNATIONAL PATENT CLASS: **G06F-011/14**

...SPECIFICATION with if the transaction is not a distributed one or is read-only. It is **not required** by **the** current invention that the pages modified by a transaction be forced to disk at the...

5/3,K/10 **(Item 10 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00274028
Method using a programmed digital computer system for translation between natural languages.
Verfahren zur Ubersetzung naturlicher Sprachen mittels eines programmierten Digitalrechners.
Procede utilisant un ordinateur numerique programme pour la traduction de langues naturelles.
PATENT ASSIGNEE:
GACHOT S.A., (594300), 26 bis, Avenue de Paris, F-95230 Soisy-sous-Montmorency, (FR), (applicant designated states: AT;BE;CH;DE;ES;FR;GB;GR;IT;LI;LU;NL;SE)
INVENTOR:
Toma, Peter Aorangi International University, 80 Filleul Street P.O. Box 917 Chief Post Office, Dunnedin 9031, (NZ)
LEGAL REPRESENTATIVE:
Derambure, Christian et al (15169), Bouju Derambure Bugnion 52, rue de Monceau, 75008 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 274281 A1 880713 (Basic)
EP 274281 B1 920610
APPLICATION (CC, No, Date): EP 87400004 870105;
PRIORITY (CC, No, Date): EP 87400004 870105
DESIGNATED STATES: AT; BE; CH; DE; ES; FR; GB; GR; IT; LI; LU; NL; SE
INTERNATIONAL PATENT CLASS: **G06F-015/38**
ABSTRACT WORD COUNT: 145

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	3945
CLAIMS B	(German)	EPBBF1	1549
CLAIMS B	(French)	EPBBF1	1848

SPEC B (English) EPBBF1 17849
Total word count - document A 0
Total word count - document B 25191
Total word count - documents A + B 25191

INTERNATIONAL PATENT CLASS: **G06F-015/38**

...SPECIFICATION meanings on the basis of the scientific area of interest. In other words, the translation **of** the word HEAD may be **different** in the **target** language, depending **upon** whether the text being translated is in the area of biology or mechanical engineering. Since...

5/3,K/11 (Item 11 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

0254244
Index key range estimator.
Schatzeinrichtung des Indexschlusselbereiches.
Estimateur de l'etendue des termes d'un index.
PATENT ASSIGNEE:
International Business Machines Corporation, (200120), Old Orchard Road, Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
Anderson, Mark, John, 2209 17th Avenue, N.W., Rochester - MN 55901, (US)
Cole, Richard Lee, 625 19th St., N.W. No. 603, Rochester - MN 55901, (US)
Davidson, William, Simpson, Box 293, Route 2, Oronoco - MN 55960, (US)
Youngren, Larry William, 1505 41st St., N.W. No.18-F, Rochester, MN 55901, (US)
Lee, Wilson Douglas, 15 Elton Ridge Court, Rochester, MN 55901, (US)
Passe, Peter Bernard, 2911 17th Avenue, N.W., Rochester, MN 55901, (US)
Ricard, Gary Ross, 607 10th Street S.E., Rochester, MN 55904, (US)
LEGAL REPRESENTATIVE:
Vekemans, Andre (18921), Compagnie IBM France Departement de Propriete Intellectuelle, F-06610 La Gaude, (FR)
PATENT (CC, No, Kind, Date): EP 252234 A2 880113 (Basic)
EP 252234 A3 920122
EP 252234 B1 940112
APPLICATION (CC, No, Date): EP 87106180 870428;
PRIORITY (CC, No, Date): US 871637 860606
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: **G06F-015/40**
ABSTRACT WORD COUNT: 145

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS B (English) EPBBF1 834
CLAIMS B (German) EPBBF1 768
CLAIMS B (French) EPBBF1 954
SPEC B (English) EPBBF1 6364
Total word count - document A 0
Total word count - document B 8920
Total word count - documents A + B 8920

INTERNATIONAL PATENT CLASS: **G06F-015/40**

...SPECIFICATION searched are resident in fast access storage. If the pages are not resident, significant time **is** consumed to retrieve the leaf pages **required** . Determining the **number** of keys in a key range has required retrieving large quantities of leaf pages and...

5/3,K/12 (Item 12 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

0237744
Reconfigurable automatic tasking system.
Wiederkonfigurierbares automatisches Aufgabenzuweisungssystem.
Systeme d'attribution automatique de taches reconfigurable.
PATENT ASSIGNEE:
International Business Machines Corporation, (200120), Old Orchard Road, Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
Kerr, Randal Hugh, Box 211, RD No. 1, Richford, N.Y. 13835, (US)
Mesnard, Robert Marshall, 620 Wilma St., Endicott, N.Y. 13760, (US)
LEGAL REPRESENTATIVE:
Jost, Ottokarl, Dipl.-Ing. (6092), IBM Deutschland Informationssysteme GmbH, Patentwesen und Urheberrecht, D-70548 Stuttgart, (DE)
PATENT (CC, No, Kind, Date): EP 236744 A2 870916 (Basic)
EP 236744 A3 900704
EP 236744 B1 930929
APPLICATION (CC, No, Date): EP 87101586 870205;
PRIORITY (CC, No, Date): US 838062 860310
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: **G06F-009/44**
ABSTRACT WORD COUNT: 103

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	762
CLAIMS B	(German)	EPBBF1	839
CLAIMS B	(French)	EPBBF1	899
SPEC B	(English)	EPBBF1	10832
Total word count - document A			0
Total word count - document B			13332
Total word count - documents A + B			13332

INTERNATIONAL PATENT CLASS: **G06F-009/44**

...SPECIFICATION Parameters
(%0)
(%1)
(%2)
(%3)
(%4)
(%5)
(%6)
(%7)
(%8)
(%9)
Time Stamp
(T)
Find **String** Delimiters
(F+)
(F-)
Do If Found
(+)
(-) **Not** Found
Wait **Until** CTRL-W
(WAIT)
Pause Until Any Key is Struck
(PAUSE)
Begin and End
(+)
(-)
Command File...

5/3,K/13 **(Item 13 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

00237391
Systolic super summation device.
Systolisches Supersummiergerat.
Dispositif systolique de supersommation.
PATENT ASSIGNEE:
International Business Machines Corporation, (200120), Old Orchard Road, Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
Capello, Peter R., 4698 Calle Reina, Santa Barbara, CA 93110, (US)
Miranker, Willard L., 81 Meadow Road, Briarcliff Manor New York 10510, (US)
LEGAL REPRESENTATIVE:
Jost, Ottokarl, Dipl.-Ing. (6092), IBM Deutschland Informationssysteme GmbH Patentwesen und Urheberrecht Pascalstrasse 100, W-7000 Stuttgart 80, (DE)
PATENT (CC, No, Kind, Date): EP 239737 A2 871007 (Basic)
EP 239737 A3 900425
EP 239737 B1 930714
APPLICATION (CC, No, Date): EP 87101193 870128;
PRIORITY (CC, No, Date): US 832282 860224
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: **G06F-007/50** ; **G06F-005/01**
ABSTRACT WORD COUNT: 90

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	2824
CLAIMS B	(German)	EPBBF1	1571
CLAIMS B	(French)	EPBBF1	1915
SPEC B	(English)	EPBBF1	18240
Total word count - document A			0
Total word count - document B			24550
Total word count - documents A + B			24550

INTERNATIONAL PATENT CLASS: **G06F-007/50** ...

... **G06F-005/01**

...SPECIFICATION In the preferred embodiment, the architecture/algorithm is enhanced such that the throughput will be **not** one **number** per cycle, but (see image **reference** in original **document**)(2(sup(C) + M)/M(see

5/3,K/14 **(Item 1 from file: 349)**
[ALGORITH File 349:PCT FULLTEXT
(c) WIPO/Univentio. All rts. reserv.

00338670 **Image available**
INTERACTIVE ELECTRONIC REFERENCES SYSTEMS AND METHODS
SYSTEMES ET PROCEDES DE GENERATION DE REFERENCES ELECTRONIQUES INTERACTIVES
Patent Applicant/Assignee:
ESSIBUY com, 201 Evans Lane, St. Louis, Missouri, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WATSON Mike, 2508 Christopher Oaks Ct., St. Louis, MO 63129, US, US (Residence), US (Nationality), (Designated only for: US)
TRICOMI Frank, 1918 Falling Tree Ct., Chesterfield, MO 63005, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
DAMMAN Kirk A (et al) (agent), Lewis, Rice & Fingersh, L.C., 500 North Broadway, Suite 2000, St. Louis, MO 63102, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200338660 A2 20030508 (WO 0338660)
Application: WO 2002US35051 20021031 (PCT/WO US0235051)
Priority Application: US 2001336192 20011031; US 2001336195 20011031; US

2001336204 20011031; US 2001336206 20011031
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 20287

Main International Patent Class: **G06F-017/20**
International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... principles of creating interlinked documents above could be used to provide for interlinking of any **number** of **different** reference materials and parts of individual **reference documents** . In this way, a 1 5 user trying to carry out an instruction in any...

5/3,K/15 (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00963611 **Image available**
EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE INTERENTREPRISES A ELEMENTS MULTIPLES A ACCES INTERNET POUR SERVICES DE LOCATION DE VEHICULES
Patent Applicant/Assignee:
THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US , US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US , US (Residence), US (Nationality), (Designated only for: US)
DE VALLANCE Kimberly Ann, 2037 Silent Spring Drive, Maryland Heights, MO 63043, US, US (Residence), US (Nationality), (Designated only for: US)
HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US, US (Residence), US (Nationality), (Designated only for: US)
KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US (Residence), US (Nationality), (Designated only for: US)
SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US (Residence), US (Nationality), (Designated only for: US)
TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US (Residence), US (Nationality), (Designated only for: US)
KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HAFERKAMP Richard E (et al) (agent), Howell & Haferkamp, L.C., Suite 1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200297700 A2 20021205 (WO 0297700)
Application: WO 2001US51431 20011019 (PCT/WO US0151431)
Priority Application: US 2000694050 20001020
Parent Application/Grant:
Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 237932

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... of any specified 80-position work file (FILE80) in this active job session for the **scope** of the entire job to 80-position work **file** (FILE80) in this active job session's QTEMP Temporary Job Session library and sequentially block...

5/3,K/16 (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00963544 **Image available**
SYSTEM AND METHOD FOR MONITORING COMPUTER APPLICATION AND RESOURCE UTILIZATION
SYSTEME ET PROCEDE PERMETTANT DE SURVEILLER DES APPLICATIONS INFORMATIQUES ET L'UTILISATION DES RESSOURCES
Patent Applicant/Assignee:
SIEMENS MEDICAL SOLUTIONS USA INC, 186 Wood Avenue South, Iselin, NJ 08830-2770, US, US (Residence), US (Nationality)
Inventor(s):
SMITH David Wesley, 329 Kings Ridge Road, King of Prussia, PA 19406, US,
Legal Representative:
BURKE Alexander J (et al) (agent), Siemens Corporation, Intellectual Property Dept., 186 Wood Ave. South, Iselin, NJ 08830, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200297630 A2 20021205 (WO 0297630)
Application: WO 2002US15485 20020515 (PCT/WO US0215485)
Priority Application: US 2001293685 20010525; US 200277372 20020215
Designated States: CA JP
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
Publication Language: English
Filing Language: English
Fulltext Word Count: 4637

Main International Patent Class: **G06F-011/34**
Fulltext Availability:
Detailed Description

Detailed Description
... how a prior system is used to collect performance data.

Figure 2 illustrates the estimated **amount** of data that are **required** for **different sites** using prior systems for collecting data.

Figure 3 illustrates exemplary system and method

5/3,K/17 (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00948176 **Image available**
DELTA ENCODING USING CANONICAL REFERENCE FILES
CODAGE DELTA AU MOYEN DE FICHIERS DE REFERENCE CANONIQUE
Patent Applicant/Assignee:
INKTOMI CORPORATION, 4100 East Third Avenue, Foster City, CA 94404, US,

US (Residence), US (Nationality)
Inventor(s):
WONG Chung-Kei, 100 N. Whisman Road, Apt. #2822, Mountain View, CA 94043, US,
NUTT Gary, 2736 3rd Street, Boulder, CO 80304-3259, US,
JHA Vikas, 3685 Ralston Avenue, Hillsborough, CA 94010, US,
SUDARSANAM Ashok R, 5624 Forbes Drive, Newark, CA 94560, US,
PAPADEMETRIOU Spyro, 3806 25th Street North, Arlington, VA 22207, US,
AGGARWAL Anshu, 270 Duck Court, Foster City, CA 94404, US,
Legal Representative:
HENKHAUS John (et al) (agent), Hickman Palermo Truong & Becker, Llp, 1600 Willow Street, San Jose, CA 95125, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200282324 A2-A3 20021017 (WO 0282324)
Application: WO 2002US10821 20020405 (PCT/WO US0210821)
Priority Application: US 2001282303 20010405; US 2002117006 20020404
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 9283

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... coalescing reference files from multiple servers to generate a canonical reference file are beyond the **scope** of the present invention, and thus are **not** described herein. According to one embodiment, the **reference file** is generated at one of the multiple servers and then transmitted to the other associated...clients, and another reference file for another set of clients. However, benefits diminish if the **number** of **distinct reference files** for the same content begins to approach the number of clients to which the server...

5/3,K/18 **(Item 5 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT

00933152 **Image available**
EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE ETENDU ENTRE ENTREPRISES, A FONCTIONS MULTIPLES, FONCTIONNANT SUR LE WEB, POUR DES SERVICES DE LOCATION DE VEHICULES
Patent Applicant/Assignee:
THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US , US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US , US (Residence), US (Nationality), (Designated only for: US)
DE VALLANCE Kimberly Amm, 2037 Silent Spring Drive, Maryland Heights, MO 63043, US, US (Residence), US (Nationality), (Designated only for: US)
HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US, US (Residence), US (Nationality), (Designated only for: US)
KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US (Residence), US (Nationality), (Designated only for: US)
SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US (Residence), US (Nationality), (Designated only for: US)
TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US

(Residence), US (Nationality), (Designated only for: US)
KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US
(Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HAFERKAMP Richard E (et al) (agent), HOWELL & HAFERKAMP, L.C., Suite 1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200267175 A2 20020829 (WO 0267175)
Application: WO 2001US51437 20011019 (PCT/WO US0151437)
Priority Application: US 2000694050 20001020
Parent Application/Grant:
Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 243912

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... Ref record so that ey can determine if this BCO is to be added. Do **NOT** reject the transaction.

ELSE, load the internal routing **record** format (APPD01) with the retriev ternal ENTERPRISE CUSTOMER ID value.

IF any received inbound transmission...first 10 of 20 Laracters of a candidate VENDOR TRANSACTION ID.

Then, for every IDENTIFICATION **NUMBER** that is non-zero, ensure that an MS Rental Cross- **Reference File record** does **not** exist for the this derived Vendor -ansaction ID by execution of the ARMS Cross-Reference... 1, use AMXREFL2 to retrieve the requested ARMS Cross-Reference File record.
a.) IF Ticket **number** is also passed with the program call, retrieve **record** using AMXREFL2. Then validate the Ticket number passed with the program I against the Ticket...

5/3,K/19 (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00930259 **Image available**
AN ARTIFICIAL INTELLIGENCE TRENDING SYSTEM
SYSTEME D'IDENTIFICATION SELON DES TENDANCES BASE SUR L'INTELLIGENCE ARTIFICIELLE
Patent Applicant/Assignee:
WORLDCOM INC, 500 Clinton Center Drive, Clinton, MS 39056, US, US
(Residence), US (Nationality)
Inventor(s):
TAYEBNEJAD Mohammad Reza, 6655 Apricot Lane, Colorado Springs, CO 80918, US,
VAN CAMP Karl Aric, 6170 Little Johnny Drive, Colorado Springs, CO 80918, US,
DALLAS Charles Alan, 7365 Meadow Pine Drive, Colorado Springs, CO 80908, US,
VAN ARKEL John Hans, 4125 Brigadoon Lane, Colorado Springs, CO 80909, US,

Legal Representative:
GROLZ Edward W (agent), Scully, Scott, Murphy & Presser, 400 Garden City Plaza, Garden City, NY 11530, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200263555 A2-A3 20020815 (WO 0263555)
Application: WO 2002US3744 20020207 (PCT/WO US0203744)
Priority Application: US 2001266864 20010207; US 200241549 20020110
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 12364

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... records by highest score to lowest. Then for each of these orders, corresponding to the **different** algorithms, count **how many** target **records** are identified in the top N records, for N= 1 00, 200, 500, 1000, 2000...

5/3,K/20 (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00927538 **Image available**
DATABASE SYSTEM AND QUERY OPTIMISER
SYSTEME DE BASE DE DONNEES ET OPTIMISEUR DE DEMANDES
Patent Applicant/Assignee:
SAP AKTIENGESELLSCHAFT, Neurottstr. 16, 69190 Walldorf, DE, DE (Residence), DE (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
VON BERGEN Axel, Breslauerstr. 27, 69168 Wiesloch, DE, DE (Residence), DE (Nationality), (Designated only for: US)
SCHWARZ Arne, Hildastr. 2, 69115 Heidelberg, DE, DE (Residence), DE (Nationality), (Designated only for: US)
SAUERMANN Volker, Keplerstr. 24, 69120 Heidelberg, DE, DE (Residence), DE (Nationality), (Designated only for: US)
Patent and Priority Information (Country, Number, Date):
Patent: WO 200261613 A2-A3 20020808 (WO 0261613)
Application: WO 2002EP1027 20020201 (PCT/WO EP0201027)
Priority Application: DE 10104831 20010201
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 3672

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description

... By not having a fully up to date structure El an error is introduced as **not** the **exact** actual **number** of **hits** for the data source DS is calcu lated, but if the error is kept within...

5/3,K/21 **(Item 8 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00922981 **Image available**
PATIENT SCHEDULING TECHNIQUES FOR AN IMPLANTABLE MEDICAL DEVICE
TECHNIQUES D'ETABLISSEMENT DE CALENDRIER D'UN PATIENT CONCERNANT UN DISPOSITIF MEDICAL IMPLANTABLE
Patent Applicant/Assignee:
MEDTRONIC INC, 710 Medtronic Parkway N.E., Minneapolis, MN 55432, US, US (Residence), US (Nationality)
Inventor(s):
HARTLAUB Jerome T, 2133 Erin Court, New Brighton, MN 55112, US,
Legal Representative:
WALDKOETTER Eric R (et al) (agent), Medtronic, Inc. LC340, 710 Medtronic Parkway Northeast, Minneapolis, MN 55432, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200256235 A2-A3 20020718 (WO 0256235)
Application: WO 2001US49292 20011220 (PCT/WO US0149292)
Priority Application: US 2000259022 20001229
Designated States: AU CA JP
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
Publication Language: English
Filing Language: English
Fulltext Word Count: 7869
Main International Patent Class: **G06F-019/00**
Fulltext Availability:
Detailed Description

Detailed Description
... g., manually interrogating the implantable device 105 for it's drug status and drug inftision **rate** conditions).

If an appointment is **not** **required** , a **record** that this determination was made is stored in the database 120 (at step 920). On...

5/3,K/22 **(Item 9 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00912761 **Image available**
AUTOMATICALLY DEPLOY AND UPGRADE AN APPLICATION BASED ON MARKUP LANGUAGE APPLICATION DEFINITION
EXPLOITATION ET MISE A NIVEAU AUTOMATIQUE D'UNE APPLICATION UTILISANT UNE DEFINITION D'APPLICATION DE LANGAGE DE BALISAGE
Patent Applicant/Assignee:
WEBPUTTY, 2 West Santa Clara Street, 2nd Floor, San Jose, CA 95113, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
HERBERT Charles St John III, 54 Citation Drive, Los Altos, CA 94024, US, US (Residence), US (Nationality), (Designated only for: US)
SHULMAN Semyon, 26 Cadiz Circle, Redwood City, CA 94065, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
MALLIE Michael J (et al) (agent), Blakely, Sokoloff, Taylor & Zafman LLP, 7th floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200246909 A1 20020613 (WO 0246909)
Application: WO 2001US47932 20011207 (PCT/WO US0147932)
Priority Application: US 2000254277 20001207

Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZM ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 11430

Main International Patent Class: **G06F-007/02**
Fulltext Availability:
Detailed Description

Detailed Description
... differences component starts with the
tmain(function which
does the basic checks like whether the **number** of arguments is proper or **not** , all the **desired** directories and **files** are existing or not.. It then deletes all the files existing in the diff directory...

5/3,K/23 **(Item 10 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00910729 **Image available**
METHODS AND SYSTEMS FOR PROVIDING PERSONALIZED CONTENT OVER A NETWORK
PROCEDES ET SYSTEMES DESTINES A FOURNIR UN CONTENU PERSONNALISE SUR UN RESEAU
Patent Applicant/Assignee:
BLUESTREAK COM, 76 Hammarlund Way, Middletown, RI 02842, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
CROY John Charles, 21 Bailey Avenue, Middletown, RI 02842, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
OLIVER Kevin A (et al) (agent), Foley Hoag LLP, 155 Seaport Boulevard, Boston, MA 02210-2698, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200244846 A2-A3 20020606 (WO 0244846)
Application: WO 2001US44484 20011128 (PCT/WO US0144484)
Priority Application: US 2000726468 20001129
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZM ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 10582

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... This audio file may not be very interactive and interactive sound may require a significant **number** of audio files. In one embodiment, the HTML does **not** contain the audio file or **reference** audio **files** , but includes a set of instructions which comprise computer code and/or data to enable...

5/3,K/24 **(Item 11 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00893396 **Image available**
EXTENDED FUNCTIONALITY FOR AN INVERSE INFERENCE ENGINE BASED WEB SEARCH
FONCTIONNALITE ETENDUE DESTINEE A UNE RECHERCHE SUR INTERNET BASEE SUR UN MOTEUR D'INFERENCES INVERSES
Patent Applicant/Assignee:
INSIGHTFUL CORPORATION, Suite 500, 1700 Westlake Avenue North, Seattle, WA 98109-3044, US, US (Residence), US (Nationality)
Inventor(s):
MARCHISIO Giovanni B, Unit 303, 9815 NE 130th Place, Kirkland, WA 98034, US,
Legal Representative:
LEBOVICI Victor B (et al) (agent), Weingarten, Schurgin, Gagnebin & Hayes LLP, Ten Post Office Square, Boston, MA 02109, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200227536 A1 20020404 (WO 0227536)
Application: WO 2001US29943 20010925 (PCT/WO US0129943)
Priority Application: US 2000235255 20000925
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 13214

Main International Patent Class: **G06F-017/20**
International Patent Class: **G06F-017/21** ...

... **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... blocks of the term document matrix are not necessarily equal in size. In particular,, the **number** of columns in each **T** block reflects the **number** of **target documents** in the associated language. Also, the number of rows in each block need not be...

5/3,K/25 **(Item 12 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00873793
SYSTEM AND METHOD FOR SELECTING ALTERNATIVE ADVERTISING INVENTORY IN PLACE OF SOLD OUT ADVERTISING INVENTORY
SYSTEME ET PROCEDE POUR SELECTIONNER UN REPERTOIRE DE PUBLICITES DE REMPLACEMENT A LA PLACE D'UN REPERTOIRE DE PUBLICITES EPUISE
Patent Applicant/Assignee:
YAHOO INC, 701 First Avenue, Sunnyvale, CA 94089, US, US (Residence), US (Nationality)
Inventor(s):
LIM Kian-Tat, 379 Everett Avenue, Palo Alto, CA 94301, US,
Legal Representative:
ALBERT Philip H (et al) (agent), Townsend and Townsend and Crew LLP, Two Embarcadero Center, Eighth Floor, San Francisco, CA 94111, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200207054 A2 20020124 (WO 0207054)

Application: WO 2001US22537 20010717 (PCT/WO US0122537)
Priority Application: US 2000617584 20000718
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 8076

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... ad space or ad views on popular web pages often exceeds supply. Thus, a significant **number** of ads do **not** always get placed on the most **desired** web **pages** .

ideally, in order to maximize revenue, the excess demand need to be 5 diverted to...

5/3,K/26 **(Item 13 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00851558
DATABASES OF REGULATORY SEQUENCES; METHODS OF MAKING AND USING SAME
BASE DE DONNEES DE SEQUENCES REGULATRICES, LEURS PROCEDES D'ELABORATION ET D'UTILISATION
Patent Applicant/Assignee:
SANGAMO BIOSCIENCES INC, Point Richmond Tech. Center, 501 Canal Boulevard, Suite A100, Richmond, CA 94804, US, US (Residence), US (Nationality)
Inventor(s):
WOLFFE Alan, 155 Alice Lane, Orinda, CA 94563, US,
URNOV Fyodor, 135 Lakeshore Court, Richmond, CA 94804, US,
GUSCHIN Dmitry, Apartment 18, 2635 Lancaster Drive, Richmond, CA 94806, US,
COLLINGWOOD Trevor, Apt. 3924, 3400 Richmond Parkway, San Pablo, CA 94806, US,
LI Xiao-Yong, 172 Lakeshore Court, Richmond, CA 94804, US,
JOHNSTONE Brian, 1229 Monte Vista Court, Benicia, CA 94510, US,
Legal Representative:
PASTERNAK Dahna S (agent), Robins & Pasternak LLP, Suite 180, 545 Middlefield Road, Menlo Park, CA 94025 (et al), US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200183732 A2-A3 20011108 (WO 0183732)
Application: WO 2001US40617 20010427 (PCT/WO US0140617)
Priority Application: US 2000200590 20000428; US 2000214674 20000627; US 200228556 20000828
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 52182

...International Patent Class: **G06F-017/00** ...

... **G06F-019/00**
Fulltext Availability:
Detailed Description
Detailed Description
... the EPAS activation domain is capable of activating VEGF-A expression, when fused to a **number** of **different** ZFP DNA-binding domains **targeted** to various **sites** in the VEGF-A gene. Analysis of ZFP levels by protein

5/3,K/27 (Item 14 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00806389
SCHEDULING AND PLANNING BEFORE AND PROACTIVE MANAGEMENT DURING MAINTENANCE AND SERVICE IN A NETWORK-BASED SUPPLY CHAIN ENVIRONMENT
PROGRAMMATION ET PLANIFICATION ANTICIPEE, ET GESTION PROACTIVE AU COURS DE LA MAINTENANCE ET DE L'ENTRETIEN D'UN ENVIRONNEMENT DU TYPE CHAINE D'APPROVISIONNEMENT RESEAUTEE
Patent Applicant/Assignee:
AVENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality)
Inventor(s):
MIKURAK Michael G, 108 Englewood Boulevard, Hamilton, NJ 08610, US,
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor, 2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200139082 A2 20010531 (WO 0139082)
Application: WO 2000US32228 20001122 (PCT/WO US0032228)
Priority Application: US 99447625 19991122; US 99444889 19991122
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 152479

Main International Patent Class: **G06F-017/16**
Fulltext Availability:
Detailed Description

Detailed Description
... and reproduced by maintaining a data path of 64 Kbps (thousand bits per second). This **rate** is **not** the **rate** **required** to send digitized volce per se. Rather, 64 Kbps is the rate required to send...

5/3,K/28 (Item 15 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00802534
ANY-TO-ANY COMPONENT COMPUTING SYSTEM
SYSTEME INFORMATIQUE A COMPOSANTS TOUTE CATEGORIE
Patent Applicant/Assignee:
E-BRAIN SOLUTIONS LLC, 1200 Mountain Creek Road, Suite 440, Chattanooga, TN 34705, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WARREN Peter, 1200 Mountain Creek Road, Suite 440, Chattanooga, TN 37405,

US, GB (Residence), GB (Nationality), (Designated only for: US)
LOWE Steven, 1625 Starboard Drive, Hixson, TN 37343, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
MEHRMAN Michael J (agent), Paper Mill Village, Building 23, 600 Village Trace, Suite 300, Marietta, GA 30067, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200135216 A2-A3 20010517 (WO 0135216)
Application: WO 2000US31231 20001113 (PCT/WO US0031231)
Priority Application: US 99164884 19991112
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 275671

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-017/22**
Fulltext Availability:
Claims

Claim
... Anyto-Any machine, such as for grouping any one document or item into an unlimited **number** of 1 5 groups. Additionally, other **record** types enable the user to state anything he should wish about any one or more... lax" example, this term can have four different meanings - all of which contain the Base **meaning** of Ia)e' - fax (the received document), fax (the original document), fax (the machine), and...Any machine, as, together with the data relation table structure itself, it enables groups of **dissimilar** items to be accessed non-hierarchically, down to the single field level. This is because...of a single word can either point to, or be treated as paried with, a **record** or series of records that is the definition of that word. Consequently, when necessary, the...the above conversation. A review of the definitions of the word 'fly'shows they do **not** usually contain 'train' or any variants of the word 'train'. Yet a relationship should exist...A speaker may begin by saying: 'The dogs...'
In the spoken word 'apostrophe s'does **not** exist, The sound made by the speaker is
identical whether the speaker continues:
a) 'The...to the printer'the modem would have recorded that it can send things, but can **not** be sent anywhere by the computer, and this would lead to the request being queried...required to emulate human handling of data and as this summary 5 shows, a considerable **number** of rules are **required** to do so, and it is axiomatic that considerable computing power is required in order...or item and that item or items alone, while excluding all others that he does **not** want. He expects that the specification he issues will identify the exact, unique item he...the user to the mistake as - as far as the computer is concerned - it has **not** made a mistake. When the user eventually finds out Joe's fax went to the...when used in a command sense, and the Concept Language should provide these, but should **not** specify the conditions **required** for execution to occur, as this is the province of associated execution 5 software such...It can find that one of the recorded conditions is the existence of a fax **number** , together with the information that fax numbers are found in Location X, and the **right** one is chosen with procedure Y. Executing this and finding no fax number, the error... enables most items in a computer to be specified by a selection of values from **different** Data Classes. The Any to Any Method to enable a computer emulate human handling of...Any machine is used to build an Any-to-Any data manipulation engine that is **not** intrinsically hierarchical and is intrinsically unlimited. The data processing engine described provides a

foundation into...and software data.

2 Any aspect of any item in the computer that may subsequently **required** to be controlled individually by the user is itself a datum, and therefore needs to...of storing data as Data Components is that any one Component - such as a telephone **number** - can be related to any **number** of other Component parts - such as one or more names - or to any groupings of...in all the right places for each occurrence of a name- the right places meaning **not** only the correct directories, but in the **correct file** , in the correct place in each 0 different file format. Doing this requires a special...

5/3,K/29 **(Item 16 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00796226 **Image available**
SECURED LENDING TRANSACTION PROCESSING AND MANAGEMENT SYSTEM
SYSTEME DE TRAITEMENT ET DE GESTION DE TRANSACTIONS SECURISEES DE PRET
Patent Applicant/Assignee:
PROVALENT INC, 3500 DePauw Boulevard, Suite 2100, Indianapolis, IN 46268, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
EATON Michael G, 10850 Independence Way, Carmel, IN 46032, US, US (Residence), US (Nationality), (Designated only for: US)
WYNNE Robert S, 7250 Hull Road, Zionsville, IN 46077, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
CONARD Richard D (agent), Barnes & Thornburg, 11 South Meridian Street, Indianapolis, IN 46204, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200129735 A1 20010426 (WO 0129735)
Application: WO 2000US28991 20001020 (PCT/WO US0028991)
Priority Application: US 99160599 19991020; US 99455876 19991206
Parent Application/Grant:
Related by Continuation to: US 99455876 19991206 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 29487

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... query the transaction file and determine whether the agent has recorded receipt of the correct **number** of pages of that attachment. If the agent has **not** recorded receipt of the **correct number** of **pages** of an attachment, the order cannot be printed until this discrepancy is resolved.
f. For...

5/3,K/30 **(Item 17 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00787327 **Image available**

DOCUMENT MANAGEMENT SYSTEM
SYSTEME DE GESTION DE DOCUMENTS
Patent Applicant/Assignee:
DOCUTOUCH, 999 3rd Avenue, Suite 3800, Seattle, WA 98005, US, US (Residence), -- (Nationality)
Inventor(s):
HAJMIRAGHA Mir, 13115 NE 33rd Street, Bellevue, WA 98005, US,
Legal Representative:
SMITH Michael S (agent), Black Lowe & Graham PLLC, 816 2nd Avenue, Seattle, WA 98104, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200120843 A1 20010322 (WO 0120843)
Application: WO 2000US25115 20000913 (PCT/WO US0025115)
Priority Application: US 99153583 19990913; US 99455266 19991206
Designated States: AE AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 6426

...International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... screen. The confin-nation user interface screen provides the user with a choice of a **number** of **different** file formats. Then, the user appoints a **target** directory for the **file** . Next, the user indicates file information, action and billing information through the confirmation Ul screen...

5/3,K/31 (Item 18 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00785138 **Image available**
AUTOMATIC WEB FORM INTERACTION PROXY
SERVEUR MANDATAIRE INTERACTIF AUTOMATIQUE DE FORMULAIRES ELECTRONIQUES
Patent Applicant/Assignee:
YODLEE INC, 3600 Bridge Parkway, 2nd Floor, Redwood Shores, CA 94065, US, US (Residence), US (Nationality)
Inventor(s):
DASWANI Neil, 18 Ashbrook Drive, Edison, NJ 00820, US,
INALA Suman Kumar, Apt. 154, 3707 Poinciana Drive, Santa Clara, CA 95051, US,
SATYAVOLU Ramakrishna, 3707 Poinciana Drive, Apt. 154, Santa Clara, CA 95051, US,
RANGAN P Venkat, 13011 Callcott Way, San Diego, CA 92130, US,
Legal Representative:
BOYS Donald R (agent), P.O. Box 187, Aromas, CA 95004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200118663 A1 20010315 (WO 0118663)
Application: WO 2000US20082 20000721 (PCT/WO US0020082)
Priority Application: US 99393853 19990909
Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 8484

Main International Patent Class: **G06F-015/00**
Fulltext Availability:
Detailed Description

Detailed Description
... user subscribing to many on-line services or membership pages must also manage a significant **number** of **different** passwords **required** to access individual **sites** .

Although there are software programs a user can purchase to store and manage many passwords...

5/3,K/32 (Item 19 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00777021
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR AN E-COMMERCE BASED USER FRAMEWORK DESIGN FOR MAINTAINING USER PREFERENCES, ROLES AND DETAILS
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE UTILISES EN COMMERCE ELECTRONIQUE POUR LA CONCEPTION DE STRUCTURES D'UTILISATEURS DESTINEES A PRESERVER LES PREFERENCES, ROLES ET DETAILS DES UTILISATEURS
Patent Applicant/Assignee:
ACCENTURE LLP, Parkstraat 83, NL-2514 JG 's Gravenhage, The Hague, NL, NL (Residence), NL (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, 1400 Page Mill Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200109792 A2-A3 20010208 (WO 0109792)
Application: WO 2000US20549 20000728 (PCT/WO US0020549)
Priority Application: US 99364091 19990730
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ VN YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 122232

Main International Patent Class: **G06F-017/30**
International Patent Class: **G06F-009/44**
Fulltext Availability:
Detailed Description

Detailed Description
... depending on the Change Category (Project, Enhancement, or Emergency), a Statement of Work or simple **Scope** Definition portion of the present description may or may **not** be **required** . These portions of the present descriptions both serve to define what the change request entails...

5/3,K/33 (Item 20 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00743958 **Image available**
METHOD AND APPARATUS FOR COMPUTED RELEVANCE MESSAGING
PROCEDE ET DISPOSITIF DE MESSAGERIE A PERTINENCE CALCULEE
Patent Applicant/Assignee:
UNIVERSE COMMUNICATIONS INC, 2180 Dwight Way, Suite C, Berkeley, CA 94704 , US, US (Residence), US (Nationality)
Inventor(s):
DONOHO David Leigh, 2830 Buena Vista Way, Berkeley, CA 94708, US
HINDAWI David Salim, 179 Forest Lane, Berkeley, CA 94708, US
LIPPINCOTT Lisa Ellen, 2117 Haste Street #310, Berkeley, CA 94704, US
Legal Representative:
GLENN Michael A, Glenn Patent Group, 3475 Edison Way, Suite L, Menlo Park, CA 94025, US
Patent and Priority Information (Country, Number, Date):
Patent: WO 200057327 A1 20000928 (WO 0057327)
Application: WO 2000US7077 20000317 (PCT/WO US0007077)
Priority Application: US 99272937 19990319; US 2000521805 20000309; US 2000522186 20000309; US 2000522341 20000309
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA ZW.
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 64083

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... encountered. Those which are protected by relevance clauses which evaluate to False or at any **rate** not to True are discarded. They do **not** appear in the final **target** format **file** . Those which are protected by relevance clauses which evaluate to True are retained. They do...

5/3,K/34 **(Item 21 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00742403 **Image available**
TRANSACTION SUPPORT SYSTEM
SYSTEME D'APPUI DE TRANSACTIONS
Patent Applicant/Assignee:
BOLERO INTERNATIONAL LIMITED, 14th floor, Centre Point, 103 New Oxford Street, London WC1A 1DU, GB, GB (Residence), GB (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
MALLON Paul Michael, 74 Schubert Road, Putney, London SW15 2QS, GB, GB (Residence), GB (Nationality), (Designated only for: US)
CLARK Lloyd Ashley, 31 Kelso Place, London W8 5QG, GB, GB (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HAINES Miles John, D. Young & Co., 21 New Fetter Lane, London EC4A 1DA, GB
Patent and Priority Information (Country, Number, Date):
Patent: WO 200055774 A2 20000921 (WO 0055774)
Application: WO 99GB3091 19990916 (PCT/WO GB9903091)
Priority Application: GB 996305 19990318; GB 9921236 19990908
Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT

LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 54449

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Claims

Claim
... to issue a business refusal in this state. -2042 No of documents supplied not The **number** of documents specified in a grant correct amendment is **not correct** . -2044 **Document** not current or active The document is no longer active.
-2045 Document(s) not enclosed...

5/3,K/35 (Item 22 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00561866 **Image available**
A METHOD OF CONTROLLING AN INTERNET BROWSER INTERFACE AND A CONTROLLABLE BROWSER INTERFACE
PROCEDE PERMETTANT DE CONTROLER L'INTERFACE D'UN NAVIGATEUR INTERNET ET INTERFACE DE NAVIGATEUR CONTROLABLE
Patent Applicant/Assignee:
YAHOO! INC,
Inventor(s):
SHAFRON Thomas J,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200025239 A1 20000504 (WO 0025239)
Application: WO 99US25332 19991028 (PCT/WO US9925332)
Priority Application: US 98106002 19981028
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW GH GM KE LS MW SD SL SZ TZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 16634
Main International Patent Class: **G06F-017/30**
International Patent Class: **G06F-017/21** ...

... **G06F-015/00**
Fulltext Availability:
Detailed Description

Detailed Description
... unload the OLE controls listed in the Automation Startup key, the library file 74 will **not** be unloaded because it has a higher **reference number** .

The library **file** 74 may be loaded as a Plug-in using DDE to periodically look for a...

5/3,K/36 (Item 23 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00549748 **Image available**

METHOD AND APPARATUS FOR COMPUTED RELEVANCE MESSAGING
PROCEDE ET APPAREIL DESTINES A UNE MESSAGERIE PERTINENTE GEREE PAR ORDINATEUR
Patent Applicant/Assignee:
UNIVERSE COMMUNICATIONS INC,
Inventor(s):
DONOHO David Leigh,
HINDAWI David Salim,
LIPPINCOTT Lisa Ellen,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200013121 A1 20000309 (WO 0013121)
Application: WO 99US19751 19990827 (PCT/WO US9919751)
Priority Application: US 9898798 19980901; US 99272937 19990319; US 99315732 19990520; US 99351416 19990709
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA ZW GH GM KE LS MW SD SL SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 59553

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
Detailed Description

Detailed Description
... encountered. Those which are protected by relevance clauses which evaluate to False or at any **rate** not to True are discarded. They do **not** appear in the final **target** format **file** . Those which are protected by relevance clauses which evaluate to True are retained. They do...

5/3,K/37 **(Item 24 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT

00526303 **Image available**
SPLIT FILE SYSTEM
SYSTEME DE FICHIER PARTAGE
Patent Applicant/Assignee:
EMWARE INC,
Inventor(s):
HOWARD Michael,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9957655 A2 19991111
Application: WO 99US8557 19990419 (PCT/WO US9908557)
Priority Application: US 9871091 19980501
Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA ZW GH GM KE LS MW SD SL SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 4912

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... blocks required for storage has not changed. In other words, the free block list is **not** modified if the **number** of blocks **required** for **file** storage has not changed.

In the subsequent step 308, the directory entry for the file...

5/3,K/38 **(Item 25 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00453958 **Image available**
PAGE TABLE WALKER WHICH POSITIONS A SLIDING FIELD IN A VIRTUAL ADDRESS USING PAGE SIZE
POINTEUR COURANT DE TABLE DE PAGES QUI POSITIONNE UN CHAMP MOBILE DANS UNE ADRESSE VIRTUELLE AU MOYEN DE LA TAILLE DE PAGE
Patent Applicant/Assignee:
IDEA CORPORATION,
Inventor(s):
YAMADA Koichi,
HAMMOND Gary N,
HAYS Jim,
ROSS Jonathan Kent,
BURGER Stephen,
BRYG William R,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9844422 A1 19981008
Application: WO 98US2047 19980204 (PCT/WO US9802047)
Priority Application: US 97829337 19970331
Designated States: AL AM AT AT AU AZ BA BB BG BR BY CA CH CN CU CZ CZ DE DE DK DK EE EE ES FI FI GB GE GH GM GW HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SK SL TJ TM TR TT UA UG UZ VN YU ZW GH GM KE LS MW SD SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 8401

Main International Patent Class: **G06F-012/10**
Fulltext Availability:
Detailed Description

Detailed Description
... virtual addresses mapped to the same page contain the same data in the virtual page **number** field, but **different** data in the offset field. If the **correct page** size is selected for the virtual addresses being mapped to a particular page, then the...

5/3,K/39 **(Item 26 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00453955 **Image available**
A METHOD AND APPARATUS FOR IMPLEMENTING A PAGE TABLE WALKER WITH A SLIDING FIELD
PROCEDE ET APPAREIL DE MISE EN OEUVRE D'UN POINTEUR COURANT POUR TABLE DE PAGES DANS LE CAS D'UN CHAMP MOBILE
Patent Applicant/Assignee:
INTEL CORPORATION,
Inventor(s):
YAMADA Koichi,
HAMMOND Gary N,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9844419 A1 19981008
Application: WO 98US2057 19980204 (PCT/WO US9802057)
Priority Application: US 97829782 19970331
Designated States: AL AM AT AT AU AZ BA BB BG BR BY CA CH CN CU CZ CZ DE DE DK DK EE EE ES FI FI GB GE GH GM GW HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SK SL TJ TM TR TT UA UG UZ VN YU ZW GH GM KE LS MW SD SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF

CG CI CM GA GN ML MR NE SN TD TG
Fulltext Word Count: 7389
Main International Patent Class: **G06F-012/06**
International Patent Class: **G06F-12:08** ...

... **G06F-12:10**
Fulltext Availability:
Detailed Description

Detailed Description
... virtual addresses mapped to the same page contain the same data in the virtual page **number** field, but **different** data in the offset field. If the **correct page** size is selected for the virtual addresses being mapped to a particular page, then the...

5/3,K/40 (Item 27 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00449250 **Image available**
INFORMATION RETRIEVAL UTILIZING SEMANTIC REPRESENTATION OF TEXT
EXTRACTION D'INFORMATIONS PAR REPRESENTATION SEMANTIQUE DU TEXTE
Patent Applicant/Assignee:
MICROSOFT CORPORATION,
Inventor(s):
MESSERLY John J,
HEIDORN George E,
RICHARDSON Stephen D,
DOLAN William B,
JENSEN Karen,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9839714 A1 19980911
Application: WO 98US3005 19980211 (PCT/WO US9803005)
Priority Application: US 97886814 19970307
Designated States: CN JP AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 8231

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
Detailed Description

Detailed Description
... which it occurs in the target document. This process may be repeated to add a **number** of **different target documents** to the index, if desired. If the index 140 thus represents the text in a...

5/3,K/41 (Item 28 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00344642
SYSTEMS AND METHODS FOR SECURE TRANSACTION MANAGEMENT AND ELECTRONIC RIGHTS PROTECTION
SYSTEMES ET PROCEDES DE GESTION SECURISEE DE TRANSACTIONS ET DE PROTECTION ELECTRONIQUE DES DROITS
Patent Applicant/Assignee:
ELECTRONIC PUBLISHING RESOURCES INC,
Inventor(s):
GINTER Karl L,
SHEAR Victor H,
SPAHN Francis J,
VAN WIE David M,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9627155 A2 19960906
Application: WO 96US2303 19960213 (PCT/WO US9602303)

Priority Application: US 95388107 19950213
Designated States: AL AM AT AU AZ BB BG BR BY CA CH CN CZ DE DK EE ES FI GB GE HU IS JP KE KG KP KR KZ LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG UZ VN KE LS MW SD SZ UG AZ BY KG KZ RU TJ TM AT BE CH DE DK ES FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 207972

Main International Patent Class: **G06F-001/00**
International Patent Class: **G06F-17:60**

5/3,K/42 (Item 29 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

CRASH SURVIVABLE SOLID STATE MEMORY FOR AIRCRAFT FLIGHT DATA RECORDER SYSTEMS
MEMOIRE A CIRCUITS INTEGRES RESISTANT A UN ACCIDENT POUR DES SYSTEMES D'ENREGISTREMENT DE DONNEES DE VOL D'UN AVION
Patent Applicant/Assignee:
SUNDSTRAND DATA CONTROL INC,
Inventor(s):
MULLER Hans Rudolph,
Patent and Priority Information (Country, Number, Date):
Patent: WO 8503583 A1 19850815
Application: WO 85US153 19850130 (PCT/WO US8500153)
Priority Application: US 84215 19840206
Designated States: AT AU BE CH DE FR GB JP LU NL SE
Publication Language: English
Fulltext Word Count: 29026

Main International Patent Class: **G06F-001/00**
Fulltext Availability:
Detailed Description
Detailed Description
... being written into (decisional block 252 in FIGURE 5). If the page write cycle has **not** sequenced the **number** of times **required** to fill the **page** of memory space, memory controller 32 selects the next byte of flight data from each...

```
File   8:Ei Compendex(R) 1970-2004/Feb W5
         (c) 2004 Elsevier Eng.  Info. Inc.
File  35:Dissertation Abs Online 1861-2004/Feb
         (c) 2004 ProQuest Info&Learning
File 202:Info. Sci. & Tech. Abs. 1966-2004/Feb 20
         (c) 2004 EBSCO Publishing
File  65:Inside Conferences 1993-2004/Mar W1
         (c) 2004 BLDSC all rts. reserv.
File   2:INSPEC 1969-2004/Feb W5
         (c) 2004 Institution of Electrical Engineers
File  94:JICST-EPlus 1985-2004/Feb W5
         (c)2004 Japan Science and Tech Corp(JST)
File 483:Newspaper Abs Daily 1986-2004/Mar 06
         (c) 2004 ProQuest Info&Learning
File   6:NTIS 1964-2004/Mar W1
         (c) 2004 NTIS, Intl Cpyrght All Rights Res
File 144:Pascal 1973-2004/Feb W5
         (c) 2004 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
File  34:SciSearch(R) Cited Ref Sci 1990-2004/Feb W5
         (c) 2004 Inst for Sci Info
File  99:Wilson Appl. Sci & Tech Abs 1983-2004/Feb
         (c) 2004 The HW Wilson Co.
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 266:FEDRIP 2004/Jan
         Comp & dist by NTIS, Intl Copyright All Rights Res
File  95:TEME-Technology & Management 1989-2004/Feb W3
         (c) 2004 FIZ TECHNIK
File 438:Library Lit. & Info. Science 1984-2004/Feb
         (c) 2004 The HW Wilson Co

Set     Items   Description
S1      31853   (TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT
             OR DESIRED OR RELEVANT OR REFERENCE OR PERTINENT)(3W)(RECORD?
             ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? ? OR SITE?
             ? OR WEBSITE? ? OR HIT? ? OR RESOURCE()LOCATOR? ?)
S2     118771   (TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT
             OR DESIRED OR RELEVANT OR REFERENCE OR PERTINENT)(3W)(DATA OR
             PHOTO? ? OR PHOTOGRAPH? ? OR IMAGE? ? OR PICTURE? ? OR CLIP? ?
              OR INFORMATION OR ARTICLE? ? OR OBJECT? ? OR URL? ?)
S3       1251   ("NOT" OR T OR DIFFERENT OR UNLIKE OR DISSIMILAR OR DISTIN-
             CT)(7W)S1
S4         26   (NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR
             RATIO OR RATE OR SCOPE)(10W)S3
S5         19   RD (unique items)
S6         14   S5 NOT PY=2001:2004
```

6/5/2 **(Item 2 from file: 8)**
DIALOG(R)File 8:Ei Compendex(R)

05231499 E.I. No: EIP99024567345
Title: Inductive learning performance changing with relevant inputs
Author: Kwon, Y.S.; Yoon, J.M.; Kim, N.H.
Corporate Source: Dongguk Univ, Seoul, South Korea
Conference Title: Proceedings of the 1998 IEEE International Conference on Systems, Man, and Cybernetics. Part 2 (of 5)
Conference Location: San Diego, CA, USA Conference Date: 19981011-19981014
Sponsor: IEEE
E.I. Conference No.: 49610
Source: Proceedings of the IEEE International Conference on Systems, Man and Cybernetics v 2 1998. IEEE, Piscataway, NJ, USA,98CB36218. p 1686-1688
Publication Year: 1998
CODEN: PICYE3 ISSN: 1062-922X
Language: English
Document Type: CA; (Conference Article) Treatment: X; (Experimental)
Journal Announcement: 9904W2
Abstract: As it gets easier to access information at home through networks, it becomes the user's responsibility to formulate an effect query for his information search. One of the difficulties in using the current information retrieval systems is that it is hard for a user, especially a novice, to formulate a query effectively. Often they get overwhelmed by a large amount of information retrieved or get nothing; most users continue to reformulate queries until they get what they want or exhausted. One solution to this problem is to automate the process of query reformulation using the relevance feedback from the previous search. In this research, a Boolean query is viewed as a classifier and a decision tree classifier, ID3 is revised to act as a query in information retrieval (call it ID3-IR). The current emphasis in our experiments is to analyze the changes in the retrieval performance (measured by recall, precision, and E) of the ID3-IR using a **different number** of **relevant** input **documents** . Based on the test set, MEDLARS, it is shown that an input set with more relevant documents achieves higher recall and lower precision. In overall performance analysis measured by E, an input set with more relevant documents is superior to one with less relevant documents after the second reformulation. (Author abstract) 13 Refs.
Descriptors: *Information retrieval systems; Computer networks; Learning systems; Feedback; Query languages
Identifiers: Inductive learning
Classification Codes:
903.3 (Information Retrieval & Use); 731.1 (Control Systems)
903 (Information Science); 731 (Automatic Control Principles)
90 (GENERAL ENGINEERING); 73 (CONTROL ENGINEERING)

6/5/3 **(Item 1 from file: 35)**
DIALOG(R)File 35:Dissertation Abs Online

750901 ORDER NO: AAD81-15938
RETRIEVAL OF INFORMATION FROM SELF-STUDY TEXTS
Author: FALK, LAWRENCE M.
Degree: ED.D.
Year: 1981
Corporate Source/Institution: TEMPLE UNIVERSITY (0225)
Source: VOLUME 42/02-A OF DISSERTATION ABSTRACTS INTERNATIONAL. PAGE 509. 202 PAGES
Descriptors: EDUCATION, AUDIOVISUAL
Descriptor Codes: 0710

This study was undertaken to provide data that would help educators design self-study texts. Its main purpose was to determine which design parameters affect the ability of the users to retrieve information from self-study texts. To do this, three different types of texts were prepared:

prose, Information Mapping* and programmed instruction. The experiment was designed to stimulate the use of self-study texts in a commonly-encountered learning situation that includes an initial study session, immediately followed by an examination (similar to those encountered in college courses), and then a retrieval session six weeks later. Previously obtained experimental data indicated that the amount of information retained after a study session decreased at a rapid rate, and then levels off at the end of a six-week period.

The original population used in this experiment consisted of one hundred thirty eight (138) Temple University students enrolled in the Introduction to Educational Media Course.

The texts were distributed to the subjects on a random basis; and then (after receiving both oral and verbal instructions), the subjects studied their texts until they indicated that they knew the material. At that time they were asked to take a retention examination.

Six weeks later, the texts were returned to the subjects; and (after receiving both oral and written instructions), they were asked to take a retrieval examination. However, instead of unlimited time, the subjects were only allowed forty-five minutes to complete the retrieval process. Then, after the retrieval examination was completed, the subjects were asked to respond to a series of questions. The questions were designed to measure the subjects' attitudes toward the text they used, and to determine the retrieval strategy that they used to retreive the information.

It was hypothesized that the subjects using mapped texts would retrieve significantly more information than the subjects using programmed instruction texts and the subjects using prose texts. It was also hypothesized that there would be no significant differences between the amount of information retained by the subjects using any of the texts. It was further hypothesized that there would be no significant interaction between the amount of information retrieved and the verbal ability of the subjects. Finally, it was hypothesized that there would be no significant differences between the results attained by male subjects and the results attained by female subjects.

Statistically significant correlations were found between the results attained on the retrieval examination and the results attained on the retention examination. Retrieval capability is dependent upon the amount of information retained. As further evidence of this dependence, the responses to a questionnaire indicated that a **number** of subjects knew more of the answers, but could **not** find the **right page** .

The results of the retrieval examination indicated that there was no significant difference between the results attained by the subjects in any of the groups. No differences were expected since the subjects were allowed to take as much time as they needed to complete their study.

The results of the retrieval examination indicated that there was no interaction between the treatment (type of text) and the verbal ability of the subjects. However, only a limited number of scores were available.

Finally, the results of both the retention and retrieval tests indicated that there was no significant differences between the results attained by female subjects when compared with the results attained by male subjects.

*Information Mapping is a trademark of Information Resources, Inc.

6/5/4 (Item 1 from file: 2)

6690433 INSPEC Abstract Number: C2000-10-7210N-021

Title: Using full reference history for efficient document replacement in Web caches

Author(s): Hyokyung Bahn; Noh, S.H.; Sang Lyul Min; Koh, K.
Author Affiliation: Dept. of Comput. Sci., Seoul Nat. Univ., South Korea

Conference Title: 2nd USENIX Symposium on Internet Technologies and Systems p.187-96
Publisher: USENIX Assoc, Berkeley, CA, USA

Publication Date: 1999 Country of Publication: USA 254 pp.
Material Identity Number: XX-1999-03068
Conference Title: Proceedings of USENIX'99: 2nd Symposium on Internet Technologies and Systems
Conference Sponsor: USENIX
Conference Date: 11-14 Oct. 1999 Conference Location: Boulder, CO, USA
Language: English Document Type: Conference Paper (PA)
Treatment: Practical (P)
Abstract: With the increase in popularity of the World Wide Web, the research community has recently seen a proliferation of Web caching algorithms. The paper presents a new such algorithm, that is efficient and robust, called Least Unified-Value (LUV). LUV evaluates a Web document based on its cost normalized by the likelihood of it being re-referenced. This results in a normalized assessment of the contribution to the value of a document, leading to a fair replacement policy. LUV can conform to arbitrary cost functions of Web documents, so it can optimize any particular performance measure of interest, such as the hit **rate** , the byte hit **rate** , or the delay-savings **ratio** . **Unlike** most existing algorithms, LUV exploits complete reference history of **documents** , in terms of reference frequency and recency, to estimate the likelihood of being re-referenced. Nevertheless, LUV allows for an efficient implementation in both space and time complexities. The space needed to maintain the reference history of a document is only a few bytes and furthermore, the time complexity of the algorithm is O(log/sub 2/n), where n is the number of documents in the cache. Trace-driven simulations show that the LUV algorithm outperforms existing algorithms for various performance measures for a wide range of cache configurations. (15 Refs)
Subfile: C
Descriptors: cache storage; computational complexity; document handling; information resources; information retrieval
Identifiers: full reference history; document replacement; Web caches; World Wide Web; research community; Web caching algorithms; Least Unified-Value; Web document; normalized assessment; fair replacement policy ; arbitrary cost functions; performance measure; byte hit rate; delay-savings ratio; reference history; reference frequency; time complexity; trace-driven simulations; performance measures; cache configurations; LUV algorithm
Class Codes: C7210N (Information networks); C6130D (Document processing techniques); C7250R (Information retrieval techniques); C6120 (File organisation)

6/5/5 (Item 2 from file: 2)
DIALOG(R)File 2:INSPEC

5639407 INSPEC Abstract Number: A9717-8760M-006, B9709-7530B-006
Title: Clinical dosimetry using MOSFETS
Author(s): Ramani, R.; Russell, S.; O'Brien, P.
Author Affiliation: Div. of Med. Phys., Toronto-Sunnybrook Regional Cancer Center, North York, Ont., Canada
Journal: International Journal of Radiation Oncology Biology Physics vol.37, no.4 p.959-64
Publisher: Elsevier for American Soc. Therapeutic Radiol. & Oncol,
Publication Date: 1 March 1997 Country of Publication: USA
CODEN: IOBPD3 ISSN: 0360-3016
SICI: 0360-3016(19970301)37:4L.959:CDUM;1-G
Material Identity Number: E364-97006
U.S. Copyright Clearance Center Code: 0360-3016/97/$17.00+.00
Document Number: S0360-3016(96)00600-1
Language: English Document Type: Journal Paper (JP)
Treatment: Experimental (X)
Abstract: The use of metal oxide-silicon field effect transistors (MOSFETs) as clinical dosimeters is demonstrated for a **number** of patients with **targets** at **different** clinical **sites** . Commercially available MOSFETs were characterized for energy response, angular dependency of response, and effect of accumulated dose on sensitivity and some inherent

properties of MOSFETs. The doses determined both by thermoluminescence dosimetry (TLD) and MOSFETs in clinical situation were evaluated and compared to expected doses determined by calculation. It was observed that a standard calibration of 0.01 Gy/mV gave MOSFET determined doses which agreed with expected doses to within 5% at the 95% confidence limit for photon beams from 6 to 25 MV and electron beams from 5 to 14 MeV. An energy-dependent variation in response of up to 28% was observed between two orientations of a MOSFET. The MOSFET doses compared very well with the doses estimated by TLDs, and the patients tolerated MOSFETs very well. A standard deviation of 3.9% between expected dose and MOSFET determined dose was observed, while for TLDs the standard deviation was 5.1%. The advantages and disadvantages of using MOSFETs for clinical dosimetry are discussed in detail. It was concluded that MOSFETs can be used as clinical dosimeters and can be a good alternative to TLDs. However, they have limitations under certain clinical situations.

File 275:Gale Group Computer DB(TM) 1983-2004/Mar 08
(c) 2004 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2004/Mar 05
(c) 2004 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2004/Mar 08
(c) 2004 The Gale Group
File 16:Gale Group PROMT(R) 1990-2004/Mar 08
(c) 2004 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
(c) 1999 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2004/Mar 05
(c)2004 The Gale Group
File 624:McGraw-Hill Publications 1985-2004/Mar 08
(c) 2004 McGraw-Hill Co. Inc
File 15:ABI/Inform(R) 1971-2004/Mar 08
(c) 2004 ProQuest Info&Learning
File 647:CMP Computer Fulltext 1988-2004/Feb W5
(c) 2004 CMP Media, LLC
File 674:Computer News Fulltext 1989-2004/Feb W5
(c) 2004 IDG Communications
File 696:DIALOG Telecom. Newsletters 1995-2004/Mar 08
(c) 2004 The Dialog Corp.
File 369:New Scientist 1994-2004/Feb W5
(c) 2004 Reed Business Information Ltd.

Set	Items	Description
S1	102091	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR RELEVANT OR REFERENCE OR PERTINENT)(3W)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? ? OR SITE? ? OR WEBSITE? ? OR HIT? ? OR RESOURCE()LOCATOR? ?)
S2	245525	(TARGET?? OR CORRECT OR RIGHT OR EXACT OR WANTED OR SOUGHT OR DESIRED OR RELEVANT OR REFERENCE OR PERTINENT)(3W)(DATA OR PHOTO? ? OR PHOTOGRAPH? ? OR IMAGE? ? OR PICTURE? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ? OR OBJECT? ? OR URL? ?)
S3	3345	("NOT" OR T OR DIFFERENT OR UNLIKE OR DISSIMILAR OR DISTINCT)(7W)S1
S4	100	(NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR RATIO OR RATE OR SCOPE)(10W)S3
S5	73	RD (unique items)
S6	56	S5 NOT PD>20001019

6/3,K/1 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

02216395 SUPPLIER NUMBER: 21114283 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Sentimental Journey.(Palladium Interactive's Mega Solitaire computer game) (Software Review)(Evaluation)
Computer Gaming World, n171, p290(1)
Oct, 1998
DOCUMENT TYPE: Evaluation ISSN: 0744-6667 LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 697 LINE COUNT: 00057

... understand that you begin your trips at one end of a map with a set **amount** of money. Each city on the map has three **different** tournaments for you to enter, with a **target** score to **hit** in each tournament (you don't have to win every time in order to be...

6/3,K/2 (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

02044835 SUPPLIER NUMBER: 19203484 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Internet Update 03/12/97: Creating Better Banners.
Newsbytes, pNEW03120024
March 12, 1997
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 62 LINE COUNT: 00008

TEXT:
If you are creating banners to promote your Web site, but **not** getting the **desired number** of **hits** , you are probably doing something wrong. The first in, presumably, a series of lessons on...

6/3,K/3 (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01918025 SUPPLIER NUMBER: 18136906 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Topic is veritably everywhere: CD-ROM, the Web, Intranets, etc. (Verity's Topic search engine marketed to saturate everywhere) (includes related article on Verity alliances) (Product Information)
Banet, Bernard
Seybold Report on Desktop Publishing, v10, n7, p3(6)
March 25, 1996
ISSN: 0889-9762 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 4072 LINE COUNT: 00323

... the fundamental tradeoff of designing search engines, broadening the search seems inevitably to pull up **not** only a greater **number** of **relevant documents** , but also more that are not relevant at all.
Moving beyond topics. The predeveloped topic...

6/3,K/4 (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01698715 SUPPLIER NUMBER: 16226114 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Tour de LAN: users in pursuit of AS/400-to-PC LAN connectivity find options challenging. (includes a related article on workgroup computing)
Krivda, Cheryl D.
MIDRANGE Systems, v7, n15, p35(3)
August 12, 1994
ISSN: 1041-8237 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2536 LINE COUNT: 00197

... Windows-based PC LANs, which Kunecki says are easier for users to understand.

Cannondale is **not** alone on the networking path. Although the **exact number** of midrange **sites** that network AS/400s to PC LANs is unknown, Perle Systems calculates that more than...

6/3,K/5 **(Item 5 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01490723 SUPPLIER NUMBER: 13302399 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Microsoft Access: database power, graphical simplicity. (Microsoft Corp.'s database management system) (Software Review) (First Looks) (Evaluation)
Ricciardi, Sal
PC Magazine, v12, n2, p37(3)
Jan 26, 1993
DOCUMENT TYPE: Evaluation ISSN: 0888-8507 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2570 LINE COUNT: 00190

... can't change the customer number in the customer record if references to the original **number** exist in the database.

Finally, you can' **t reference** a **record** that does not exist. For example, you can't create an order for a customer...

6/3,K/6 **(Item 6 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01493665 SUPPLIER NUMBER: 11712838 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Parsons' tax software simplifies the preparation process. (Parsons Technology Inc.'s Personal Tax Preparer tax preparation software) (Buyers Guide)
Duffy, Caroline A.
PC Week, v9, n2, p97(1)
Jan 13, 1992
DOCUMENT TYPE: Buyers Guide ISSN: 0740-1604 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 546 LINE COUNT: 00040

... unsure of the process last year, Durnell decided against it. He also said that the **amount** of his 1990 refund did **not** justify the transmission fee.

"Parsons **wanted** $12 to **file** electronically last year." he said. "I was only going to get $232 back anyway."

This...

6/3,K/7 **(Item 7 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01492786 SUPPLIER NUMBER: 11560672 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Power macros. (using CE Software's QuicKeys 2 and Affinity Microsystems' Tempo II Plus) (Tutorial)
Danuloff, Craig
MacUser, v8, n1, p213(3)
Jan, 1992
DOCUMENT TYPE: Tutorial ISSN: 0884-0997 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1748 LINE COUNT: 00131

... should repeat so that each record in the data file is formatted. If you don' **t** know the **exact number** of **records** you have and you're using QuicKeys 2, you'll just have to guess how...

6/3,K/8 **(Item 8 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01436995 SUPPLIER NUMBER: 10871294 (USE FORMAT 7 OR 9 FOR FULL TEXT)
WordPerfect Bible. (one of 35 reviews of books on WordPerfect word processing software) (book reviews)
Rubenking, Janet
PC Magazine, v10, n13, p395(1)
July, 1991
DOCUMENT TYPE: review ISSN: 0888-8507 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 124 LINE COUNT: 00010

TEXT:
...The Definitive Visual Reference, the book is intended to be comprehensive and intuitive, yet its **scope** does **not** reach the expert level. Where Acerson's **reference** devotes over 140 **pages** to macros and merges, WordPerfect Bible covers them in about 20 pages and calls them...

6/3,K/9 **(Item 9 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01352660 SUPPLIER NUMBER: 08266268 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Communications software with muscle. (Software Review) (Future Soft Engineering DynaComm communications software)(one of seven evaluations of communications software) (evaluation)
Honan, Patrick
Personal Computing, v14, n4, p118(2)
April 27, 1990
DOCUMENT TYPE: evaluation ISSN: 0192-5490 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 665 LINE COUNT: 00052

... how much of the file has been sent, the name of the file, and the **number** of retries. DynaComm does **not** indicate the **exact** size of the **file** , or how many consecutive errors have occurred during transmission.
The software developer plans to ship...

6/3,K/10 **(Item 10 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01319637 SUPPLIER NUMBER: 07681180 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Thinking multiuser. (The Paradox Programmer) (column)
Smith, Brian J.
Data Based Advisor, v7, n9, p22(4)
Sept, 1989
DOCUMENT TYPE: column ISSN: 0740-5200 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3340 LINE COUNT: 00244

...ABSTRACT: Lastly, programmers need to consider the problems associated with commands that rely on a record **number** ; and remember that, with LANs, the MoveTo Record command might **not** take users to their **desired record**
.

6/3,K/11 **(Item 11 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01259989 SUPPLIER NUMBER: 07191085 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Building a better branch with open architecture. (bank branches)
Cooke, Lawrence H., Jr.
Computers in Banking, v5, n12, p19(2)
Dec, 1988
ISSN: 0742-6496 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1418 LINE COUNT: 00111

... the 1970s, the notion of retailing without stores was popular. Today, the reduction of the **number** of stores, **not** their elimination, is **desired** . Leveraging off- **site** selling space with the same transactions and software as in-branch self service is a...

6/3,K/12 **(Item 12 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01205880 SUPPLIER NUMBER: 05160383 (USE FORMAT 7 OR 9 FOR FULL TEXT)
The cache factor. (how memory caching software affects the speed of IBM's new PS-2 Models 30, 50, and 60 compared to the speed of other microcomputers)
Fontana, Maxine
PC Tech Journal, v5, n8, p168(8)
Aug, 1987
ISSN: 0738-0194 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 4390 LINE COUNT: 00329

... frequently by an application, significantly increases the performance of disk-intensive applications by decreasing the **number** of disk accesses. When a read is requested, **not** only is the sector containing the **desired record** read into the cache, but also a number of sectors following it on the track...

6/3,K/13 **(Item 1 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04741152 Supplier Number: 63803580 (USE FORMAT 7 FOR FULLTEXT)
DRUG DELIVERY: Polymer Controls Bulk Decomposition.
Medical Materials Update, v7, n6, pNA
May, 2000
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 266

... serious toxicity risks to bodily organs. Waste and costs can be considerable, because a substantial **amount** of the drug does **not** reach the **target site** .
The ability to harmlessly degrade in the body makes common polymer blends such as poly...

6/3,K/14 **(Item 2 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04572261 Supplier Number: 59095237 (USE FORMAT 7 FOR FULLTEXT)
Weed resistance herbicide-ready crop concern.
Bryant, Dan
Western Farm Press, v21, n13, p8
June 5, 1999
Language: English Record Type: Fulltext
Document Type: Tabloid; Trade
Word Count: 717

... on a single herbicide or class of herbicide chemistry.
"Management strategies include manipulating the herbicide **rate**

where appropriate, alternating herbicides with **different target sites** , and using simultaneously mixtures of herbicides that have different mechanisms of action."

Integrated weed management...

6/3,K/15 **(Item 3 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04179578 Supplier Number: 54696481 (USE FORMAT 7 FOR FULLTEXT)
IMPROCOM: Schroder Unit Trusts Ltd increases call centre capabilities with help from Improcom.
M2 Presswire, pNA
May 21, 1999
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 1063

... to continue to deliver a high level of customer service to all callers from a **number** of **different** customer facing departments.

The consultancy then visited **reference sites** , along with SUTL staff, to assess the solutions proposed by suppliers in a live working...

6/3,K/16 **(Item 4 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04177058 Supplier Number: 54679629 (USE FORMAT 7 FOR FULLTEXT)
BAUM SELECTS MAGELLAN FOR COLD TECHNOLOGY.
Operations Management, v5, n5, p3
Feb 1, 1999
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 239

... Reed marketing manager for Magellan. For example, the system can extract accounting totals from a **number** of **different** reports and send only those **relevant pages** to a branch office. This will assist the company with meeting Securities and Exchange Commission...

6/3,K/17 **(Item 5 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04146726 Supplier Number: 54390005 (USE FORMAT 7 FOR FULLTEXT)
First USA Plays Its Cards Right Promotes Products, Expands Commerce Transactions.
Retail Delivery News, v4, n7, pNA
April 14, 1999
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 717

... endless marketing budget, Unkle says. Although the Internet lets issuers target their marketing, its limitless **scope** could lose the message in the medium when **not** placed on the " **right sites** ," Unkle says.

"We look for reputable pre-eminent sites that are out there. People [illegible]...

6/3,K/18 **(Item 6 from file: 636)**
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

04142971 Supplier Number: 54354004 (USE FORMAT 7 FOR FULLTEXT)
US DOD: DoD news briefing.
M2 Presswire, pNA
April 12, 1999
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 9464

... yesterday. The major targets, again, were military force, concentrating on that, much of it in **this** engagement area, as well as fuel, command and control, and industry. Of course the command...we're not into tracking those statistics. We're looking for overall...
Q: You don' **t** know **how many** targets have been **hit** ? You don't know how many...
Major General Wald: We do know exactly how many...

6/3,K/19 (Item 7 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

03673167 Supplier Number: 47915112 (USE FORMAT 7 FOR FULLTEXT)
Drug Resistance Thwarting Genes That Cause Resistance in Bacteria
Malaria & Tropical Disease Weekly, pN/A
August 18, 1997
Language: English Record Type: Fulltext
Document Type: Newsletter; Professional Trade
Word Count: 870

... virtually all bacteria in laboratory test cultures. The research also showed that both boosting the **ratio** of EGSs to target mRNAs and increasing the **number** of **different target sites** on the mRNA enhanced the method's efficiency in restoring drug sensitivity, and also prevented...

6/3,K/20 (Item 8 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

03152783 Supplier Number: 46454875 (USE FORMAT 7 FOR FULLTEXT)
TURKEY CONSIDERS THIRD GSM LICENSE; POLAND DISMISSES LICENSE CASE
Mobile Phone News, v14, n24, pN/A
June 10, 1996
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 408

... or France Telecom. The court ruled that the two companies, which each own 24.5 **percent** of Centertel, did **not** have the legal **right** to **file** such a complaint because they are minority owners. However, the international proceedings are still under...

6/3,K/21 (Item 9 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

02903208 Supplier Number: 45903097 (USE FORMAT 7 FOR FULLTEXT)
NEWS FROM THE SCIENCE FRONT Septic Shock: A Syndrome or a Symptom?
BioVenture View, pN/A
Nov 1, 1995
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1518

... levels of Synergen's exogenous IL-1 RA were not especially clinically effective. Moreover, the **amount** of cytokines found in the

plasma may **not** represent the **amount** at the **target site** (s) of disease; plasma levels may simply reflect spillover. Eliminating the spillover may not modify...

6/3,K/22 (Item 10 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

02491322 Supplier Number: 45001432 (USE FORMAT 7 FOR FULLTEXT)
JUSTICE DEPT. SAYS COURT ERRED IN DISMISSING FMPA ANTITRUST SUIT
The Energy Report, v22, n36, pN/A
Sept 19, 1994
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 494

... service requested by FMPA and denied by FP&L, the Justice Dept. said, "the filed **rate** doctrine is **not** implicated because FMPA is **not** claiming a **right** to avoid any **filed** rate, and the court would not have to invalidate any filed rate or otherwise infringe...

6/3,K/23 (Item 11 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01997530 Supplier Number: 43590435 (USE FORMAT 7 FOR FULLTEXT)
IRAQI AIR FORCE VOWS RETALIATION AGAINST AIR ATTACK (JAN 16/1643 GMT)
Periscope Daily Defense News Capsules, pN/A
Jan 18, 1993
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 183

... said the US, French and British warplanes did not accomplish their mission and a great **number** of the **targets** were **not** **hit** , according to an INA dispatch monitored in Beirut.
"We are determined to attack any target...

6/3,K/24 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

08596892 Supplier Number: 66528597 (USE FORMAT 7 FOR FULLTEXT)
The consolidation of hearing aid manufacturing: Its causes and effects.
Kirkwood, David H.
The Hearing Journal, v53, n10, p21
Oct, 2000
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Professional
Word Count: 6230

... investors are looking at the mid-to-high teens or low 20s in terms of **percentage** growth in revenues and profit. Those are **not** easy **targets** for companies to **hit** under any circumstances, especially in an industry with low single-digit growth in unit sales...

6/3,K/25 (Item 2 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

08[illegible] Supplier Number: 61427984 (USE FORMAT 7 FOR FULLTEXT)
Missing the Internet Boat?
Hilsey, Pete
Credit Card Management, v12, n9, p48

Dec, 1999
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1726

... only convenient and very easy to use, it's attractive as well, and offers first- **rate** security messages.
The catch: Ward is **not** yet selling products online.
Meanwhile, **Target** .com, the Web **site** of Dayton Hudson Corp.'s Target discount-store chain, is an attractive site that promotes...

6/3,K/26 (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

07592174 Supplier Number: 63275256 (USE FORMAT 7 FOR FULLTEXT)
Summer swoon: Reviving AT&T's stock won't be easy.(Company Operations)
Ryan, Vincent
Telephony, pNA
July 10, 2000
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 716

... up from 8300 at the end of 1999, and is installing new services at the **rate** of about 800 per day, said an AT& **T** Broadband spokesman.
The company is on **target** to **hit** its year-end goal of 400,000 to 500,000 customers from the acquired TCI...

6/3,K/27 (Item 4 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

05186679 Supplier Number: 47914816 (USE FORMAT 7 FOR FULLTEXT)
oligonucleotides, antibacterial therapy, Innovir Innovir preclinical data
R & D Focus Drug News, pN/A
August 18, 1997
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 138

(USE FORMAT 7 FOR FULLTEXT)
TEXT:
...resistant phenotype to drug-sensititive.Phenotypic conversion was improved by increasing the EGS : target mRNA **ratio** or the **number** of EGSs **targeted** against **different** **sites** on the mRNA.

6/3,K/28 (Item 5 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

03740398 Supplier Number: 45307995 (USE FORMAT 7 FOR FULLTEXT)
COMPANIES TRY DIFFERENT WAYS TO COMBAT CELLULAR FRAUD
America's Network, p14
Feb 1, 1995
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 785

... no one with a PIN has been compromised.'
Using PINs makes cloning more difficult but **not** impossible. Subscribers making calls enter their **desired** **number** and **hit** 'send,' as with a normal call. The PIN is then entered and sent. A different...

6/3,K/29 **(Item 1 from file: 160)**
DIALOG(R)File 160:Gale Group PROMT(R)

01764055
NEC to make 32-bit PCs in the US
Office Equipment & Products September, 1987 p. 15
ISSN: 0387-5245

NEC will make 4 models of its Powermate 386 personal computers in Massachusetts at a **rate** of 10,000 units annually. Article does **not** include **exact site** of Massachusetts output. Original plans to export the 32-bit machines from Japan were dropped...

6/3,K/30 **(Item 1 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB

12379442 SUPPLIER NUMBER: 63372698 (USE FORMAT 7 OR 9 FOR FULL TEXT)
A test for the hit rate in binary response models.
Franses, Philip Hans
International Journal of Market Research, 42, 2, 239
Spring-Summer, 2000
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 2752 LINE COUNT: 00218

... is widely applied, there is a need for a test to examine if the hit **rate** is significantly **different** from a **reference hit** rate, where this benchmark rate corresponds with a non-informative model. In this paper, I...

6/3,K/31 **(Item 2 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB

11597221 SUPPLIER NUMBER: 56260073 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Alexa Internet--Your Best Web Sidekick.(web browser)(Statistical Data Included)
Tenopir, Peter
Information Today, 16, 9, 30
Oct, 1999
DOCUMENT TYPE: Statistical Data Included ISSN: 8755-6286
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 1744 LINE COUNT: 00132

... pages. Information Today, Inc.'s score was excellent; Online, Inc.'s was very good.
The **number** of Links In is the **number** of **different** Web pages that link to the **target** Web **site** . Information Today, Inc.'s score was 1,528; Online, Inc. scored 2,099. The number...

6/3,K/32 **(Item 3 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB

10740941 SUPPLIER NUMBER: 53552088 (USE FORMAT 7 OR 9 FOR FULL TEXT)
You've got their numbers ... and they want them back.(Focus on Technology)(includes related article on identification system at University of North Carolina-Chapel Hill)(downside of using Social Security numbers for employee identification)
Wells, Susan J.
HRMagazine, 43, 13, S2(5)
Dec, 1998
ISSN: 1047-3149 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2136 LINE COUNT: 00174

... those that use more standard identifiers. In more traditional systems, when operators enter an employee **number** that is off by a single digit, they won' **t** get the **correct record** . But in digitized systems, a file search will yield the closest match, based on a...

6/3,K/33 **(Item 4 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

10609954 SUPPLIER NUMBER: 53202946 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Bugs and fixes reported to BugNet. (News Briefs)
InfoWorld, NA(1)
Nov 9, 1998
ISSN: 0199-6649 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 363 LINE COUNT: 00030

TEXT:
...possibility that you will receive this ominous message: "Destroyed NTFS directory." Although Microsoft officials are **not** sure of the **exact number** of **files** that it takes to wipe out a directory, they are aware that the directory will...

6/3,K/34 **(Item 5 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

10372467 SUPPLIER NUMBER: 21001160 (USE FORMAT 7 OR 9 FOR FULL TEXT)
DVD-video.
Waldrep, Mark
Tape-Disc Business, v12, n7, p51(2)
July, 1998
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 1255 LINE COUNT: 00100

... screens and interactive trivia games. And there has thankfully been a corresponding reduction in the **amount** of on screen text (television monitors are **not** the **right** platform for reading **pages** of printed information!).
While it's not universally true, generally, the production value of DVD...

6/3,K/35 **(Item 6 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

10031518 SUPPLIER NUMBER: 20322070 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Engineering standards and EQC - why bother? (engineering quality control) (Management Guidelines)
Carucci, V.A.
Hydrocarbon Processing, v76, n12, p44(6)
Dec, 1997
ISSN: 0018-8190 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 3923 LINE COUNT: 00339

... they are clear. For example, each owner standard should contain the following:
* A clear title
* **Scope**
* Exceptions (if any) where the standard would **not** apply
* Defined terminology
* **Reference** to additional **relevant documents** (e.g., industry standards)
* Clear requirement descriptions
* Standards for measuring quality

· Required documentation.(2)
· Give...

6/3,K/36 **(Item 7 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

08884361 SUPPLIER NUMBER: 18446299
Turkey considers third GSM license. (global system for mobile communications)
Mobile Phone News, v14, n24, p8(1)
June 10, 1996
ISSN: 0737-5077 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 428 LINE COUNT: 00038

... or France Telecom. The court ruled that the two companies, which each own 24.5 **percent** of Centertel, did **not** have the legal **right** to **file** such a complaint because they are minority owners. However, the international proceedings: are still under...

6/3,K/37 **(Item 8 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

08425646 SUPPLIER NUMBER: 17869827 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Marrying the functions: the importance of media relations in public affairs planning.
Adams, William C.
Public Relations Quarterly, v40, n3, p7(5)
Fall, 1995
ISSN: 0033-3700 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 3078 LINE COUNT: 00257

... what constitutes news (local angle, timeliness, human interest, etc.). Some reporters say up to 90 **percent** of information they receive isn' **t** news; it goes **right** into the circular **file** .(20) Understand what the media think about your organization (regular contact, feedback); and cultivate beat...

6/3,K/38 **(Item 9 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

08212160 SUPPLIER NUMBER: 17539989 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Precision and recall in title keyword searches.(research project on efficiency of online catalog searching)
McJunkin, Monica Cahill
Information Technology and Libraries, v14, n3, p161(11)
Sep, 1995
ISSN: 0730-9295 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 7432 LINE COUNT: 00617

... search strategies using the following formulae:
R = r/k + s - 1.sub.ks|
P = r/ **t**
where
R = recall
r = **number** of **relevant** **records** retrieved in this search
k = number of relevant records from title keyword searches for this...

6/3,K/39 **(Item 10 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB

(c)2004 The Gale Group. All rts. reserv.

07712484 SUPPLIER NUMBER: 16629798 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Companies try different ways to combat cellular fraud. (cellular clone fraud)
Dziatkiewicz, Mark
America's Network, v99, n3, p14(1)
Feb 1, 1995
LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 839 LINE COUNT: 00067

... no one with a PIN has been compromised."
Using PINs makes cloning more difficult but **not** impossible.
Subscribers making calls enter their **desired** **number** and **hit** "send," as with a normal call. The PIN is then entered and sent. A different...

6/3,K/40 (Item 11 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

07554507 SUPPLIER NUMBER: 15822711 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Currying card-carrying customers. (measured marketing)(includes related article on alternative methods food retailers can use to capture customer data)
Behar, Hank
Beverage World, v113, n1576, p190(4)
Oct, 1994
ISSN: 0098-2318 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2648 LINE COUNT: 00220

... within its pages. It is to be commended for its clarity and lively writing, and **how** **many** studies have crossed your desk with those blessed qualities?
Not for everybody
Right on the opening **page** , the report contends that electronic marketing "is not for everyone." EDLP everyday low price) operators...

6/3,K/41 (Item 12 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

06092378 SUPPLIER NUMBER: 12443091 (USE FORMAT 7 OR 9 FOR FULL TEXT)
FrameMaker offers many-flavored publishing options. (Frame Technology Corp's FrameMaker 3.1) (Software Review) (Evaluation)
Burgard, Michael J.
Government Computer News, v11, n15, p60(1)
July 20, 1992
DOCUMENT TYPE: Evaluation ISSN: 0738-4300 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 771 LINE COUNT: 00060

... documents.
Master pages set the underlying format of the page, such as running heads, page- **number** placement and margins. A document can have **different** master pages -- say, one for **right** -hand **pages** and one for left-hand pages. It's simple to create a running head and...

6/3,K/42 (Item 13 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

05704445 SUPPLIER NUMBER: 11841200 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Will doctors be liable in gel implant lawsuits?
Mitka, Mike
American Medical News, v35, n7, p1(2)

Feb 17, 1992
ISSN: 0001-1843 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 1193 LINE COUNT: 00095

... market, has borne the brunt of the attack against silicone gel implants. Dr. Woodside could **not** give the **exact number** of suits **filed** against the firm other than to say it was "somewhat less than 150." Consumer groups...

6/3,K/43 (Item 14 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

04911444 SUPPLIER NUMBER: 09006244 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Reference services to students: a crucible for ethical inquiry.
Hardy, Gayle J.; Robinson, Judith Schiek
RQ, v30, n1, p82(6)
Fall, 1990
CODEN: RQRQAQ ISSN: 0033-7072 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 3083 LINE COUNT: 00271

... American Library Association." Eighty-three librarian questionnaires were sent and 66 were returned (80% response **rate**), representing 54 **different** institutions. To gather supplemental information, professors of **reference** and government **documents** teaching in accredited library programs were identified using the Directory of the Association for Library...

6/3,K/44 (Item 15 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

04562616 SUPPLIER NUMBER: 08934137 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Retrieval commands of CD-ROM databases: a comparison of selected products.
Ali, S. Nazim
CD-ROM Professional, v3, n3, p28(6)
May, 1990
ISSN: 1049-0833 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 1716 LINE COUNT: 00141

... do not provide a list of journals indexed or abstracted in the database and do **not** provide the **exact number** of **records** that are available in the database. However, the present systems allow users to search the...

6/3,K/45 (Item 16 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

01774432 SUPPLIER NUMBER: 02796148 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Sharon Steel special record date for notes.
PR Newswire, FLPRA2
June 8, 1983
LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 603 LINE COUNT: 00046

... have occurred between the original and new record dates) any transfer of 9 1/4 **percent** notes that occurs subsequent to the new record date will **not** affect the **right** of the **record** holder as of such new record date to receive the interest distribution, the company said...

6/3,K/46 (Item 1 from file: 624)
DIALOG(R)File 624:McGraw-Hill Publications

01087709
E-commerce Crusader: BizRate.com's Farhad Mohit sees himself at the forefront of an e-tailing revolution
Business Week June 5, 2000; Pg EB76; Number 3684
Journal Code: BW ISSN: 0007-7135
Section Heading: Business Week e.biz: PERSONALITIES
Word Count: 2,171 *Full text available in Formats 5, 7 and 9*

BYLINE:
by ARLENE WEINTRAUB

TEXT:
... It has a well-established competitor in Gomez Advisors Inc., which is about the same **scope** , though it doesn' **t** survey consumers **right** on the shopping **sites** . And with the e-tailing shakeout in full swing, some critics wonder if there will...

6/3,K/47 (Item 2 from file: 624)

00900379
Associative Processing Accelerates Pattern Recognition
Aviation Week & Space Technology December 8, 1997; Pg 93; Vol. 147, No. 23
Journal Code: AW ISSN: 0005-2175
Section Heading: INFORMATION TECHNOLOGY
Dateline: COLORADO SPRINGS
Word Count: 1,643 *Full text available in Formats 5, 7 and 9*

BYLINE:
WILLIAM B. SCOTT

TEXT:
...t do (a reverse search) very well,'' he said. The record associated with the desired **number** was found in about 1 sec.
This associative processing included **not** only finding the **correct** name and address **record** , but also running an integrity check on the entire database. These 827,000 ``read'' functions...

6/3,K/48 (Item 3 from file: 624)

0616079
FERC SHOULD NOT APPROVE NATIONAL FUEL'S $21.9 MILLION RATE INCREASE
Inside FERC October 24, 1994; Pg 6
Journal Code: FERC ISSN: 0-163-948X
Section Heading: PIPELINE RATES
Word Count: 370 *Full text available in Formats 5, 7 and 9*

TEXT:
... 1 effective date. If it passes on that option, Ferc should reject the pipeline's **rate** request because ``National Fuel did **not** have a **right** " to **file** incremental rates for those rate schedules, said Elizabethtown.

The Producer Marketer Transportation Group questioned why...

6/3,K/49 (Item 4 from file: 624)

0357176
CONSOLIDATED CIVIL SUITS VS. SOLLY MUST WAIT BEHIND CRIMINAL MATTERS

Securities Week October 7, 1991; Pg 3
Journal Code: SW ISSN: 0149-3582
Word Count: 595 *Full text available in Formats 5, 7 and 9*

TEXT:
...lead counsel for investors who bought Salomon securities, said it is too early to know **how many** claims will be filed against Salomon altogether, since **not** all of the **relevant** trading **records** have been compiled. However, he believes that at least 30 different plaintiffs' firms are involved...

6/3,K/50 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01801598 04-52589
World Wide Web use becoming more common in paper industry
Nichol, Sam; Ramaswamy, Shri; Tschirner, Ulrike
Pulp & Paper v73n4 PP: 60-64 Apr 1999
ISSN: 0033-4081 JRNL CODE: PUP
WORD COUNT: 3351

...TEXT: with a search engine is to make the key words specific enough to limit the **number** of pages returned, but **not** so limiting that some **relevant pages** might be missed. Some examples of search engines can be found at www.webcrawler.com...

6/3,K/51 (Item 2 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01619112 02-70101
Quality is key
Anonymous
American Printer v221n1 PP: 56-57 Apr 1998
ISSN: 0744-6616 JRNL CODE: APR
WORD COUNT: 944

...TEXT: 1990 brought about a fundamental change in company culture. "We started bringing in a significant **number** of people with engineering degrees and art degrees. **Not** only were they producing pages, but clients **wanted** us to suggest **page** improvements. So we gave them both hard and soft dollar savings," says Surdell.

"Our goal...

6/3,K/52 (Item 3 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01299566 99-48962
FYI: Calming fears
Anonymous
Incentive v170n9 PP: 62-63 Sep 1996
ISSN: 1042-5195 JRNL CODE: IMK
WORD COUNT: 1184

...TEXT: retain the services of an investigative firm to collect or verify information concerning personnel.

24 **percent** do **not** permit employees to **correct records** .

23 percent have no policy to forward corrections to anyone who received incorrect info in...

6/3,K/53 (Item 4 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01299564 99-48960
FYI: Did you know that...
Anonymous
Incentive v170n9 PP: 62 Sep 1996
ISSN: 1042-5195 JRNL CODE: IMK
WORD COUNT: 209

...TEXT: retain the services of an investigative firm to collect or verify information concerning personnel.

*24 **percent** do **not** permit employees to **correct records** .

*23 percent have no policy to forward corrections to anyone who received incorrect info in...

6/3,K/54 (Item 5 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01228114 98-77509
Tim Koogle defends Yahoo's outrageous valuation
Brandt, Richard
Upside v8n7 PP: 30-34 Jul 1996
ISSN: 1052-0341 JRNL CODE: UPS
WORD COUNT: 2801

...TEXT: an early start, we have also built up a really comprehensive directory component. I'm **not** even sure today what the **exact number** [of **sites**] is, but it's got to be over 200,000. We get three or four...

6/3,K/55 (Item 6 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

00635716 92-50656
Seven Key Considerations for Organizing Documents
Cattie, Chyllene L.
Legal Assistant Today v10n1 PP: 112-116 Sep/Oct 1992
ISSN: 1045-6686 JRNL CODE: LAT

...ABSTRACT: the size of the case, 2. the need for multiple copies of documents, 3. the **amount** of space required for document storage, 4. whether or **not** all **relevant documents** have been collected, 5. the amount of time required to organize the documents before depositions...

6/3,K/56 (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2004 CMP Media, LLC. All rts. reserv.

00621856 CMP ACCESSION NUMBER: UNX19880919S4732
Samna Plus IV On The Upswing - Users Rave About Support, But Complain A bout The Documentation
STEPHANIE WILKINSON
UNIX TODAY , 1988, n 004, 42
PUBLICATION DATE: 880919
JOURNAL CODE: UNX LANGUAGE: English
RECORD TYPE: Fulltext

SECTION HEADING: 004PG42
WORD COUNT: 1598

... key, a short message to that effect appears on the screen along with a reference **number** . If a user is new and can' **t** figure out the **right** key to **hit** , he or she must look it up in the reference material by the reference number...

St. Leger, Geoffrey

Access DB# 115353

SEARCH REQUEST FORM

114

(Refocus) 3/6

Scientific and Technical Information Center

Requester's Full Name: Gwen Liang Examiner #: 79180 Date: 2-19-04
Art Unit: 2172 Phone Number 30 5-3985 Serial Number: 09/692,433
Mail Box and Bldg/Room Location: CPK5 4B25 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

****

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Rules Analyzer System and Method - - -

Inventors (please provide full names): TIFFT, William Watson

Earliest Priority Filing Date: 10-19-2000

For Sequence Searches Only *Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

Claims = 1, 8 (focus on claim 8) more

****

STAFF USE ONLY	Type of Search	Vendors and cost where applicable
Searcher: Geoffrey St. Leger	NA Sequence (#)	STN
Searcher Phone #: 308-7800	AA Sequence (#)	Dialog ✓
Searcher Location: 4B30	Structure (#)	Questel/Orbit
Date Searcher Picked Up: 3/8/4	Bibliographic ✓	Dr.Link
Date Completed: 3/19/4	Litigation	Lexis/Nexis
Searcher Prep & Review Time: 30	Fulltext ✓	Sequence Systems
Clerical Prep Time:	Patent Family	WWW/Internet
Online Time: 195	Other	Other (specify)

PTO-1590 (8-01)

STIC Search Report
EIC 2100

STIC Database Tracking Number: 115582

TO: Gwen Liang **Location:** **Art Unit : 2172** **Tuesday, March 09, 2004** **Case Serial Number: 09692433**	**From: Geoffrey St. Leger** **Location: EIC 2100** **PK2-4B30** **Phone: 308-7800** **geoffrey.stleger@uspto.gov**

Search Notes

Dear Examiner Liang,

Attached please find the results of your search request for application 09692433. I searched Dialog's foreign patent files, technical databases, product announcement files and general files.

Please let me know if you have any questions.

Regards,

Geoffrey St. Leger
4B30/308-7800

File 347:JAPIO Oct 1976-2003/Oct(Updated 040202)
(c) 2004 JPO & JAPIO
File 350:Derwent WPIX 1963-2004/UD,UM &UP=200415
(c) 2004 Thomson Derwent

Set	Items	Description
S1	67841	(NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR RATIO)(3W)(INSTANCES OR TIMES OR OCCASIONS) OR RATE(2W)SUCCESS??? OR HOW()(OFTEN OR SUCCESSFUL?) OR SCOPE
S2	35430	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR? OR IDENTIFIED)(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ?)
S3	164284	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)(5N)(URL? ? OR RESOURCE()LOCATOR? ? OR OBJECT? ? OR DATA)
S4	278119	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)(5N)(IMAGE? ? OR PICTURE? ? OR PHOTO? ? OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S5	377	("NOT" OR T)(5W)((ALREADY OR PREVIOUSLY OR PAST OR RECENT?? OR BEFORE???? OR EARLIER)(3N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED))
S6	34579	NEW(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ? OR URL? ? OR OBJECT? ? OR DATA OR IMAGE? ? OR PICTURE? OR PHOTO? ? OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S7	2337	S6(5N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)
S8	0	S1(10N)S2:S4(10N)S5
S9	57	S2:S4(5W)S5
S10	29	S9 AND IC=G06F
S11	4	S1(10W)S7
S12	8	S1(15N)S7
S13	37	S10 OR S12

13/5/1 **(Item 1 from file: 347)**
DIALOG(R)File 347:JAPIO
(c) 2004 JPO & JAPIO. All rts. reserv.

07777449 **Image available**
NETWORK MANAGEMENT SYSTEM AND METHOD FOR MANAGING THE SAME

PUB. NO.: 2003-271363 [JP 2003271363 A]
PUBLISHED: September 26, 2003 (20030926)
INVENTOR(s): IWATA NOBUYUKI
APPLICANT(s): RICOH CO LTD
APPL. NO.: 2002-075242 [JP 200275242]
FILED: March 18, 2002 (20020318)
INTL CLASS: **G06F-003/12** ; B41J-029/38; B41J-029/46; **G06F-013/00** ; H04L-012/24; H04L-012/28

ABSTRACT

PROBLEM TO BE SOLVED: To provide a network management system for reducing a management station side load by obtaining data from an agent device to be managed.

SOLUTION: A printer 2 executes processing to notice the change of conditions of its own device to a management station 1 by issuing trap. At that time, the printer 2 notices held voice information corresponding to the contents of alert to the management station 1, and transmits voice data corresponding to the contents of alert by an FTP or the like other than an SNMP, and notices only information necessary for the acquisition by SNMP TRAP. The management station 1 manages the voice data for each item of alert, and locally stores **data** already **acquired** once in the past not to **acquire** the **data** again.

13/5/2 **(Item 2 from file: 347)**
DIALOG(R)File 347:JAPIO
(c) 2004 JPO & JAPIO. All rts. reserv.

07361468 **Image available**
COMPUTER SYSTEM AND COMMUNICATION METHOD BETWEEN MODULES IN COMPUTER SYSTEM

PUB. NO.: 2002-229965 [JP 2002229965 A]
PUBLISHED: August 16, 2002 (20020816)
INVENTOR(s): KAWAGUCHI SHINICHI
APPLICANT(s): NEC CORP
APPL. NO.: 2001-028268 [JP 200128268]
FILED: February 05, 2001 (20010205)
INTL CLASS: **G06F-015/177** ; **G06F-013/14** ; **G06F-015/163** ; H04L-001/00; H04L-012/56

ABSTRACT

PROBLEM TO BE SOLVED: To provide a computer system that realizes high-availability and a communication method between modules in the system.

SOLUTION: In the computer system having a plurality of modules that mutually execute packet transfer of data, as the feature of the system, each module has an output control part 23 that sends out packets to be transmitted, through each of a plurality of communication routes, to the transmission destinations, and an input control part 24 that receives packets transmitted from a plurality of the communication routes, discriminates the identical packet transmitted from different communication routes, and appropriately acquires the transmission data, and the input control part 24 stores the **information** for identifying the **acquired** packet, discriminates whether or **not** the received packet has **already** been **acquired** , if the packet that has not been acquired yet is received, newly acquires the packet, and if the packet that has already been acquired is received, abandons the packet.

13/5/6 (Item 6 from file: 347)

06061759 **Image available**
DATA TRANSFER SYSTEM AND DATA TRANSFER METHOD

PUB. NO.: 11-003266 [JP 11003266 A]
PUBLISHED: January 06, 1999 (19990106)
INVENTOR(s): OGAWA YUTAKA
APPLICANT(s): FUJI XEROX CO LTD
APPL. NO.: 09-153186 [JP 97153186]
FILED: June 11, 1997 (19970611)
INTL CLASS: **G06F-012/00** ; **G06F-013/00** ; **G06F-013/00** ; H04N-001/00

not

ABSTRACT

PROBLEM TO BE SOLVED: To provide a system for recombining data elements by the state of a transmission line, distributing optimum information within a prescribed cost and easily selecting an optimum data combination on a server side for the request of data re-transmission and addition.

SOLUTION: A cost required for data transfer from a server to a client is detected and transmission data are selected from document candidates set beforehand corresponding to the detected cost required for the data transfer. Transmission is executed based on a transmission candidate formula for discriminating whether or not they are already transmitted data for the respective data elements for constituting a requested document from a client device. In the client device, a requested document candidate formula is generated for defining the combination of the data elements provided with a flag for discriminating whether or **not** the **data** element is already **obtained** , and **data** transmission is requested to the server.

13/5/8 (Item 8 from file: 347)

05476548 **Image available**
COMMUNICATION SYSTEM INFORMATION PROVISION SYSTEM AND INFORMATION PROVISION TERMINAL

PUB. NO.: 09-091348 [JP 9091348 A]
PUBLISHED: April 04, 1997 (19970404)
INVENTOR(s): TAKAHASHI YASUAKI
APPLICANT(s): EKUSHINGU KK [000000] (A Japanese Company or Corporation), JP (Japan)
BROTHER IND LTD [000526] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 07-246124 [JP 95246124]
FILED: September 25, 1995 (19950925)
INTL CLASS: [6] **G06F-017/60** ; G10K-015/04; H04M-011/08; H04M-015/00; H04N-007/16
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 42.5 (ELECTRONICS -- Equipment); 44.4 (COMMUNICATION -- Telephone) ; 44.6 (COMMUNICATION -- Television)

ABSTRACT

PROBLEM TO BE SOLVED: To prevent information which is already distributed from being used while the information distribution charge is no collected.

SOLUTION: A central controller 31 checks charge **information** which is **acquired** to judge whether or **not** charge **information** which were **acquired** in the **past** has reached a specific period (n months). When (n)

months have passed without collection, music information distributed in a period tracing back by specific months from the month when charge information is acquired last is disabled to be used as a locked object by setting a use inhibition flag in the item of the use inhibition flag in a music correspondence table on a hard disk 33.

13/5/9 (Item 9 from file: 347)

05266491 **Image available**

METHOD AND DEVICE FOR SELECTING AND SEPARATING PLURAL IN ASSOCIATIVE MEMORY

PUB. NO.: 08-221991 [JP 8221991 A]
PUBLISHED: August 30, 1996 (19960830)
INVENTOR(s): OGURA TAKESHI
NAKANISHI MAMORU
APPLICANT(s): NIPPON TELEGR & TELEPH CORP <NTT> [000422] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 07-023928 [JP 9523928]
FILED: February 13, 1995 (19950213)
INTL CLASS: [6] G11C-015/00
JAPIO CLASS: 45.2 (INFORMATION PROCESSING -- Memory Units); 42.2 (ELECTRONICS -- Solid State Components)

ABSTRACT

PURPOSE: To reduce the **number** of **times** of repeated **retrieval** operation by creating the **new** key **data** and the mask **data** according to the signals of whether or not a word selected by the retrieval operation exists and whether or not plural pieces of words are selected.
CONSTITUTION: Registers etc., in which the key data and the mask data, etc., are stored are incorporated in an associative memory word array 15 consisting of plural associative memory words 101-104 creating retrieval results. When plural word lines 111-114 are driven, ANDs of logic values beforehand stored in the same bit position of these words are outputted from an address encoder 120 of a read only memory as output values of respective bits. These outputs are inputted to a circuit block 122, and the signals of whether or not the selected word exists and whether or not plural pieces of words are selected are created. The new key data and the mask data are created responding to that, and the retrieval operation is repeated, and one word is separated in descendent order or ascendent order of a word address

13/5/11 (Item 11 from file: 347)

04709990 **Image available**

DATA COMMUNICATION METHOD

PUB. NO.: 07-030590 [JP 7030590 A]
PUBLISHED: January 31, 1995 (19950131)
INVENTOR(s): MATSUMOTO MICHIO
TOIDA HIROSHI
NISHIZAWA SHUICHI
APPLICANT(s): TAISEI CORP [330237] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 05-194303 [JP 93194303]
FILED: July 09, 1993 (19930709)
INTL CLASS: [6] H04L-023/00; **G06F-005/00**
JAPIO CLASS: 44.3 (COMMUNICATION -- Telegraphy); 45.1 (INFORMATION PROCESSING -- Arithmetic Sequence Units)

ABSTRACT

PURPOSE: To attain efficient communication by sending relevant code data in place of character data when coincident character data are in existence on

a table and sending new code data when not in existence.
CONSTITUTION: Character data sent from a transmission reception section 1 are compressed and sent to a communication line 3, the data sent from the line 3 are decoded and sent to other transmission reception section 1. When characters in total 24 bytes being 3X8 bytes are sent, a comparison retrieval section 22 makes comparison and retrieval, the data are segmented into three by each of 8-bits and whether or **not** the **data** are already registered is **retrieved** from a code table 25. The character data not registered are registered in the table 25 together with new code data and the character data are sent to a receiver side coded unit 2 via the line. 3. An identifier is provided to the code data to identify that the data are data in a code table. Thus, number of bytes is saved.

13/5/12 (Item 12 from file: 347)
DIALOG(R)File 347:JAPIO

04475486 **Image available**
RETRIEVING METHOD AND DEVICE

PUB. NO.: 06-119386 [JP 6119386 A]
PUBLISHED: April 28, 1994 (19940428)
INVENTOR(s): NAKAGAWA KOICHI
MUNAKATA KOICHI
MAEKAWA TAKAAKI
APPLICANT(s): MITSUBISHI ELECTRIC CORP [000601] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 04-264392 [JP 92264392]
FILED: October 02, 1992 (19921002)
INTL CLASS: [5] **G06F-015/40** ; **G06F-012/00** ; **G06F-012/00**
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 45.2 (INFORMATION PROCESSING -- Memory Units)
JOURNAL: Section: P, Section No. 1779, Vol. 18, No. 409, Pg. 64, July 29, 1994 (19940729)

ABSTRACT

PURPOSE: To automatically retrieve data to be read next according to the request or knowledge of a user without using a guide line by retrieving and indicating the data to be referred to the next from the link information, access information, and retrieval history information of the data.

CONSTITUTION: A multimedia data base 4 stores the data to be retrieved and the ID number. An access information managing part 5 relates the data with a link, and holds the link information of the related data, and the access information of an access to the related data. A history managing part 6 holds the number of the data ID on a path on which the data are referred to. A retrieving part 7 indicates the next data during the retrieval. That is, the access information of the data linked with the present data is retrieved, whether or not the data are matched is checked, and the pertinent data are indicated. When the pertinent data are **not** present, the just previously referred **data** are **retrieved** and indicated. Therefore, a user can automatically select the data to be read the next.

13/5/13 (Item 13 from file: 347)
DIALOG(R)File 347:JAPIO

04400400 **Image available**
INFORMATION RETRIEVING DEVICE

PUB. NO.: 06-044300 [JP 6044300 A]
PUBLISHED: February 18, 1994 (19940218)
INVENTOR(s): HIGASHIYA YASUSHI
SATO ISAO
FUKUSHIMA YOSHIHISA
TAKAGI YUJI

HAMASAKA HIROSHI
KUMON YUJI
APPLICANT(s): MATSUSHITA ELECTRIC IND CO LTD [000582] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 05-089608 [JP 9389608]
FILED: April 16, 1993 (19930416)
INTL CLASS: [5] **G06F-015/40 ; G06F-015/20 ; G06F-015/20**
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications)
JAPIO KEYWORD: R131 (INFORMATION PROCESSING -- Microcomputers & Microprocessers); R139 (INFORMATION PROCESSING -- Word Processors)
JOURNAL: Section: P, Section No. 1743, Vol. 18, No. 278, Pg. 39, May 26, 1994 (19940526)

ABSTRACT

PURPOSE: To eliminate the need to retrieve a document file itself and shorten the retrieval period of time by saving the retrieval result obtained by retrieving the document file, together with retrieval conditions in an information recording medium and reusing it when the document file is retrieved again with the same retrieval conditions.

CONSTITUTION: This device is equipped with a character string presence/absence retrieving circuit 6 which detects whether or not there is the retrieval character string by comparing data in a retrieval data memory 15 with the specific retrieval character string; and a retrieval control table is composed of plural table entries including the storage area of the document file, the retrieval character string, a final retrieval data, and the retrieval result. Then the final retrieval date of the document file recorded in the retrieval control table is compared with the recording date of the document file to detect whether or **not** the **document file** is **retrieved** in the **past** by using the same retrieval conditions. When it is made evident that the retrieval is performed in the past, the retrieval result recorded in the retrieval control table is reused.

13/5/14 (Item 14 from file: 347)
DIALOG(R)File 347:JAPIO

03804872 **Image available**
DATA BASE RETRIEVAL PROCESSING SYSTEM

PUB. NO.: 04-169972 [JP 4169972 A]
PUBLISHED: June 17, 1992 (19920617)
INVENTOR(s): MOGI KEIJI
SATO KAZUHIRO
YAMAMOTO YOICHI
NAMIOKA MIYOKO
APPLICANT(s): HITACHI LTD [000510] (A Japanese Company or Corporation), JP (Japan)
HITACHI MAIKON SHISUTEMU KK [000000] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 02-295352 [JP 90295352]
FILED: November 02, 1990 (19901102)
INTL CLASS: [5] **G06F-015/40**
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications)
JOURNAL: Section: P, Section No. 1430, Vol. 16, No. 476, Pg. 142, October 05, 1992 (19921005)

ABSTRACT

PURPOSE: To improve convenience by interruption the retrieval processing according to the user's instruction for retrieval request which takes long retrieval processing and deciding the right or wrong of continuation based on the user's judgement.

CONSTITUTION: A user sets the right or wrong of interruption function execution and a parameter for allowable **retrieval** processing time (T) before calling for the **retrieval** request to a **data** base management

system 50 by means of a terminal 10. He monitors retrieval processing time during retrieval processing and interrupts the processing in the case the retrieval processing time exceeds the allowable retrieval processing time. After the interruption, the data base management system 50 asks the continuation of the interrupted processing, and decides the continuation or invalidity of the interrupted processing based on the instruction of the user by receiving the right of wrong of the continuation of the interrupted processing from a user. Thus, the convenience can be improved.

13/5/15 **(Item 15 from file: 347)**
DIALOG(R)File 347:JAPIO

03755512 **Image available**
DATA INPUT METHOD

PUB. NO.: 04-120612 [JP 4120612 A]
PUBLISHED: April 21, 1992 (19920421)
INVENTOR(s): UEDA TETSUO
APPLICANT(s): NEC CORP [000423] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 02-240692 [JP 90240692]
FILED: September 11, 1990 (19900911)
INTL CLASS: [5] **G06F-003/02** ; **G06F-003/023** ; H03M-011/04
JAPIO CLASS: 45.3 (INFORMATION PROCESSING -- Input Output Units); 42.4 (ELECTRONICS -- Basic Circuits)
JOURNAL: Section: P, Section No. 1402, Vol. 16, No. 378, Pg. 18, August 13, 1992 (19920813)

ABSTRACT

PURPOSE: To reduce the man-hour required for inputting data by inputting a part of codes or numbers and retrieving a registration table, thereby obtaining the data having the coincident input section.
CONSTITUTION: When an input notice is given from an input device 2, an input waiting status is canceled and an input content discriminating process is performed. In deciding that it is not an ordinary one-character input, it is decided whether it is a confirmation instruction or not. When no confirmation is instructed, the input waiting status is again set and the next one-character input or instruction for confirmation is waited for. When the instruction for confirmation is **inputted** , whether or **not** retrieval is already executed and the **retrieved data** are displayed on a display device 3 is discriminated. When no retrieval is executed, the input waiting status is again set without destroying the content of an input buffer 6. When the retrieval is already executed, the inputting process is completed by replacing a character string in the buffer 6 with the data obtained by the retrieval.

13/5/17 **(Item 17 from file: 347)**
DIALOG(R)File 347:JAPIO

02584923 **Image available**
DATA TRANSPOSING SYSTEM

PUB. NO.: 63-201823 [JP 63201823 A]
PUBLISHED: August 19, 1988 (19880819)
INVENTOR(s): SHIMADA YASUKO
APPLICANT(s): ALPS ELECTRIC CO LTD [001009] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 62-034982 [JP 8734982]
FILED: February 18, 1987 (19870218)
INTL CLASS: [4] G06F-007/24
JAPIO CLASS: 45.1 (INFORMATION PROCESSING -- Arithmetic Sequence Units); 45.2 (INFORMATION PROCESSING -- Memory Units)
JOURNAL: Section: P, Section No. 804, Vol. 12, No. 492, Pg. 27, December 22, 1988 (19881222)

ABSTRACT

PURPOSE: To change the register date of a check writer and to generate transposed data easy to see by clearing contents of a start position table with -1.

CONSTITUTION: Contents of the start position table from January to December are cleared with -1 to fill up this table with -1. Data from a table which constitutes a check writer 1 and indicates the start position corresponding to each month indicating the month from which the start position is started is set to the start position table cleared with -1. Then, the start position of a new register date is obtained. The position of the month from which register is started is searched, and the **number** of **times** of movement is obtained from the start position of the **new** register date and **data** is moved this **obtained number** of **times** to terminate transposition of monthly data. Thus, the start month of the register date of the check writer is easily converted.

13/5/19 (Item 19 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2004 JPO & JAPIO. All rts. reserv.

02514893 **Image available**
IMAGE SYNTHESIZING DEVICE

PUB. NO.: 63-131793 [JP 63131793 A]
PUBLISHED: June 03, 1988 (19880603)
INVENTOR(s): HAYAZAKI HIDETO
TAKAKURA MASAKI
YAMANE YASUKUNI
GAKO NOBUTOSHI
APPLICANT(s): SHARP CORP [000504] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 61-279009 [JP 86279009]
FILED: November 21, 1986 (19861121)
INTL CLASS: [4] H04N-009/75; **G06F-015/66 ; G06F-015/72**
JAPIO CLASS: 44.6 (COMMUNICATION -- Television); 45.4 (INFORMATION PROCESSING -- Computer Applications)
JAPIO KEYWORD: R131 (INFORMATION PROCESSING -- Microcomputers & Microprocessers)
JOURNAL: Section: E, Section No. 669, Vol. 12, No. 389, Pg. 146, October 17, 1988 (19881017)

ABSTRACT

PURPOSE: To synthesize an image even when an **object** is **not located before** a prescribed color, for example, a blue screen by executing the color changing processing of a painting-out by one color to density information except a picture element equivalent to the segmenting area of the density information of a color image and obtaining a key signal.

CONSTITUTION: For image information stored in an image memory 1, a processing such as processing and color changing is executed with a microprocessor 7 and an object part when a synthetic image is generated is segmented. Edge information to discriminate the picture element corresponding to an edge is stored into an edge memory 2, the output information of the edge memory 2 in introduced to the microprocessor 7 and the processing to paint out the information except the density information of the picture element corresponding to the segmenting area of the concentration information and the picture element corresponding to the edge, to a prescribed color, for example, to a blue color is executed. An image signal after the painting-out processing is executed is inputted to a chroma key device 200, the chroma key device 200 forms a key signal with the signal and based on the key signal, a foreground color video signal and a background color video signal are synthesized

13/5/20 (Item 20 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2004 JPO & JAPIO. All rts. reserv.

02199084 **Image available**
DATA TERMINAL EQUIPMENT

PUB. NO.: 62-115984 [JP 62115984 A]
PUBLISHED: May 27, 1987 (19870527)
INVENTOR(s): IMAIDA SATORU
APPLICANT(s): MITSUBISHI ELECTRIC CORP [000601] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 60-255221 [JP 85255221]
FILED: November 14, 1985 (19851114)
INTL CLASS: [4] H04N-007/173; **G06F-013/00** ; **G06F-015/40** ; H04M-011/00
JAPIO CLASS: 44.6 (COMMUNICATION -- Television); 44.4 (COMMUNICATION -- Telephone); 45.2 (INFORMATION PROCESSING -- Memory Units); 45.4 (INFORMATION PROCESSING -- Computer Applications)
JOURNAL: Section: E, Section No. 552, Vol. 11, No. 329, Pg. 86, October 27, 1987 (19871027)

ABSTRACT

PURPOSE: To remarkably simplify an operation of a terminal equipment by providing a card write control part for writing information retrieving data in an integrated circuit card during executing an information retrieving data input routine.

CONSTITUTION: In the input data writing routine 28, input data is written in an IC card by the IC card write control part 7, set to an IC card read control part 6 and a reset button of the terminal equipment is pressed, and then, a CPU 1 performs a program of a ROM 2. Based on the data of the IC card, an information center is called, a line is connected, a password is transmitted, a screen is automatically called out and renewed. After the information of the **data** of the IC card is **retrieved** , leading to a manual **information retrieval** routine, a screen which is **not** inputted previously can be **retrieved** freely manually. When a communication mode is selected without a card input, leading to a manual line connection routine, an information center number or the password is inputted one by one by an input operation through a keyboard 4. Thereby, a troublesome key operation is carried out to a minimum and the data can be read in a short time.

13/5/21 **(Item 21 from file: 347)**
DIALOG(R)File 347:JAPIO

02137433 **Image available**
PROGRAMMING LANGUAGE PROCESSING SYSTEM

PUB. NO.: 62-054333 [JP 62054333 A]
PUBLISHED: March 10, 1987 (19870310)
INVENTOR(s): MORIMOTO YOJIRO
KOYANAGI SHIGERU
NAKAYAMA YASUKO
SHIMIZU MIHO
APPLICANT(s): TOSHIBA CORP [000307] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 60-194108 [JP 85194108]
FILED: September 03, 1985 (19850903)
INTL CLASS: [4] **G06F-009/06** ; **G06F-009/44**
JAPIO CLASS: 45.1 (INFORMATION PROCESSING -- Arithmetic Sequence Units)
JAPIO KEYWORD: R106 (INFORMATION PROCESSING -- Kanji Information Processing)
JOURNAL: Section: P, Section No. 604, Vol. 11, No. 248, Pg. 47, August 13, 1987 (19870813)

ABSTRACT

PURPOSE: To simplify how to transfer an argument by storing information indicating whether an argument specified by a tag is to be evaluated or **not** before its transfer, **finding** out and deciding the tag **information** at the transfer of the argument and controlling how to transfer the argument in accordance with the decided result.

CONSTITUTION: The information indicating whether the argument specified by the tag is to be evaluated or not before its transfer is stored in a tag table 3, and when an access is generated during the executing of a program, a program accessing mechanism 2 in a CPU 1 is started and the mechanism 2 extracts the tag in the access sentence, checks the table 3 and decides whether the specified argument is to be evaluated or not before the transfer. When the evaluation is required, an evaluating device 4 evaluates the argument and transfers the argument to the program stored in a program storage device 5 to attain program access

13/5/22 (Item 22 from file: 347)
DIALOG(R)File 347:JAPIO

01870653 **Image available**
ASSOCIATIVE BUFFER MEMORY

PUB. NO.: 61-084753 [JP 61084753 A]
PUBLISHED: April 30, 1986 (19860430)
INVENTOR(s): UCHIYAMA KUNIO
NISHIMUKAI TADAHIKO
HASEGAWA ATSUSHI
APPLICANT(s): HITACHI LTD [000510] (A Japanese Company or Corporation), JP (Japan)
HITACHI MICRO COMPUT ENG LTD [470864] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 59-204179 [JP 84204179]
FILED: October 01, 1984 (19841001)
INTL CLASS: [4] **G06F-012/08**
JAPIO CLASS: 45.2 (INFORMATION PROCESSING -- Memory Units)
JOURNAL: Section: P, Section No. 494, Vol. 10, No. 260, Pg. 13, September 05, 1986 (19860905)

ABSTRACT

PURPOSE: To reduce the overhead when effective desired data does not exist, by performing hit discrimination just after the completion of retrieval of a tag array without waiting the completion of read-out of a data array.

CONSTITUTION: In case of data read, a data processor checks whether data exists in a buffer memory or **not** before starting to **fetch data** from a main memory actually. A mask control circuit 480 generates mask signals M0-M3, and a tag array 30 is retrieved with respect to an availability flag designated as a retrieval object and upper 30 bits of the address, and retrieval results are outputted as a hit discrimination signal. This hit decision result is obtained before a data array 330 is read. If data in the designated address does not exist, the data processor reads out data from the main memory and writes it on the data array 330.

13/5/23 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX

015418359 **Image available**
WPI Acc No: 2003-480499/200345
XRPX Acc No: N03-382019
Multi-media data streaming method in network e.g. Internet, involves obtaining data from source server if servicing server has not obtained data **previously after which** data **is streamed to cell phone**
Patent Assignee: CHEUNG G (CHEU-I); WEE S J (WEES-I); WONG T (WONG-I)
Inventor: CHEUNG G; WEE S J; WONG T
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20030065712	A1	20030403	US 2001969474	A	20011001	200345	B

Priority Applications (No Type Date): US 2001969474 A 20011001
Patent Details:
Patent No Kind Lan Pg Main IPC Filing Notes
US 20030065712 A1 14 G06F-015/16

Abstract (Basic): US 20030065712 A1
NOVELTY - The information for determining the predicted position of cell phone at a future time is received. The server capable of streaming multi-media data to the region that includes the predicted position, is **identified** . The media **data** not previously **obtained** by server, is obtained from another server, for streaming the media data to the cell phone in the region serviced by the server.
DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:
(1) computer system; and
(2) computer-readable medium storing data streaming program.
USE - In networks e.g. Internet, wired networks, wireless networks for transmitting multimedia data e.g. video-based data, audio-based data, speech-based data, image based data, web page- based data, graphic data from servers like mainframe, corporate server, personal computer, lap top personal digital assistant client mobile devices e.g. cell phone, personal digital assistant, laptop, pager.
ADVANTAGE - The migration of media streams is independent of the media coding method. The distribution of multi-media data to mobile client does not rely solely on the historical information. The client's position is accurately determined.
DESCRIPTION OF DRAWING(S) - The figure shows the flowchart of the media data prefetching and distribution process.
pp; 14 DwgNo 5/5
Title Terms: MULTI; MEDIUM; DATA; STREAM; METHOD; NETWORK; OBTAIN; DATA; SOURCE; SERVE; SERVICE; SERVE; OBTAIN; DATA; AFTER; DATA; STREAM; CELL; TELEPHONE
Derwent Class: T01; W01; W02
International Patent Class (Main): **G06F-015/16**
File Segment: EPI

13/5/24 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2004 Thomson Derwent. All rts. reserv.

447 **Image available**
WPI Acc No: 2003-438385/200341
XRPX Acc No: N03-349706
Duplicate documents detection method for web crawling applications, involves fetching particular document from document store, if value of corresponding content identifier is not same as that of previously obtained document
Patent Assignee: MICROSOFT CORP (MICT)
Inventor: MEYERZON D; NORIN S; SHOROFF S; TEREK F S
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No Kind Date Applicat No Kind Date Week
US 6547829 B1 20030415 US 99343511 A 19990630 200341 B

Priority Applications (No Type Date): US 99343511 A 19990630
Patent Details:
Patent No Kind Lan Pg Main IPC Filing Notes
US 6547829 B1 10 G06F-017/00

Abstract (Basic): US 6547829 B1
NOVELTY - A content identifier (CID) that is fetched independently of the document itself, that uniquely identifies the physical document such that no two different documents have equal CIDs, corresponding to a particular document is obtained from a document store. A particular document is fetched from the document store, if the value of the CID is **not** same as the previously **obtained** CID corresponding to another **document** .

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:
(1) web crawling method;
(2) computer recorded medium storing instructions for duplicate documents detection; and
(3) computer system.
USE - For detecting duplicate documents during web crawling in computer system and also used in mail server, directory service.
ADVANTAGE - Usage of CID property enhances the efficiency and usefulness of the crawler application. Also, avoids unnecessarily retrieving and processing of the such duplicates effectively.
DESCRIPTION OF DRAWING(S) - The figure shows a flow chart explaining the duplicate document detection process.
pp; 10 DwgNo 1/3
Title Terms: DUPLICATE; DOCUMENT; DETECT; METHOD; WEB; CRAWL; APPLY; FETCH; DOCUMENT; DOCUMENT; STORAGE; VALUE; CORRESPOND; CONTENT; IDENTIFY; OBTAIN ; DOCUMENT
Derwent Class: T01
International Patent Class (Main): **G06F-017/00**
International Patent Class (Additional): **G06F-017/30**
File Segment: EPI

13/5/27 (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX

012506262 **Image available**
WPI Acc No: 1999-312367/199926
XRPX Acc No: N99-233301
Manipulating method of data between locally stored data and remote database
Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)
Inventor: KLEEWEIN J C; LIN E T; MAHESHWARI H; VENKATARAMAN S
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 5903887	A	19990511	US 97931003	A	19970915	199926	B

Priority Applications (No Type Date): US 97931003 A 19970915
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5903887	A		8	G06F-017/30	

Abstract (Basic): US 5903887 A
NOVELTY - When unique values are **not found** in a table, before **data** manipulation, a specific value in table is selected and a query is sent to a server and corresponding result is cached in a result set cache and table. If the successively retrieved value from table is identical with pre-retrieved data, the same cache result is utilized.
USE - For manipulating data between locally stored data and remote database.
ADVANTAGE - Improves efficiency of handling queries to remote database tables through caching. A duplicate entry of inner table result is obtained without the need for transmitting the query so that a significant communication cost is achieved.
DESCRIPTION OF DRAWING(S) - The figure is a logical flow diagram of data manipulation between locally stored data and remote database.
pp; 8 DwgNo 2/4
Title Terms: MANIPULATE; METHOD; DATA; LOCAL; STORAGE; DATA; REMOTE; DATABASE
Derwent Class: T01
International Patent Class (Main): **G06F-017/30**
File Segment: EPI

13/5/28 (Item 6 from file: 350)
DIALOG(R)File 350:Derwent WPIX

012495843 **Image available**
WPI Acc No: 1999-301951/199925
XRPX Acc No: N99-226233
Enforced and valid constraint state achieving method in database management system
Patent Assignee: ORACLE CORP (ORAC-N)
Inventor: JENKINS R J
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 5899993	A	19990504	US 96694350	A	19960807	199925	B

Priority Applications (No Type Date): US 96694350 A 19960807
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5899993	A		10	G06F-017/30	

Abstract (Basic): US 5899993 A
NOVELTY - A constraint of novel initiation is enforced and enabled, before validating the constraint of preset data. A serialization value stored in constraint definition is updated whenever constraint definition is updated. Serialization value in constraint definition is inspected after validating constraint, to determine if constraint definition is changed during validation.
DETAILED DESCRIPTION - The validation process includes formulating set of queries covering all the constrained data. Read locks are released after the queries are executed correspondingly and asserted that no query in set indicates constraint is invalid. INDEPENDENT CLAIMS are also included for the following:
(a) computer system;
(b) computer readable medium with stored sequences of instructions for enabling constraint in database management system
USE - Used for enabling constraint without making the constrained data unavailable for inserts, deletes, updates for an extended period of time in database system.
ADVANTAGE - Inserts, deletes, updates are allowed while constraint is valid, since constrained data is not locked. Validation procedure does **not** require processes to **obtain** shared lock before reading **data** .
DESCRIPTION OF DRAWING(S) - The figure shows the flowchart for enabling constraint in database system.
pp; 10 DwgNo 3/3
Title Terms: ENFORCE; VALID; CONSTRAIN; STATE; ACHIEVE; METHOD; DATABASE; MANAGEMENT; SYSTEM
Derwent Class: T01
International Patent Class (Main): **G06F-017/30**
File Segment: EPI

13/5/31 (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

010231621 **Image available**
WPI Acc No: 1995-132878/199518
XRPX Acc No: N95-104561
Content addressable or associative memory - uses flags indicating whether effective data stored and second flags indicating a match, first flags are batch-reset according to state of second flags
Patent Assignee: KAWASAKI STEEL CORP (KAWI)
Inventor: SASAMA H
Number of Countries: 005 Number of Patents: 005
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 646930	A1	19950405	EP 94307245	A	19941004	199518	B
CA 2133545	A	19950405	CA 2133545	A	19941003	199527	

US 5479366	A	19951226	US 94316337	A	19940930	199606
EP 646930	B1	20000112	EP 94307245	A	19941004	200008
DE 69422570	E	20000217	DE 622570	A	19941004	200016
			EP 94307245	A	19941004	

Priority Applications (No Type Date): JP 93248119 A 19931004
Cited Patents: 2.Jnl.Ref; EP 230296; EP 341899; JP 57074887; US 4296475
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
[illegible]	A1	E	15	G11C-015/00	
Designated States (Regional): DE FR GB					
EP 646930	B1	E		G11C-015/00	
Designated States (Regional): DE FR GB					
DE 69422570	E			G11C-015/00	Based on patent EP 646930
US 5479366	A		14	G11C-015/00	
CA 2133545	A			G06F-015/40	

Abstract (Basic): EP 646930 A

Match detection circuits detect match or mismatch between data stored in associated word memory and an entered retrieval data. Flag registers indicate whether associated memory is in one of two storage states, the first indicating effective data, the second not therefore permitting overwriting.

Second flag registers indicate memory historical state indicating subjection or not to match detection in part intervals. A storage state alteration circuit batch-alters memories associated with the second flag into the second storage state indicating other historical state among memories in the first.

ADVANTAGE - Erases only unnecessary data.

Dwg.1/10

Title Terms: CONTENT; ADDRESS; ASSOCIATE; MEMORY; FLAG; INDICATE; EFFECT; DATA; STORAGE; SECOND; FLAG; INDICATE; MATCH; FIRST; FLAG; BATCH; RESET; ACCORD; STATE; SECOND; FLAG
Derwent Class: U14
International Patent Class (Main): **G06F-015/40** ; G11C-015/00
File Segment: EPI

13/5/32 **(Item 10 from file: 350)**
DIALOG(R)File 350:Derwent WPIX

010114640 **Image available**
WPI Acc No: 1995-015891/199503
Related WPI Acc No: 1990-211465; 1995-015888
XRPX Acc No: N95-012521

Computing method used for running object management facility - involves placing data files into default directory, searching directory for files created or modified while application was open and creating new object for files not linked

Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: CROW W M; EHRLICH Y
Number of Countries: 008 Number of Patents: 004
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 628907	A2	19941214	EP 89313317	A	19891220	199503	B
			EP 94114329	A	19891220		
EP 628907	A3	19960124	EP 89313317	A	19891220	199621	
			EP 94114329	A	19891220		
EP 628907	B1	20011107	EP 89313317	A	19891220	200169	
			EP 94114329	A	19891220		
DE 68929341	E	20011213	DE 629341	A	19891220	200205	
			EP 94114329	A	19891220		

Priority Applications (No Type Date): US 88292610 A 19881230
Cited Patents: No-SR.Pub; 3.Jnl.Ref
Patent Details:
Patent No Kind Lan Pg Main IPC Filing Notes

EP 628907 A2 E 174 G06F-009/44 Related to application EP 89313317
Designated States (Regional): BE CH DE FR GB IT LI NL
EP 628907 A3 Div ex application EP 89313317
EP 628907 B1 E G06F-009/44 Div ex application EP 89313317
Div ex patent EP 377299
Designated States (Regional): BE CH DE FR GB IT LI NL
DE 68929341 E G06F-009/44 Based on patent EP 628907

Abstract (Basic): EP 628907 A

The method involves placing data files (849) generated by the first application into a default directory. Upon closing the first application, the default directory is searched for files created or modified while the first application was open. For every created or modified **file found** which is **not already** linked to an object, a new object referencing the first application is created and the new object is linked to the file.

Fro every created or modified file round which is already linked to an object, if the object is currently active, a message is sent to the object indicating the created or modified file has changed.

ADVANTAGE - Allows for free communication between all active objects.

Dwg.1/145

Title Terms: COMPUTATION; METHOD; RUN; OBJECT; MANAGEMENT; FACILITY; PLACE; DATA; FILE; DEFAULT; DIRECTORY; SEARCH; DIRECTORY; FILE; MODIFIED; APPLY; OPEN; NEW; OBJECT; FILE; LINK
Derwent Class: T01
International Patent Class (Main): **G06F-009/44**
International Patent Class (Additional): **G06F-003/00** ; **G06F-009/455** ; **G06F-015/20**
File Segment: EPI

13/5/34 **(Item 12 from file: 350)**
DIALOG(R)File 350:Derwent WPIX
(c) 2004 Thomson Derwent. All rts. reserv.

008770020 **Image available**
WPI Acc No: 1991-274034/199137
XRPX Acc No: N91-209209
Writing and finding original and updating data on storage medium - has pointers to allocated but unwritten update areas, and searches for most recent updates
Patent Assignee: IBM CORP (IBMC); INT BUSINESS MACHINES CORP (IBMC)
Inventor: GREGG L; ROLFE R K; GREGG L E
Number of Countries: 010 Number of Patents: 008
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 5043967	A	19910827	US 90570035	A	19900820	199137	B
EP 472484	A	19920226	EP 91480105	A	19910711	199209	
CA 2045947	A	19920221				199219	
BR 9103522	A	19920512	BR 913522	A	19910816	199226	
CA 2045947	C	19950214	CA 2045947	A	19910628	199514	
EP 472484	A3	19940324	EP 91480105	A	19910711	199521	
KR 9514668	B1	19951213	KR 9112307	A	19910719	199904	
JP 2998857	B2	20000117	JP 91196069	A	19910711	200008	

Priority Applications (No Type Date): US 90570035 A 19900820
Cited Patents: SR.Pub; EP 333165; US 4682318; US 4791623
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5043967	A		7		
JP 2998857	B2		10	G06F-012/00	Previous Publ. patent JP 6342395
EP 472484	A				
Designated States (Regional): DE ES FR GB IT					
BR 9103522	A			G11B-007/00	
CA 2045947	C			G11B-020/12	
KR 9514668	B1			G11B-020/10	

Abstract (Basic): US 5043967 A

The method for writing and finding original and updated data on a data medium with numerous discrete data storage areas without overwriting updated data, involves allocating a group of primary data storage areas with a known number of areas and a predetermined sequence of areas. Original data and subsequent updates are written to the primary data storage areas in the predetermined sequence. At the time that data is written to any one of the primary data storage areas a group of secondary data storage areas with a known number of areas and a predetermined sequence of areas is assigned to that one storage area.

Data is written to the secondary data storage areas assigned to the one primary data storage area before writing data to the next sequential primary data storage area. The primary data storage areas are read in sequence without reading their corresponding secondary data storage areas in order to find the first primary storage area in which data is **not** written. The **most** recent updated **data** is **found** by reading the preceding primary **data** storage area and the secondary data storage areas assigned to the preceding primary data storage area.

ADVANTAGE - Fast access. (7pp Dwg.No.1/4

Title Terms: WRITING; FINDER; ORIGINAL; UPDATE; DATA; STORAGE; MEDIUM; POINT; ALLOCATE; UPDATE; AREA; SEARCH; RECENT; UPDATE

Derwent Class: T01; U14

International Patent Class (Main): **G06F-012/00** ; G11B-007/00; G11B-020/10; G11B-020/12

International Patent Class (Additional): **G06F-003/06** ; **G06F-015/00** ; G11C-013/00

File Segment: EPI

13/5/36 (Item 14 from file: 350)

DIALOG(R)File 350:Derwent WPIX

004161389

WPI Acc No: 1984-306928/198449

XRPX Acc No: N84-228821

Shared memory computer system - uses memory manager with translation module locating data items and temporary storage buffer

Patent Assignee: SULLIVAN H W (SULL-I)

Inventor: COHN L A

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 4484262	A	19841120	US 81254583	A	19810415	198449	B

Priority Applications (No Type Date): US 81254583 A 19810415; US 792004 A 19790109

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 4484262	A		17		

Abstract (Basic): US 4484262 A

The system includes a number of sources, a memory manager, and memory units in which the memory locations of data items are randomly distributed. The memory manager includes a translation module for locating data items in the memory units and a temporary storage buffer for storing at least a portion of messages between sources and the memory units e.r.t. data items.

The system **not** only stores **data** items recently **retrieved** from the main or peripheral memory but also stores requests to READ, WRITE or TEST data items while the main or peripheral memory is being accessed. Temporary storage buffer may be located in nodes of a memory management network, providing parallel access to a data base from a number of sources without the need for a synchronising host computer.

ADVANTAGE - This avoids duplicative requests to the main or peripheral memory not only for data items recently accessed but also for data items in the process of being accessed.

4/20

File 348:EUROPEAN PATENTS 1978-2004/Feb W05
(c) 2004 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20040304,UT=20040226
(c) 2004 WIPO/Univentio

Set	Items	Description
S1	634370	(NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR RATIO)(3W)(INSTANCES OR TIMES OR OCCASIONS) OR RATE(2W)SUCCESS??? OR HOW()(OFTEN OR SUCCESSFUL?) OR SCOPE
S2	90601	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR? OR IDENTIFIED)(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ?)
S3	177363	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)(5N)(URL? ? OR RESOURCE()LOCATOR? ? OR OBJECT? ? OR DATA)
S4	169308	(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)(5N)(IMAGE? ? OR PICTURE? ? OR PHOTO? ? OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S5	3723	("NOT" OR T)(5W)((ALREADY OR PREVIOUSLY OR PAST OR RECENT?? OR BEFORE???? OR EARLIER)(3N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED))
S6	4	S1(10N)S2:S4(10N)S5
S7	406	S2:S4(10W)S5
S8	151	S7 AND IC=G06F
S9	390	S2:S4(5W)S5
S10	145	S9 AND IC=G06F
S11	100958	NEW(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ? OR URL? ? OR OBJECT? ? OR DATA OR IMAGE? ? OR PICTURE? OR PHOTO? ? OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S12	7466	S11(5N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED)
S13	27	S1(15N)S12
S14	31	S6 OR S13

14/3,K/1 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

01629136
Information processing system, apparatus and method, and storage medium that stores program readable by information processing apparatus
Informationsverarbeitungssystem, -Gerat, und -Verfahren, und Speichermedium zur Speicherung eines durch das Informationsverarbeitungsgerat lesbaren Programms
Systeme, appareil et procede de traitement d'information, et support d'enregistrement pour enregistrer un logiciel capable d'etre lu par l'appareil de traitement d'information
PATENT ASSIGNEE:
CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Ohta-ku, Tokyo, (JP), (Applicant designated States: all)
INVENTOR:
Hitaka, Yosato, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Masukawa, Akihiro, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Satomi, Hiroshi, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Kasai, Kenji, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Matsuyama, Yoichi, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Mitani, Shigeyuki, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Tanaka, Koichiro, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Watanabe, Satoshi, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
Hiraishi, Tomonobu, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, (JP)
LEGAL REPRESENTATIVE:
Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. 2-5 Warwick Court, High Holborn, London WC1R 5DH, (GB)
PATENT (CC, No, Kind, Date): EP 1343303 A2 030910 (Basic)
APPLICATION (CC, No, Date): EP 2003251327 030305;
PRIORITY (CC, No, Date): JP 200260904 020306; JP 200260905 020306
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IT; LI; LU; MC; NL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK
INTERNATIONAL PATENT CLASS: H04N-001/00
ABSTRACT WORD COUNT: 195
NOTE:
Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200337	1647
SPEC A	(English)	200337	28653
Total word count - document A			30300
Total word count - document B			0
Total word count - documents A + B			30300

...ABSTRACT apparatus (print site), at least one of information that pertains to whether or not the **image data** is to be **acquired** by the second **information** processing apparatus, information that pertains to whether or **not** the **image data** has **already** been **acquired** by the second **information** processing apparatus, and information that pertains to the **number** of **times** of acquisition of the image data by the second information processing apparatus is managed, and...

14/3,K/2 (Item 2 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

01430525
Fraud detection method for mobile telecommunication networks
Betrugsfeststellungsverfahren fur Mobiltelekommunikationsnetze
Methode de detection de fraude pour reseaux de telecommunication mobile
PATENT ASSIGNEE:
Telefonaktiebolaget L M Ericsson (Publ), (213764), , 126 25 Stockholm, (SE), (Applicant designated States: all)
INVENTOR:
Gonzalez Plaza, Alfredo, C/Honduras 4, 10 A, 28820 Coslada (Madrid), (ES)
LEGAL REPRESENTATIVE:
Elzaburu Marquez, Alberto et al (53432), Elzaburu S.A., Miguel Angel, 21, 28010 Madrid, (ES)
PATENT (CC, No, Kind, Date): EP 1209935 A1 020529 (Basic)
APPLICATION (CC, No, Date): EP 2000204177 001124;
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04Q-007/38
ABSTRACT WORD COUNT: 87
NOTE:
Figure number on first page: 5

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200222	335
SPEC A	(English)	200222	5564
Total word count - document A			5899
Total word count - document B			0
Total word count - documents A + B			5899

...SPECIFICATION FDS) as secondary indicators, and part of the fraud criteria analysis in said FDS. When **new** fraudulent activities are **identified** , **new data** will be **found** to be interesting as fraud indicators, and still part of the present invention. The **scope** of the present invention is not intended to be restricted to only these three **identified** and explained **new data** , to be included within the existing MAP AFR(underscore)req message, as anyone skilled in...

14/3,K/3 (Item 3 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

01296474
METHOD AND SYSTEM FOR ANALYZING CONTINUOUS PARAMETER DATA FOR DIAGNOSTICS AND REPAIRS
VERFAHREN UND SYSTEM ZUR ANALYSE VON KONTINUIRLICHEN PARAMETERDATEN FUR DIAGNOSTIK UND REPARATUREN
PROCEDE ET SYSTEME POUR ANALYSER DES DONNEES PARAMETRIQUES CONTINUES A DES FINS DE DIAGNOSTIC ET DE REPARATION
PATENT ASSIGNEE:
General Electric Company, (3298880), 2901 East Lake Road, Building 14-522 , Erie, PA 16531, (US), (Proprietor designated states: all)
INVENTOR:
VARMA, Anil, 139 D. Eastwood Drive, Clifton Park, NY 12065, (US)
RODDY, Nicholas, Edward, 30 Grissom Drive, Clifton Park, NY 12065, (US)
GIBSON, David, Richard, 171 S. Lakeside Drive, North East, PA 16428, (US)
LEGAL REPRESENTATIVE:
Pedder, James Cuthbert (34801), GE London Patent Operation, Essex House, 12/13 Essex Street, London WC2R 3AA, (GB)
PATENT (CC, No, Kind, Date): EP 1254402 A1 021106 (Basic)
EP 1254402 B1 031008
WO 2001031412 010503
APPLICATION (CC, No, Date): EP 2000973998 001027; WO 2000US29799 001027

PRIORITY (CC, No, Date): US 162045 P 991028
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G05B-023/02
NOTE:
A-document published by EPO
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200341	806
CLAIMS B	(German)	200341	809
CLAIMS B	(French)	200341	1002
SPEC B	(English)	200341	3945
Total word count - document A			0
Total word count - document B			6562
Total word count - documents A + B			6562

...SPECIFICATION a malfunctioning machine is received. At 233, a plurality of distinct anomaly definitions from the **new** continuous parameter **data** is **identified** , and at 234, the **number** of **times** each distinct anomaly definition occurred in the new continuous parameter data is determined. As used...

14/3,K/4 (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

01239309
METHOD FOR COMBINING TABLE DATA
VERFAHREN ZUM KOMBINIEREN VON TABELLEN-DATEN
PROCEDE DE COMBINAISON DE DONNEES DE TABLEAU
PATENT ASSIGNEE:
Turbo Data Laboratory Inc., (3191480), Court house Kikuna 804, 1101-7, Matsumi-cho 4-chome, Kanagawa-ku, Yokomaha-shi, Kanagawa 221-0005, (JP) , (Applicant designated States: all)
INVENTOR:
FURUSHO, Shinji, Court house Kikuna 804, 1101-7, Matsumi-cho 4-chome, Kanagawa-ku, Yokohama-shi, Kanagawa 221-0005, (JP)
LEGAL REPRESENTATIVE:
Zimmermann, Gerd Heinrich (78963), Zimmermann & Partner, P.O. Box 33 09 20, 80069 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1191462 A1 020327 (Basic)
WO 200073939 001207
APPLICATION (CC, No, Date): EP 2000929916 000530; WO 2000JP3465 000530
PRIORITY (CC, No, Date): JP 99151156 990531
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30; G06F-019/00
ABSTRACT WORD COUNT: 239
NOTE:
Figure number on first page: 11

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200213	6945
SPEC A	(English)	200213	18326
Total word count - document A			25271
Total word count - document B			0
Total word count - documents A + B			25271

...SPECIFICATION the degree of duplication of record numbers can be obtained. Thus it is possible to **obtain** a **new** conversion array by repeating the **record** number the same **number** of **times** as the degree of duplication.

In this embodiment, one can see that there is no...

14/3,K/5 **(Item 5 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00917957
Method and apparatus for generating information input using reflected light image of target object
Verfahren und System zum Erzeugen von Eingabeinformationen unter Verwendung des Zielobjektbildes, das aus reflektiertem Licht hergestellt ist
Methode et appareil de generation d'information utilisant une image de l'objet vise obtenu par lumiere reflechie
PATENT ASSIGNEE:
KABUSHIKI KAISHA TOSHIBA, (213130), 72, Horikawa-cho, Saiwai-ku, Kawasaki-shi, Kanagawa-ken 210, (JP), (applicant designated states: AT;BE;CH;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:
Numazaki, Shunichi, 3-17-10, Kamariyanishi, Kanazawa-ku, Yokohama-shi, Kanagawa-ken, (JP)
Doi, Miwako, 3-6-11-401, Hisamoto, Takatsu-ku, Kawasaki-shi, Kanagawa-ken , (JP)
Morishita, Akira, 1-5-11-205, Ookayama ,Meguro-ku, Tokyo, (JP)
Umeki, Naoko, 5-7-4-405, Sugekitaura, Tama-ku, Kawasaki-shi, Kanagawa-ken , (JP)
Miura, Hiroki, Toshiba-dai6ryou, 2-8-2, Shiomidai, Isogo-ku, Yokohama-shi, Kanagawa-ken, (JP)
LEGAL REPRESENTATIVE:
Zangs, Rainer E., Dipl.-Ing. et al (72561), Hoffmann Eitle, Patent- und Rechtsanwalte, Arabellastrasse 4, 81925 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 837418 A2 980422 (Basic)
APPLICATION (CC, No, Date): EP 97118057 971017;
PRIORITY (CC, No, Date): JP 96275949 961018; JP 9719397 970131; JP 9727752 970212
DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: G06K-011/08;
ABSTRACT WORD COUNT: 54462

LANGUAGE (Publication,Procedural,Application): English; English; English

14/3,K/6 **(Item 6 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00883100
PHOSPHATE COATED IRON POWDER AND METHOD FOR THE MANUFACTURING THEREOF
PHOSPHATBESCHICHTETES EISENPULVER UND VERFAHREN ZU DESSEN HERSTELLUNG
POUDRE DE FER ENROBEE DE PHOSPHATE ET SON PROCEDE DE FABRICATION
PATENT ASSIGNEE:
HOGANAS AB, (489541), , 263 83 Hoganas, (SE), (Proprietor designated states: all)
INVENTOR:
JANSSON, Patricia, Ringvagen 36, S-260 40 Viken, (SE)
LARSSON, Lars-Ake, Anggatan 9, S-263 38 Hoganas, (SE)
LEGAL REPRESENTATIVE:
Thylen, Eva Matilda et al (24366), AWAPATENT AB, Box 5117, 200 71 Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 881959 A1 981209 (Basic)
EP 881959 B1 030903
WO 97030810 970828
APPLICATION (CC, No, Date): EP 97905537 970219; WO 97SE283 970219
PRIORITY (CC, No, Date): SE 96724 960223; SE 96725 960223
DESIGNATED STATES: AT; CH; DE; ES; FR; GB; IT; LI; SE
INTERNATIONAL PATENT CLASS: B22F-001/02; H01F-001/24
NOTE:

No A-document published by EPO
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200336	195
CLAIMS B	(German)	200336	179
CLAIMS B	(French)	200336	233
SPEC B	(English)	200336	2045
Total word count - document A			0
Total word count - document B			2652
Total word count - documents A + B			2652

...SPECIFICATION showed an oxide thickness below 100 nm for all the samples.
The following table summarises **data obtained** with the **new** powder, referred to as A, in comparison with powders outside the **scope** of the invention.
The O/P ratios were measured by ESCA using a KRATOS AXIS...

14/3,K/7 **(Item 7 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

00648145
Data processing method and apparatus
Datenverarbeitungsverfahren und -vorrichtung
Procede et dispositif pour le traitement de donnees
PATENT ASSIGNEE:
CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Ohta-ku, Tokyo, (JP), (Proprietor designated states: all)
INVENTOR:
Akiyama, Yuji, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
Morimura, Kazuhiko, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
Matsumoto, Masashi, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
Sugama, Sadayuki, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
Kamada, Masashi, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
Ninomiya, Takayuki, c/o Canon Kabushiki Kaisha, 30-2, 3-chome Shimomaruko, Ohta-ku, Tokyo, (JP)
LEGAL REPRESENTATIVE:
Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. High Holborn 2-5 Warwick Court, London WC1R 5DJ, (GB)
PATENT (CC, No, Kind, Date): EP 625761 A2 941123 (Basic)
EP 625761 A3 950906
EP 625761 B1 000726
APPLICATION (CC, No, Date): EP 94303574 940519;
PRIORITY (CC, No, Date): JP 93118529 930520
DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FR; GB; GR; IE; IT; LI; LU; NL; PT; SE
INTERNATIONAL PATENT CLASS: G06T-003/40; G06K-015/10
ABSTRACT WORD COUNT: 195
NOTE:
Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200030	707
CLAIMS B	(German)	200030	648
CLAIMS B	(French)	200030	830
SPEC B	(English)	200030	11860
Total word count - document A			0
Total word count - document B			14045

Total word count - documents A + B 14045

14/3,K/8 (Item 8 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00615633
COLLECTION PROCESSOR FOR REPETITIVELY USABLE RECORDING MEDIUM.
MEHRMALS ZU GEBRAUCHENDE SAMMELVORRICHTUNG FUR DATENAUFZEICHNUNGSTRAGER.
DISPOSITIF COLLECTEUR POUR SUPPORT D'ENREGISTREMENT POUVANT ETRE UTILISE PLUSIEURS FOIS.
PATENT ASSIGNEE:
KABUSHIKI KAISHA ACE DENKEN, (1481801), 12-9, Higashi Ueno 3-chome, Taito-ku, Tokyo 110, (JP), (applicant designated states: DE;FR;GB)
INVENTOR:
TAKEMOTO, Takatoshi, Kabushiki Kaisha Ace Denken, 12-9, Higashi Ueno 3-chome, Taito-ku, Tokyo 110, (JP)
YATSU, Hiroyuki, Kabushiki Kaisha Ace Denken, 12-9, Higashi Ueno 3-chome, Taito-ku, Tokyo 110, (JP)
LEGAL REPRESENTATIVE:
Bloch, Gerard et al (46981), 2, square de l'Avenue du Bois, F-75116 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 654288 A1 950524 (Basic)
EP 654288 A1 951115
WO 9403245 940217
APPLICATION (CC, No, Date): EP 93916258 930803; WO 93JP1087 930803
PRIORITY (CC, No, Date): JP 92208118 920804
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: A63F-007/02; B42D-015/10;
ABSTRACT WORD COUNT: 199

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPAB95	434
SPEC A	(English)	EPAB95	5138
Total word count - document A			5572
Total word count - document B			0
Total word count - documents A + B			5572

...SPECIFICATION is input from the sensor 19S, the CPU 111 sends a command for writing the **number** of recycle **times** and the **new found number** -of-recycle- **times data** to the **number** -of- **times** writer 19 at step 1014. When receiving the command and the data, the number-of...

14/3,K/9 (Item 9 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00590482
State estimating apparatus of a system on the basis of recorded input/output data for the system
Anlage zum Schatzen des Zustands eines Systems auf der Grundlage von aufgezeichneten Eingabe-Ausgabedaten fur das System
Dispositif pour l'estimation de l'etat d'un systeme base sur des donnees d'entree - sortie enregistrees pour le systeme
PATENT ASSIGNEE:
YAMATAKE CORPORATION, (1893991), 12-19, Shibuya 2-chome, Shibuya-ku, Tokyo, (JP), (Proprietor designated states: all)
INVENTOR:
Tsutsui, Hiroaki, c/o Kamata Factory of YAMATAKE, HONEYWELL CO., LTD., 28-1, Nishirokugou 4-chome, Ohta-ku, Tokyo, (JP)
Kurosaki, Atsushi, c/o Kamata Factory of YAMATAKE, HONEYWELL CO., LTD., 28-1, Nishirokugou 4-chome, Ohta-ku, Tokyo, (JP)
Kamimura, Kazuyuki, c/o Yamatake-Honeywell Co.,Ltd, 12-19, Shibuya 1-chome, Shibuya-ku, Tokyo, (JP)

Matsuba, Tadahiko, c/o Yamatake-Honeywell Co.,Ltd, 12-19, Shibuya 1-chome, Shibuya-ku, Tokyo, (JP)
LEGAL REPRESENTATIVE:
Pfenning, Meinig & Partner (100961), Mozartstrasse 17, 80336 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 590305 A2 940406 (Basic)
EP 590305 A3 980805
EP 590305 B1 000705
APPLICATION (CC, No, Date): EP 93113564 930825;
PRIORITY (CC, No, Date): JP 92253657 920831; JP 92269129 920914; JP 92358805 921228; JP 9390423 930326
DESIGNATED STATES: DE; FR; GB; IT; NL
INTERNATIONAL PATENT CLASS: G06F-017/11; G05B-013/02; G05B-013/04
ABSTRACT WORD COUNT: 229
NOTE:
Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200027	1121
CLAIMS B	(German)	200027	978
CLAIMS B	(French)	200027	1319
SPEC B	(English)	200027	9937
Total word count - document A			0
Total word count - document B			13355
Total word count - documents A + B			13355

14/3,K/10 (Item 10 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00425767
System for management of body of rotation of centrifuge
System zum Festlegen der Betriebsbedingungen von Zentrifugenrotoren
Systeme pour la gestion de rotors centrifuges
PATENT ASSIGNEE:
HITACHI KOKI CO., LTD., (448523), 6-2, Oote-machi 2-chome, Chiyoda-ku, Tokyo, (JP), (applicant designated states: DE;FR;IT)
INVENTOR:
Niinai, Yoshitaka, 2-5-1-305, Nagahori-cho, Katsuta-shi, Ibaraki-ken, (JP)
Nagata, Akio, 2525-246, Mawatari, Katsuta-shi, Ibaraki-ken, (JP)
Sagawa, Norihisa, 3271-50, Mutsuno, Nakane, Katsuta-shi, Ibaraki-ken, (JP)
Shinohara, Shigeru, 611-102, Motoishikawa-cho, Mito-shi, Ibaraki-ken, (JP)
Nakayama, Eiji, 2-5-8-306, Nagahori-cho, Katsuta-shi, Ibaraki-ken, (JP)
Yotsuyanagi, Mitsutoshi, 2-5-8-102, Nagahori-cho, Katsuta-shi, Ibaraki-ken, (JP)
Hayasaka, Hiroshi, 1-3-2, Nagahori-cho, Katsuta-shi, Ibaraki-ken, (JP)
Tokunaga, Kazuyoshi, 165-8, Inada, Katsuta-shi, Ibaraki-ken, (JP)
LEGAL REPRESENTATIVE:
Tiedtke, Harro, Dipl.-Ing. et al (11949), Patentanwaltsburo Tiedtke-Buhling-Kinne & Partner Bavariaring 4, D-80336 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 431645 A2 910612 (Basic)
EP 431645 A3 920304
EP 431645 B1 960320
APPLICATION (CC, No, Date): EP 90123591 901207;
PRIORITY (CC, No, Date): JP 89319371 891208; JP 90262876 900928; JP 90107002 901012; JP 90107003 901012; JP 90107000 901012; JP 90290521 901026; JP 90290522 901026; JP 90290520 901026
DESIGNATED STATES: DE; FR; IT
INTERNATIONAL PATENT CLASS: B04B-013/00;
ABSTRACT WORD COUNT: 220

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF1	802
CLAIMS B	(English)	EPAB96	928
CLAIMS B	(German)	EPAB96	812
CLAIMS B	(French)	EPAB96	1091
SPEC A	(English)	EPABF1	4947
SPEC B	(English)	EPAB96	5060
Total word count - document A			5749
Total word count - document B			7891
Total word count - documents A + B			13640

...SPECIFICATION rotation of the rotor 2, the operation data such as the running time and the **number** of **times** of rotation of the rotor 2 are detected so as to **obtain** a **new** operation **data** operation **data** which are in turn supplied to the calculation section 19. The operation data may be...

...SPECIFICATION rotation of the rotor 2, the operation data such as the running time and the **number** of **times** of rotation of the rotor 2 are detected so as to **obtain** a **new** operation **data** which are in turn supplied to the calculation section 19. The operation data may be...

14/3,K/11 (Item 11 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00366612

Apparatus for reproducing music and displaying words.
Vorrichtung zur Wiedergabe von Musik und zur Anzeige von Worten.
Dispositif pour la reproduction de musique et l'affichage de mots.

PATENT ASSIGNEE:
Tsumura, Mihoji, (1118040), 1-1-805 Miyakojima Minamidori 2-Chome, Miyakojima-ku Osaka, (JP), (applicant designated states: DE;FR;GB;IT;NL)

INVENTOR:
Mihoji, Tsumura, 1-1-805 Miyakojima Minamidori 2-Chome, Miyakojima-ku Osaka, (JP)
Taniguchi, Shinnosuke, 6-24 Higashinakamoto 2-Chome, Higashinari-ku Osaka , (JP)

LEGAL REPRESENTATIVE:
JENSEN & SON (100271), 70 Paul Street, London EC2A 4NA, (GB)

PATENT (CC, No, Kind, Date): EP 372678 A2 900613 (Basic)
EP 372678 A3 900801
EP 372678 B1 940223

APPLICATION (CC, No, Date): EP 89306374 890623;

PRIORITY (CC, No, Date): JP 88308503 881205; JP 893086 890110; JP 895793 890112; JP 8911298 890119; JP 8935608 890215; JP 8940717 890221; JP 8950788 890301

DESIGNATED STATES: DE; FR; GB; IT; NL

INTERNATIONAL PATENT CLASS: G10H-001/00; G10H-001/26;

ABSTRACT WORD COUNT: 114

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	1106
CLAIMS B	(German)	EPBBF1	1009
CLAIMS B	(French)	EPBBF1	1287
SPEC B	(English)	EPBBF1	8447
Total word count - document A			0
Total word count - document B			11849
Total word count - documents A + B			11849

...SPECIFICATION directly in the auxiliary memory 49. Consequently, it is necessary for the individual composite music **data** to include the past reproduction **frequency** in addition to the **data** code. As for control

of the auxiliary memory 49, the **past reproduction** frequency is **retrieved** , besides the above operation, per **predetermined** period counted **by** an internal timer, and any music data not used so frequently as to reach a preset **number** of loading **times** is erased so that the entire music data stored in the auxiliary memory 49 can...

14/3,K/12 (Item 12 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00318722
Method for extending the lateral subsurface coverage in vertical seismic profiling surveys.
Verfahren zur Ausbreitung der lateralen Unteroberflachendeckung in vertikalen seismischen Messungen.
Procede d'extension de la couverture sous-surface laterale dans la mesure sismique verticale.
PATENT ASSIGNEE:
Western Atlas International, Inc., (903510), 10,001 Richmond Avenue, Houston Texas 77042, (US), (applicant designated states: FR;GB;IT;NL)
INVENTOR:
Alam, Aftab M., 59 Oatlands Drive, Weybridge Surrey KT13 9LR, (GB)
Manzur, Akkas, 1408 Maryland, Houston Texas 77006, (US)
LEGAL REPRESENTATIVE:
Godsill, John Kenneth et al (31031), Haseltine Lake & Co. Hazlitt House 28 Southampton Buildings Chancery Lane, London WC2A 1AT, (GB)
PATENT (CC, No, Kind, Date): EP 317288 A2 890524 (Basic)
EP 317288 A3 910109
EP 317288 B1 930428
APPLICATION (CC, No, Date): EP 88310814 881116;
PRIORITY (CC, No, Date): US 121459 871116
DESIGNATED STATES: FR; GB; IT; NL
INTERNATIONAL PATENT CLASS: G01V-001/40;
ABSTRACT WORD COUNT: 46

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	684
CLAIMS B	(German)	EPBBF1	407
CLAIMS B	(French)	EPBBF1	530
SPEC B	(English)	EPBBF1	3010
Total word count - document A			0
Total word count - document B			4631
Total word count - documents A + B			4631

...SPECIFICATION segment so that it is a smooth extension of the initial primary-only model.
The **above** model becomes the **new** input for imaging the **next identified** preselected multiple. The process is repeated for all of the remaining identified multiples. Results from...

14/3,K/13 (Item 13 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

00274945
Primary particle beam irradiation apparatus and method of irradiation thereof.
Primar-Teilchen-Bestrahlungsvorrichtung und Verfahren zur Bestrahlung derselben.
Dispositif d'irradiation de particules primaires et procede d'irradiation de celles-ci.
PATENT ASSIGNEE:
FUJITSU LIMITED, (211460), 1015, Kamikodanaka Nakahara-ku, Kawasaki-shi Kanagawa 211, (JP), (applicant designated states: DE;FR;GB)

TOKYO ELECTRON LIMITED, (910000), Shinjuku Nomura Building 1-26-2, Nishi-Shinjuku Shinjuku-ku, Tokyo 160, (JP), (applicant designated states: DE;FR;GB)
INVENTOR:
Mori, Haruhisa, 5-501, Wakabadai 3-chome Asahi-ku, Yokohama-shi Kanagawa 241, (JP)
Kojima, Tadayuki, 423, Miyauchi Nakahara-ku, Kawasaki-shi Kanagawa 211, (JP)
Hasui, Satoshi, 2-27-38, Tadao, Machida-shi Tokyo 194, (JP)
Ohmori, Hiroshi, No. 3, Unit 01 Ledgewood Way, Peadbody Massachusetts 01960, (US)
Kikuchi, Shuji, Hanabusabiru 409 1619, Kamitatsuda Tatsudamachi, Kumamoto-shi Kumamoto 862, (JP)
LEGAL REPRESENTATIVE:
Joly, Jean-Jacques et al (39741), CABINET BEAU DE LOMENIE 55, rue d'Amsterdam, F-75008 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 263032 A1 880406 (Basic)
EP 263032 B1 910807
APPLICATION (CC, No, Date): EP 87402184 870930;
PRIORITY (CC, No, Date): JP 86229969 860930
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: H01J-037/317; H01J-037/30; H01L-021/265;
ABSTRACT WORD COUNT: 172

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	1404
CLAIMS B	(German)	EPBBF1	774
CLAIMS B	(French)	EPBBF1	1003
SPEC B	(English)	EPBBF1	6110
Total word count - document A			0
Total word count - document B			9291
Total word count - documents A + B			9291

...SPECIFICATION the primary particle beam on the target is performed, and at the same time, second **data** of the position deviation is **obtained** and corrected before the third scan. This same step is repeated a predetermined **number** of **times** .
In this case, the **reason** why the detection and correction **step** is **not performed** only once is that there is a danger of making **corrections** of **the** scan signal based on errors arising in the measurement system. For this reason, for safety...

14/3,K/14 **(Item 1 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

01031741
IDENTIFIER VOCABULARY DATA ACCESS METHOD AND SYSTEM
PROCEDE ET SYSTEME D'ACCES AUX DONNEES DE VOCABULAIRE IDENTIFICATEUR
Patent Applicant/Inventor:
LEWAK Jerzy, 4954 Sun Valley Road, Del Mar, CA 92014, US, US (Residence), US (Nationality)
YANO Miles Kevin, 4305 Pepper Avenue, Yorba Linda, CA 92886, US, US (Residence), US (Nationality)
Legal Representative:
BERG Richard P (et al) (agent), Ladas & Parry, Suite 2100, 5670 Wilshire Boulevard, Los Angeles, CA 90036-5679, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200360771 A1 20030724 (WO 0360771)
Application: WO 2003US1269 20030114 (PCT/WO US0301269)
Priority Application: US 2002348616 20020114
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 40761

Fulltext Availability:
Detailed Description

Detailed Description
... available to further narrow the query. Such incremental adjustment may indicate to the user the **new scope** of available **data** , without a need to actually **retrieve** the data specified by the search query. By thus incrementally indicating the **scope** of data specified to the current point, a TIE interface may guide a user through...

14/3,K/15 (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00933152 **Image available**
EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE ETENDU ENTRE ENTREPRISES, A FONCTIONS MULTIPLES, FONCTIONNANT SUR LE WEB, POUR DES SERVICES DE LOCATION DE VEHICULES
Patent Applicant/Assignee:
THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US , US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US , US (Residence), US (Nationality), (Designated only for: US)
DE VALLANCE Kimberly Amm, 2037 Silent Spring Drive, Maryland Heights, MO 63043, US, US (Residence), US (Nationality), (Designated only for: US)
HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US, US (Residence), US (Nationality), (Designated only for: US)
KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US (Residence), US (Nationality), (Designated only for: US)
SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US (Residence), US (Nationality), (Designated only for: US)
TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US (Residence), US (Nationality), (Designated only for: US)
KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HAFERKAMP Richard E (et al) (agent), HOWELL & HAFERKAMP, L.C., Suite 1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200267175 A2 20020829 (WO 0267175)
Application: WO 2001US51437 20011019 (PCT/WO US0151437)
Priority Application: US 2000694050 20001020
Parent Application/Grant:
Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 243912

Fulltext Availability:
Detailed Description

Detailed Description
... part
of the invention and the invention should be considered as limited only by the **scope** of the claims appended hereto and their legal equivalents.

EXHIBIT A
?- rentmamcar,
nterprise'l...

14/3,K/16 **(Item 3 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00909349 **Image available**
FRAUD DETECTION METHOD FOR MOBILE TELECOMMUNICATION NETWORKS
PROCEDE DE DETECTION DE FRAUDES POUR DES RESEAUX DE TELECOMMUNICATIONS MOBILES
Patent Applicant/Assignee:
TELEFONAKTIEBOLAGET LM ERICSSON (Publ), S-126 25 Stockholm, SE, SE (Residence), SE (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
GONZALEZ PLAZA Alfredo, Honduras 4, 10o A, E-28820 Coslada, Madrid, ES, ES (Residence), ES (Nationality), (Designated only for: US)
Legal Representative:
ELZABURU Alberto de (agent), Miguel Angel, 21, E-28010 Madrid, ES,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200243424 A1 20020530 (WO 0243424)
Application: WO 2001EP12771 20011031 (PCT/WO EP0112771)
Priority Application: EP 2000204177 20001124
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 6101

Fulltext Availability:
Detailed Description

Detailed Description
... FDS) as
secondary indicators, and part of the fraud criteria analysis in said FDS. When **new** fraudulent activities are **identified** , **new** **data** will be **found** to be interesting as fraud indicators, and still part of the present invention.

The **scope** of the present invention is not intended to be restricted to only these three **identified** and explained **new** **data** to be included within the existing MAP AFR-req message, as anyone skilled in the...

14/3,K/17 **(Item 4 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00899386 **Image available**

UTILITY MAPPING AND DATA DISTRIBUTION SYSTEM AND METHOD
SYSTEME ET PROCEDE DE CARTOGRAPHIE D'EQUIPEMENTS ET DE DISTRIBUTION DE DONNEES

Patent Applicant/Assignee:
VERMEER MANUFACTURING COMPANY, 1210 Vermeer Road East, P.O. Box 2000, Pella, IA 50219, US, US (Residence), US (Nationality)
Inventor(s):
YOUNG Gary, 1210 Vermeer Road East, Pella, IA 50219, US,
ALFT Kevin, 1210 Vermeer Road East, Pella, IA 50219, US,
Legal Representative:
HOLLINGSWORTH Mark A (agent), Crawford PLLC, 1270 Northland Drive, Suite 390, St. Paul, MN 55120, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200233443 A2-A3 20020425 (WO 0233443)
Application: WO 2001US40996 20010614 (PCT/WO US0140996)
Priority Application: US 2000211431 20000614
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 18863

Fulltext Availability:
Detailed Description

Detailed Description
... may be utilized, and structural and functional changes may be made without departing from the **scope** of the present invention.

According to an embodiment of the present invention, location **data** for an existing or **new** installation **site** is **acquired** using at least one, and generally several, utility detectors. One or more of the utility ...

14/3,K/18 (Item 5 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00895319 **Image available**
OPTICAL INSPECTION SYSTEM HAVING INTEGRATED COMPONENT LEARNING
SYSTEME D'INSPECTION OPTIQUE DOTE D'UNE CAPACITE INTEGREE D'APPRENTISSAGE DE COMPOSANT
Patent Applicant/Assignee:
TERADYNE INC, 321 Harrison Avenue, Boston, MA 02118, US, US (Residence), US (Nationality)
Inventor(s):
ALDRICH Eric L, 115 Sharene Lane, #32, Walnut Creek, CA 94596, US,
PYE Richard, 51 Fairfax Street, Burlington, MA 01083, US,
SHERWOOD Lyle, 113 Nashua Road, Pepperell, MA 01463, US,
RAYMOND Douglas W, 23 Martha Road, Orinda, CA 94563, US,
PRNETT John, 603 Tipperary Drive, Vacaville, CA 95688, US,
Legal Representative:
WALSH Edmund J (agent), Teradyne, Inc., 321 Harrison Avenue, Boston, MA 02118, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200229383 A2-A3 20020411 (WO 0229383)
Application: WO 2001US29824 20010924 (PCT/WO US0129824)
Priority Application: US 2000677290 20001002
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU

SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 6603

Fulltext Availability:
Detailed Description

Detailed Description
... learning area. At such opportunistic times, the camera can enter the component learning area and **acquire** iniage **data** of the **new** component as shown in FIG. 1A. The **number** of **times** the camera 16
deviates from the board stripe path and the duration of the deviation...

14/3,K/19 (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00909345 **Image available**
METHOD AND APPARATUS FOR DISTRIBUTING PICTURE MAIL TO A FRAME DEVICE COMMUNITY
PROCEDE ET APPAREIL DE DISTRIBUTION DE COURRIER IMAGE A UNE COMMUNAUTE DE DISPOSITIFS DE CADRE
Patent Applicant/Assignee:
CEIVA LOGIC INC, 214 E. Magnolia Boulevard, Burbank, CA 91502, US, US (Residence), US (Nationality)
Inventor(s):
SCHILLER Dean, 2031 Rangeview Drive, Glendale, CA 91201, US,
YANOVER Paul, 2725 Laurel Pass, Los Angeles, CA 90046, US,
Legal Representative:
HECKER Gary A (et al) (agent), The Hecker Law Group, Suite 2300, 1925 Century Park East, Los Angeles, CA 90067, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200142953 A2-A3 20010614 (WO 0142953)
Application: WO 2000US32977 20001205 (PCT/WO US0032977)
Priority Application: US 99458849 19991210
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ
LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG
SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 20791

Fulltext Availability:
Detailed Description

Detailed Description
... behavior characteristic.

Each picture box 229-233 may provide a way, for example, to specify **how often** a certain frame device **retrieves new image data** from the **data** repository.

For example, the user of client computer 225 may use picture box 232 to
...

14/3,K/20 (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00802534
ANY-TO-ANY COMPONENT COMPUTING SYSTEM
SYSTEME INFORMATIQUE A COMPOSANTS TOUTE CATEGORIE
Patent Applicant/Assignee:
E-BRAIN SOLUTIONS LLC, 1200 Mountain Creek Road, Suite 440, Chattanooga, TN 34705, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WARREN Peter, 1200 Mountain Creek Road, Suite 440, Chattanooga, TN 37405, US, GB (Residence), GB (Nationality), (Designated only for: US)
LOWE Steven, 1625 Starboard Drive, Hixson, TN 37343, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
MEHRMAN Michael J (agent), Paper Mill Village, Building 23, 600 Village Trace, Suite 300, Marietta, GA 30067, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200135216 A2-A3 20010517 (WO 0135216)
Application: WO 2000US31231 20001113 (PCT/WO US0031231)
Priority Application: US 99164884 19991112
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 275671

Fulltext Availability:
Claims

Claim
... 298 A Location name
The Bronx A Location Name
New York City A Location Name
New York State A Location Name
USA A Location Name
These Location names, with the exception...

14/3,K/21 (Item 8 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00797862 **Image available**
METHOD AND SYSTEM FOR ANALYZING CONTINUOUS PARAMETER DATA FOR DIAGNOSTICS AND REPAIRS
PROCEDE ET SYSTEME POUR ANALYSER DES DONNEES PARAMETRIQUES CONTINUES A DES FINS DE DIAGNOSTIC ET DE REPARATION
Patent Applicant/Assignee:
GENERAL ELECTRIC COMPANY, Rowald, Carl, A., Building 14-522, 2901 East Lake Road, Erie, PA 16531, US, US (Residence), US (Nationality)
Inventor(s):
VARMA Anil, 139 D. Eastwood Drive, Clifton Park, NY 12065, US,
RODDY Nicholas Edward, 30 Grissom Drive, Clifton Park, NY 12065, US,
GIBSON David Richard, 171 S. Lakeside Drive, North East, PA 16428, US,
Legal Representative:
MORA Enrique J (agent), Holland & Knight LLP, P.O. Box 1526, Orlando, FL 32802-1526, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200131412 A1 20010503 (WO 0131412)

Application: WO 2000US29799 20001027 (PCT/WO US0029799)
Priority Application: US 99162045 19991028
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 4892

Fulltext Availability:
Detailed Description

Detailed Description
... a malfunctioning machine is received. At 233, a plurality of distinct anomaly definitions from the **new** continuous parameter **data** is **identified** , and at 234, the **number** of **times** each distinct anomaly definition occurred in the new continuous parameter data is determined. As used...

14/3,K/22 **(Item 9 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00784140
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A GLOBALLY ADDRESSABLE INTERFACE IN A COMMUNICATION SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE DE FABRICATION S'APPLIQUANT DANS UN ENVIRONNEMENT DE STRUCTURE DE SERVICES DE COMMUNICATIONS VIA UNE INTERFACE ADRESSABLE GLOBALEMENT
Patent Applicant/Assignee:
ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality)
Inventor(s):
BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918 , US,
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page Mill Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200116735 A2-A3 20010308 (WO 0116735)
Application: WO 2000US24198 20000831 (PCT/WO US0024198)
Priority Application: US 99387214 19990831
Designated States: AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150371

Fulltext Availability:
Detailed Description

Detailed Description
... from the network. When reattached to the network, users perform an update that automatically exchanges **information** on **new** , modified and deleted **documents** .

Note: Both Lotus Notes and MS Exchange provide a limited subset of the Document Services...

14/3,K/23 (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00784134
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A CONSTANT CLASS COMPONENT IN A BUSINESS LOGIC SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE UN COMPOSANT DE CLASSE DE CONSTANTE DANS UN ENVIRONNEMENT DE SCHEMAS DE SERVICES DE LOGIQUE D'AFFAIRES
Patent Applicant/Assignee:
ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality)
Inventor(s):
BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918, US,
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, Suite 3800, 2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200116726 A2-A3 20010308 (WO 0116726)
Application: WO 2000US24188 20000831 (PCT/WO US0024188)
Priority Application: US 99387213 19990831
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150446

Fulltext Availability:
Detailed Description

Detailed Description
... from the network. When reattached to the network, users perform an update that automatically exchanges **information** on **new** , modified and deleted **documents** .

Note: Both Lotus Notes and MS Exchange provide a limited subset of the Document Services...

14/3,K/24 (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00784125
SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR PIECEMEAL RETRIEVAL IN AN INFORMATION SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE DE FABRICATION DESTINES A LA RECHERCHE FRAGMENTAIRE DANS UN ENVIRONNEMENT DE MODELES DE SERVICES D'INFORMATIONS
Patent Applicant/Assignee:
ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality)
Inventor(s):
BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918, US,
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,

1279 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200116705 A2-A3 20010308 (WO 0116705)
Application: WO 2000US24085 20000831 (PCT/WO US0024085)
Priority Application: US 99386433 19990831
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150355

Fulltext Availability:
Detailed Description

Detailed Description
... from the network. When reattached to the network, users perform an update that automatically exchanges **information** on **new** , modified and deleted **documents** .

105
Note: Both Lotus Notes and MS Exchange provide a limited subset of the Document...

14/3,K/25 **(Item 12 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00781825
SYSTEM OF REUSABLE SOFTWARE PARTS AND METHODS OF USE
SYSTEME D'UNITES LOGICIELLES REUTILISABLES ET PROCEDES D'UTILISATION
Patent Applicant/Assignee:
Z-FORCE CORPORATION, 151 Kalmus Drive, Suite B-250, Costa Mesa, CA 92626, US, US (Residence), US (Nationality)
Inventor(s):
MILOUSHEV Vladimir I, 30802 Calle Barbosa, Laguna Nigel, CA 92677, US,
NICKOLOV Peter A, 158 Giotto, Irvine, CA 92614, US,
Legal Representative:
TACHNER Adam H (et al) (agent), Crosby, Heafey, Roach & May, Suite 2000, Two Embarcadero Center, San Francisco, CA 94111, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200114959 A2-A3 20010301 (WO 0114959)
Application: WO 2000US22694 20000816 (PCT/WO US0022694)
Priority Application: US 99149371 19990816; US 99149624 19990816
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 182432

Fulltext Availability:
Detailed Description

Detailed Description
... The default value is 0.

Property "dev
objp" of type "UINT32". Note: Pointer to device **object** to use when allocating **new** IRPs. This property is used only when n-stk-loc is zero. This property is...

14/3,K/26 **(Item 13 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00777012
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR PROVIDING AN INTERFACE BETWEEN A FIRST SERVER AND A SECOND SERVER.
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DESTINES A UNE ARCHITECTURE DE COMMERCE ELECTRONIQUE BASEE SUR JAVA
Patent Applicant/Assignee:
ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th floor, 2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200109721 A2-A3 20010208 (WO 0109721)
Application: WO 2000US20561 20000728 (PCT/WO US0020561)
Priority Application: US 99364531 19990730
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 126924

Fulltext Availability:
Detailed Description

Detailed Description
... support transactions. This value indicates that the component's objects do not run within the **scope** of transactions. When a **new** **object** is created, its **object** context is created without a transaction, regardless of whether the client has a transaction.

Pool...

14/3,K/27 **(Item 14 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00773253 **Image available**
DIGITAL VIDEO RECORDING SYSTEM
SYSTEME D'ENREGISTREMENT VIDEO NUMERIQUE
Patent Applicant/Assignee:
ESCO ELECTRONICS, 8888 Ladue Road, Suite 200, St. Louis, MO 63124, US, US (Residence), US (Nationality)
Inventor(s):
HOBSON Gregory L, 17 Upper Dardenne Farms Dr, St. Charles, MO 63304, US
MOORE Jerry, 3651 Rue De Renard, Florissant, MO 63034, US
WOTTON John R, 700 Rugby Court, St. Louis, MO 63141, US
Legal Representative:
MULLER J Joseph, Polster, Lieder, Woodruff & Lucchesi, L.C., 763 South

New Ballas Road, St. Louis, MO 63141, US
Patent and Priority Information (Country, Number, Date):
Patent: WO 200106790 A1 20010125 (WO 0106790)
Application: WO 2000US13176 20000512 (PCT/WO US0013176)
Priority Application: US 99356129 19990717
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 5374

Fulltext Availability:
Detailed Description

Detailed Description
... of the stored image regardless of how much times lapses before it is viewed, and **how often** it is viewed. Review can be done while the system continues to **acquire**
and process **new images** . **Image** compression greatly increases the memory
I 0 storage capability of the system, and image compression...

14/3,K/28 **(Item 15 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00747075 **Image available**
METHOD AND SYSTEM FOR ANALYZING FAULT LOG DATA FOR DIAGNOSTICS AND REPAIRS OF LOCOMOTIVES
PROCEDE ET SYSTEME DESTINES A ANALYSER DES DONNEES D'ENREGISTREMENT DE DEFAILLANCES POUR L'EXAMEN ET LA REPARATION DE LOCOMOTIVES
Patent Applicant/Assignee:
GENERAL ELECTRIC COMPANY, 1 River Road, Schenectady, NY 12301, US, US (Residence), US (Nationality)
Inventor(s):
GIBSON David Richard, 171 South Lakeside Drive, North East, PA 16428, US,

RODDY Nicholas Edward, 30 Grissom Drive, Clifton Park, NY 12065, US,
VARMA Anil, 139D Eastwood Drive, Clifton Park, NY 12065, US,
Legal Representative:
MORA Enrique J (et al) (agent), Holland & Knight, LLP, P.O. Box 1526, Orlando, FL 32802-1526, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200060465 A1 20001012 (WO 0060465)
Application: WO 2000US8662 20000331 (PCT/WO US0008662)
Priority Application: US 99285612 19990402; US 99285611 19990402
Designated States: AU CA ID MX
Publication Language: English
Filing Language: English
Fulltext Word Count: 9299

Fulltext Availability:
Detailed Description

Detailed Description
... from a
malfunctioning machine is received. At 233, a plurality of distinct faults from the **new** fault log **data** is **identified** , and at 234, the **number** of **times** each distinct fault occurred in the new fault log data is determined. As used herein...

14/3,K/29 (Item 16 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00405042 **Image available**
CLIENT-SERVER SYSTEM FOR DELIVERY OF ON-LINE INFORMATION
SYSTEME CLIENT/SERVEUR, DESTINE A FOURNIR DES INFORMATIONS EN DIRECT
Patent Applicant/Assignee:
V-CAST INC,
STUMM Christian,
Inventor(s):
STUMM Christian,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9745786 A1 19971204
Application: WO 97US5691 19970408 (PCT/WO US9705691)
Priority Application: US 96653611 19960524
Designated States: AL AM AT AU AZ BB BG BR BY CA CH CN CZ DE DK EE ES FI GB GE HU IL IS JP KE KG KP KR KZ LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG US UZ VN GH KE LS MW SD SZ UG AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 8300

Fulltext Availability:
Detailed Description

Detailed Description
... of subscriber software systems each configured to operate with a specific publisher. Thus, each subscriber **acquires** and installs a **new** software system to receive **data information** provided by a corresponding publisher. However, the invention is not limited in **scope** in that respect. For example, in accordance to the principles of the present invention, a...

14/3,K/30 (Item 17 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2004 WIPO/Univentio. All rts. reserv.

00390067 **Image available**
PHOSPHATE COATED IRON POWDER AND METHOD FOR THE MANUFACTURING THEREOF
POUDRE DE FER ENROBEE DE PHOSPHATE ET SON PROCEDE DE FABRICATION
Patent Applicant/Assignee:
HoGANAS AB,
JANSSON Patricia,
LARSSON Lars-Ake,
Inventor(s):
JANSSON Patricia,
LARSSON Lars-Ake,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9730810 A1 19970828
Application: WO 97SE283 19970219 (PCT/WO SE9700283)
Priority Application: SE 96724 19960223; SE 96725 19960223
Designated States: AL AM AT AT AU AZ BA BB BG BR BY CA CH CN CU CZ CZ DE DE DK DK EE EE ES FI FI GB GE HU IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SK TJ TM TR TT UA UG US UZ VN YU KE LS MW SD SZ UG AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 2576

Fulltext Availability:
Detailed Description

Detailed Description

... showed an
oxide thickness below 100 nm for all the samples.

The following table summarises **data obtained** with the **new** powder, referred to as A, in comparison with powders outside the **scope** of the invention.

TABLE 1
Sampie O/P Atom% Atom% Otot 0 Ptot Padded
P...

14/3,K/31 (Item 18 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00297698 **Image available**
HINGES FOR HYDRAULICALLY SETTABLE MATERIALS
ARTICULATIONS POUR MATERIAUX A PRISE HYDRAULIQUE
Patent Applicant/Assignee:
E KHASHOGGI INDUSTRIES,
Inventor(s):
ANDERSEN Per J,
HODSON Simon K,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9515849 A1 19950615
Application: WO 94US14171 19941206 (PCT/WO US9414171)
Priority Application: US 93163681 19931206
Designated States: AM AT AU BB BG BR BY CA CH CN CZ DE DK EE ES FI GB GE HU JP KE KG KP KR KZ LK LR LT LU LV MD MG MN MW NL NO NZ PL PT RO RU SD SE SI SK TJ TT UA UZ VN KE MW SD SZ AT BE CH DE DK ES FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 46298

Fulltext Availability:
Claims

Claim
... in this application. The abstract is identical to the abstract as onginally filed and is **found** on substitute **page** 109. T'he **new** claims submitted herewith cover substantially the same **scope** as the original claims, but have been amended to assist in examination in that the...

```
File   8:Ei Compendex(R) 1970-2004/Feb W5
         (c) 2004 Elsevier Eng.  Info. Inc.
File  35:Dissertation Abs Online 1861-2004/Feb
         (c) 2004 ProQuest Info&Learning
File 202:Info. Sci. & Tech. Abs. 1966-2004/Feb 20
         (c) 2004 EBSCO Publishing
File  65:Inside Conferences 1993-2004/Mar W1
         (c) 2004 BLDSC all rts. reserv.
File   2:INSPEC 1969-2004/Feb W5
         (c) 2004 Institution of Electrical Engineers
File  94:JICST-EPlus 1985-2004/Feb W5
         (c)2004 Japan Science and Tech Corp(JST)
File   6:NTIS 1964-2004/Mar W1
         (c) 2004 NTIS, Intl Cpyrght All Rights Res
File 144:Pascal 1973-2004/Feb W5
         (c) 2004 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
File  34:SciSearch(R) Cited Ref Sci 1990-2004/Feb W5
         (c) 2004 Inst for Sci Info
File  99:Wilson Appl. Sci & Tech Abs 1983-2004/Feb
         (c) 2004 The HW Wilson Co.
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 266:FEDRIP 2004/Jan
         Comp & dist by NTIS, Intl Copyright All Rights Res
File  95:TEME-Technology & Management 1989-2004/Feb W4
         (c) 2004 FIZ TECHNIK
File 438:Library Lit. & Info. Science 1984-2004/Feb
         (c) 2004 The HW Wilson Co

      Items   Description
S1    161160   (NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR
               RATIO)(3W)(INSTANCES OR TIMES OR OCCASIONS) OR RATE(2W)SUCCES-
               S??? OR HOW()(OFTEN OR SUCCESSFUL?) OR SCOPE
S2    180595   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
               LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
               UIR? OR IDENTIFIED)(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR
                PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ?)
S3    578930   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
               LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
               UIR??? OR IDENTIFIED)(5N)(URL? ? OR RESOURCE()LOCATOR? ? OR O-
               BJECT? ? OR DATA)
S4    482523   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
               LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
               UIR??? OR IDENTIFIED)(5N)(IMAGE? ? OR PICTURE? ? OR PHOTO? ? -
               OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S5      7231   ("NOT" OR T)(5W)((ALREADY OR PREVIOUSLY OR PAST OR RECENT??
                OR BEFORE???? OR EARLIER)(3N)(RETRIEV? OR FIND??? OR FOUND OR
                OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DI-
               SCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED))
S6    366343   NEW(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR -
               WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ? OR URL? ? OR OBJECT?
                ? OR DATA OR IMAGE? ? OR PICTURE? OR PHOTO? ? OR PHOTOGRAPH?
               ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S7     19958   S6(5N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE?
               ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR
                ACQUIR??? OR IDENTIFIED)
S8             0   S1(10N)S2:S4(50N)S5
S9           373   S2:S4(5W)S5
S10            5   (RULE? ? OR TEMPLATE? ? OR STRATEG? OR FILTER? ? OR PLAN OR
                PLANS OR POLICY OR POLICIES OR PROFILE? ? OR METHOD?)(5W)S9
S11           24   S1(15N)S7
S12           29   S10:S11
S13           25   RD (unique items)
S14           22   S13 NOT PY=2001:2004
```

14/5/1 (Item 1 from file: 8)
DIALOG(R)File 8:Ei Compendex(R)
(c) 2004 Elsevier Eng. Info. Inc. All rts. reserv.

04972603 E.I. No: EIP97123944584
Title: Prediction of demand/usage patterns for services in telecommunications using fuzzy neural networks
Author: Pemmaraju, Surya
Corporate Source: Southwestern Bell Technology Resources, Austin, TX, USA
Conference Title: Proceedings of the 1997 IEEE International Conference on Systems, Man, and Cybernetics. Part 1 (of 5)
Conference Location: Orlando, FL, USA Conference Date: 19971012-19971015
Sponsor: IEEE
E.I. Conference No.: 47342
Source: Proceedings of the IEEE International Conference on Systems, Man and Cybernetics v 1 1997. IEEE, Piscataway, NJ, USA,97CB36088. p 195-198
Publication Year: 1997
CODEN: PICYE3 ISSN: 0884-3627
Language: English
Document Type: CA; (Conference Article) Treatment: T; (Theoretical)
Journal Announcement: 9801W4
Abstract: This paper presents a generalized algorithm for forecasting the demand for various services in a telecommunications network with a degree of confidence. Knowledge of demand and traffic patterns between geographic areas is essential for network design and planning. Neural Networks have exhibited the properties of on-line adaptation and interpolating within and outside the **scope** of the input **data** set. This ability to learn **new** samples of **data** while retaining previously **acquired** knowledge about the data set, makes neural networks an excellent tool for time-series analysis. In this work, a neural network with fuzzy learning rules is employed for time-series prediction, and the results obtained are compared with those generated using linear regression. These two solutions are fed as inputs to a fuzzy controller that determines the degree of certainty with which the integrated forecast can be made, based on the correlation between the two individually obtained solutions. (Author abstract) 8 Refs.
Descriptors: *Telecommunication services; Fuzzy sets; Neural networks; Algorithms; Telecommunication traffic; Online systems; Interpolation; Time series analysis; Correlation methods; Telecommunication networks
Identifiers: Adaptive resonance theory (ART); Fuzzy Kohonen clustering networks (FKCN)
Classification Codes:
723.4 (Artificial Intelligence); 722.4 (Digital Computers & Systems); 921.6 (Numerical Methods)
716 (Radar, Radio & TV Electronic Equipment); 921 (Applied Mathematics); 723 (Computer Software); 722 (Computer Hardware)
71 (ELECTRONICS & COMMUNICATIONS); 92 (ENGINEERING MATHEMATICS); 72 (COMPUTERS & DATA PROCESSING)

14/5/5 (Item 1 from file: 202)
DIALOG(R)File 202:Info. Sci. & Tech. Abs.
(c) 2004 EBSCO Publishing. All rts. reserv.

3503295
Collaboration as a key to digital library development: high performance image management at the University of Washington.
Author(s): Bunker, Geri (bunker@u.washington.edu); Zick, Greg (zick@ee.washington.edu)
Corporate Source: University of Washington, Seattle, WA ; University of Washington, Seattle, WA
D-Lib Magazine vol. 5, no. 3
Publication Date: March 1999
ISSN (electronic): 1082-9873
Article URL: http://www.dlib.org/dlib/march99/bunker/03bunker.html
Language: English
Document Type: E-Journal Article
Record Type: Abstract

Journal Announcement: 3508

The world of information systems and the ways in which scholars, students, and the general public **find** and use **information** are in rapid transformation, and **new** phenomena are having a significant impact on how the university communicates and teaches, **how successful** it is in distance education and research, and how it collaborates with other sectors such as K-12, other higher education institutions, business and industry, government, and the general public. The University of Washington Digital Libraries Initiative is providing the context for effective and broad collaboration among faculty, engineers, students, and librarians. The initiative is a focal point for the creation, use, and investigation of electronic information services, resources, and systems--developed from a user perspective. Reports on the progress of the project, and describes the synergy created when engineers, information scientists, and librarians apply a user-oriented perspective to developing, organizing, and using digital collections and resources for research and instruction. Discusses the current challenges and the UW methods for addressing them. Focuses on three aspects of the UW Digital Library Initiative: the fundamental importance of collaboration; collections and activities; and an image archiving software package called CONTENT.

Descriptors: Virtual libraries; Library networks; Cooperation; Models
Classification Codes and Description: 6.1 (Networks, Regional Systems, Consortia)
Main Heading: Information Systems and Applications

14/5/21 (Item 1 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)

05988693
Another 800 possible sites for Kwik Save
UK: KWIK SAVE IDENTIFIES 800 NEW SITES
Grocer (GR) 14 May 1994 p.12
Language: ENGLISH

Kwik Save, the discount food retailer, has **identified** around 800 **sites** where it would like **new** outlets, and believes there is plenty of **scope** for growth for stores of around 15,000 square feet in size. Such expansion would give Kwik Save a total of more than 1,600 sites, and areas so far untapped include Scotland, East Anglia, the south east and the south west. Kwik Save reported pre-tax profit of GBP 65.4mn in the 28 weeks to 12 March 1994, up 7.2% from the year earlier period.

```
File 275:Gale Group Computer DB(TM) 1983-2004/Mar 09
         (c) 2004 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2004/Mar 09
         (c) 2004 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2004/Mar 09
         (c) 2004 The Gale Group
File  16:Gale Group PROMT(R) 1990-2004/Mar 09
         (c) 2004 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2004/Mar 05
         (c)2004 The Gale Group
File 624:McGraw-Hill Publications 1985-2004/Mar 08
         (c) 2004 McGraw-Hill Co. Inc
File  15:ABI/Inform(R) 1971-2004/Mar 08
         (c) 2004 ProQuest Info&Learning
File 647:CMP  Computer Fulltext 1988-2004/Feb W5
         (c) 2004 CMP Media, LLC
File 674:Computer News Fulltext 1989-2004/Feb W5
         (c) 2004 IDG Communications
File 696:DIALOG Telecom. Newsletters 1995-2004/Mar 08
         (c) 2004 The Dialog Corp.
File 369:New Scientist 1994-2004/Feb W5
         (c) 2004 Reed Business Information Ltd.

Set      Items   Description
S1      514452   (NUMBER OR AMOUNT OR HOW()MANY OR PERCENT OR PERCENTAGE OR
              RATIO)(3W)(INSTANCES OR TIMES OR OCCASIONS) OR RATE(2W)SUCCES-
              S??? OR HOW()(OFTEN OR SUCCESSFUL?) OR SCOPE
S2      644247   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
              LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
              UIR? OR IDENTIFIED)(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR
               PAGE? ? OR WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ?)
S3      295595   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
              LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
              UIR??? OR IDENTIFIED)(5N)(URL? ? OR RESOURCE()LOCATOR? ? OR O-
              BJECT? ? OR DATA)
S4     1348492   (RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE? ? OR -
              LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR ACQ-
              UIR??? OR IDENTIFIED)(5N)(IMAGE? ? OR PICTURE? ? OR PHOTO? ? -
              OR PHOTOGRAPH? ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S5       11077   ("NOT" OR T)(5W)((ALREADY OR PREVIOUSLY OR PAST OR RECENT??
               OR BEFORE???? OR EARLIER)(3N)(RETRIEV? OR FIND??? OR FOUND OR
               OBTAIN?? OR LOCATE? ? OR LOCATING OR GOTTEN OR PULL??? OR DI-
              SCOVER?? OR FETCH?? OR ACQUIR??? OR IDENTIFIED))
S6     1776040   NEW(5N)(RECORD? ? OR DOCUMENT? ? OR FILE? ? OR PAGE? ? OR -
              WEBPAGE? OR SITE? ? OR WEBSITE? OR HIT? ? OR URL? ? OR OBJECT?
               ? OR DATA OR IMAGE? ? OR PICTURE? OR PHOTO? ? OR PHOTOGRAPH?
              ? OR CLIP? ? OR INFORMATION OR ARTICLE? ?)
S7       59852   S6(5N)(RETRIEV? OR FIND??? OR FOUND OR OBTAIN?? OR LOCATE?
              ? OR LOCATING OR GOTTEN OR PULL??? OR DISCOVER?? OR FETCH?? OR
               ACQUIR??? OR IDENTIFIED)
S8           0   S1(10N)S2:S4(10N)S5
S9         510   S2:S4(5W)S5
S10         20   S2:S4(5N)S5(5N)(RULE? ? OR TEMPLATE? ? OR STRATEG? OR FILT-
              ER? ? OR PLAN OR PLANS OR POLICY OR POLICIES OR PROFILE? ? OR
              METHOD?)
S11         44   S1(10W)S7
S12         64   S10:S11
S13         45   RD (unique items)
S14         32   S13 NOT PD>20001019
```

14/3,K/1 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

02446340 SUPPLIER NUMBER: 65859280 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Microsoft Serves Up ISA. (Software Review) (Evaluation)
MCFADDEN, MARK
ENT, 5, 15, 36
Sept 20, 2000
DOCUMENT TYPE: Evaluation ISSN: 1085-2395 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1179 LINE COUNT: 00097

... cache. We set up ISA Server to rank the most commonly visited Web sites, determine **how often** those sites update their content, and then automatically **obtain** and cache **new** content when the **pages** in the cache had expired. In our tests, turning on active cache management increased the...

14/3,K/2 (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01862454 SUPPLIER NUMBER: 17549900 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Online comes of age. (six online services reviewed along with Internet) (Information Service Review) (Evaluation)
Keizer, Gregg
Computer Life, v2, n11, p77(6)
Nov, 1995
DOCUMENT TYPE: Evaluation ISSN: 1076-9862 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 3283 LINE COUNT: 00259

... for the time). And there's little chance to work offline; for instance, you can' **t** automate forum message **retrieval** or **file** downloading **before** the clock starts ticking.
User **profile** : You don't want to worry about hidden charges; you want a TV-style blend...

14/3,K/3 (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01820650 SUPPLIER NUMBER: 17380452 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Data warehousing tames a cyclone of information. (investment industry) (includes related article on data warehouse tools)
Barney, Lee
Wall Street & Technology, v12, n14, p68(4)
June, 1995
ISSN: 1060-989X LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1971 LINE COUNT: 00167

... firms developing rich storehouses of information, primarily to consolidate risk and customer information. It may **not** be too long **before** other firms **find** ever more creative uses for **data** warehouses, such as storing application models and **templates** , thereby saving their IS personnel a significant amount of development time. Potentially, firms could also...

14/3,K/4 (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01622024 SUPPLIER NUMBER: 14441444 (USE FORMAT 7 OR 9 FOR FULL TEXT)
The interpersonal environments of the systems analyst.

Misic, Mark; Graf, David
Journal of Systems Management, v44, n9, p12(5)
Sept, 1993
ISSN: 0022-4839 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3098 LINE COUNT: 00259

... programs, specifying program tests, preparing program documentation and learning new software.
Reviewing MIS plans and **scope , locating new information** about analysis and design tools, implementing, enforcing and defining security standards and choosing software and...

14/3,K/5 **(Item 5 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01530600 SUPPLIER NUMBER: 12444998 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Shareware. (Software Review) (Evaluation)
Gralla, Preston
Computer Shopper, v12, n9, p701(3)
Sept, 1992
DOCUMENT TYPE: Evaluation ISSN: 0886-0556 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2343 LINE COUNT: 00170

... And it's not just that the commands are inflexible--they can be downright dangerous. **How many times** have you copied a **file** , only to **find** that the **new file** you've created overwrote another file that had the same name? DEL can be similarly...

14/3,K/6 **(Item 6 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01514688 SUPPLIER NUMBER: 12136618 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Developer tools reach out across platforms. (includes related articles on programming tools for RISC- (reduced-instruction-set computing) based Macintoshes and Apple's relationships with in-house developers) (MacWEEK Special Report)
Rosenthal, Steve
MacWEEK, v6, n19, p28(4)
May 11, 1992
ISSN: 0892-8118 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3008 LINE COUNT: 00246

... and other environments.
Admittedly, users said, many cross-platform development products are either limited in **scope** or too **new** to have an established track **record** . But developers already have **found** that cross-platform tools make it possible to produce multiple program versions on schedules or...

14/3,K/7 **(Item 7 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01437218 SUPPLIER NUMBER: 10882562 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Tame your hard disk! (shareware and free utility programs) (PC Contact)
Gralla, Preston
PC-Computing, v4, n7, p133(4)
July, 1991
ISSN: 0899-1847 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2991 LINE COUNT: 00218

... of a real utility and at times causes far more trouble than it's worth. **How many times** have you copied a **file** only to **find** out the

new file you've created has written over a file that has the same name?
PCOPY won...

14/3,K/8 (Item 8 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01249595 SUPPLIER NUMBER: 06420988 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Data compression chops line costs, boosts speed.
Telecommunication Products & Technology, v6, n6, p62(2)
June, 1988
ISSN: 0746-6072 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1218 LINE COUNT: 00097

... and monitor performance. The host computer and remote equipment operate as if the Datamizers were **not** in place.
Recently , the company **acquired** another **data** center in Salina, Kan. NBC/CSC **plans** to connect it with the Lincoln center using a design similar to the Denver-Norfolk...

14/3,K/9 (Item 1 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2004 The Gale Group. All rts. reserv.

01121844 Supplier Number: 40945169 (USE FORMAT 7 FOR FULLTEXT)
PICKER'S NEW DYNAPRO PROVIDES SIMPLER OPERATION FOR INCREASED CLINICAL EFFICIENCY
News Release, p1
Sept 19, 1989
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 359

... performance. For easy patient
setup and adjustment of spectrum, DynaPro's color monitor displays persistence **scope data** . **New** operating software provides simple, **pull** -down menus for complete control of all camera functions.

DynaPro uniquely incorporates high speed, noise...

14/3,K/10 (Item 1 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2004 The Gale Group. All rts. reserv.

01116317 Supplier Number: 45510115 (USE FORMAT 7 FOR FULLTEXT)
FRANCE/KUWAIT PROTOCOL
Wealth Tax Report, pN/A
May, 1995
Language: English Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 342

... hands of financial institutions of the Kuwaiti State.
Wealth Tax
The new Protocol restricts the **scope** of wealth tax applicable to resident of Kuwait. A **new article** 16B provides that immovable property **located** in France and owned by a resident of Kuwait is taxable in France if the...

14/3,K/11 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

08105742 Supplier Number: 67548946 (USE FORMAT 7 FOR FULLTEXT)

Diving Into the Online World.(Brief Article)
Kohler, Jeff; Hotz, Chris
Direct Marketing, v63, n6, p42
Oct, 2000
Language: English Record Type: Fulltext
Article Type: Brief Article
Document Type: Magazine/Journal; Trade
Word Count: 4601

... How can I make my online presence successful?" The answer to that question depends on **how** **successful** you are at driving customers to your **site** , **acquiring** **new** customers and keeping current customers happy.
Direct marketing provides several keys to finding success with...

14/3,K/12 (Item 2 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

04458592 Supplier Number: 46544875 (USE FORMAT 7 FOR FULLTEXT)
Slicing Data On The Desktop
InformationWeek, p59
July 15, 1996
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Tabloid; General Trade
Word Count: 2926

... sales, plus quarterly and monthly sales.
If the user wants more or less data, the **scope** of analysis can be changed on-the-fly and **new** **data** **retrieved** . Once the query is run, the user is presented with a document containing the single...

14/3,K/13 (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

02636191 Supplier Number: 43508732 (USE FORMAT 7 FOR FULLTEXT)
Towers Perrin joins market share battle
Pensions & Investments, p17
Dec 7, 1992
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1275

... withdrawals and receive account balances.
'It's really a matter of a new kind of **information** ' that employees haven' **t** **gotten** from employers **before** , said Ms. Steiger.
The idea behind the **plan** is that the employee, when presented with the portfolios and exposed to the extensive education...

14/3,K/14 (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

13796056 SUPPLIER NUMBER: 69963389 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Conning the IADC newsletters.(International Association of Defense Counsel)
Defense Counsel Journal, 67, 2, 251
April, 2000
ISSN: 0895-0016 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 6819 LINE COUNT: 00606

... examine some of the issues raised by the disclosure of electronic data in litigation.
Broadening **scope** of disclosure
Discovery of "e- **data** " is not **new** . Over the past quarter century, courts have consistently recognized that the electronic storage of

information...

14/3,K/15 (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

12548115 SUPPLIER NUMBER: 65020892 (USE FORMAT 7 OR 9 FOR FULL TEXT)
OCLC Announces News of DCMI, Virtual Electronic Library Project. (Brief Article) (Statistical Data Included)
Information Today, 17, 8, 68
Sept, 2000
DOCUMENT TYPE: Brief Article Statistical Data Included ISSN: 8755-6286
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 759 LINE COUNT: 00067

... sectors, such as education and industry, have been attracted to Dublin Core's simplicity, multilingual **scope** , consensus philosophy, and widespread adoption.
More **information** about the **new** recommendation can be **found** at http://purl.org/dc/documents/dcmes-qualifiers.
OCLC, CIC
The joint development project, which...

14/3,K/16 (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

11839892 SUPPLIER NUMBER: 59844175 (USE FORMAT 7 OR 9 FOR FULL TEXT)
THE ROLE FOR WEB SEARCH ENGINES.
Fisher, Ingrid E.; Smith, L. Murphy
CPA Journal, 70, 1, 42
Jan, 2000
ISSN: 0732-8435 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 3280 LINE COUNT: 00307

... search engine.
Just as important as the search engine's size is its freshness, or **how often** the spider crawls across the web to **find new sites** and eliminate dead links. For example, AltaVista, Excite, and HotBot all crawl regularly, covering a...

14/3,K/17 (Item 4 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

10316526 SUPPLIER NUMBER: 20874512 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Digital scopes mimic analogs' live displays. (digital-phosphor oscilloscopes)
Strassberg, Dan
EDN, v43, n13, p44(3)
June 18, 1998
ISSN: 0012-7515 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1586 LINE COUNT: 00127

... the fly and update it 30 times/sec. The screen updates continue even as the **scope acquires new data** and enters it into the screen-image database. The hard-ware that enables these simultaneous...

14/3,K/18 (Item 5 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

10297742 SUPPLIER NUMBER: 20736549 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Benefits and limitations of prenatal care: from counting visits to

measuring content. (Editorial)
Misra, Dawn P.; Guyer, Bernard
JAMA, The Journal of the American Medical Association, v279, n20, p1661(2)
May 27, 1998
DOCUMENT TYPE: Editorial ISSN: 0098-7484 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2151 LINE COUNT: 00180

...ABSTRACT: care needs to begin focusing on the content of the care rather than simply on **how many times** a woman gets prenatal care. A 1998 study **found** that two new **data** collection methods show that the use of prenatal care has risen steadily since 1981. However...

14/3,K/19 (Item 6 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

08478416 SUPPLIER NUMBER: 18505996 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Slicing data on the desktop. (Brio Technology's BrioQuery 4.0, Cognos' PowerPlay 5.0 and Business Object's Business Objects 4.0 online analytical processing tools) (Software Review) (Evaluation)
Tyo, Jay
InformationWeek, n587, p59(6)
July 15, 1996
DOCUMENT TYPE: Evaluation ISSN: 8750-6874 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 3002 LINE COUNT: 00247

... sales, plus quarterly and monthly sales.
If the user wants more or less data, the **scope** of analysis can be changed on-the-fly and **new data retrieved** . Once the query is run, the user is presented with a document containing the single...

14/3,K/20 (Item 7 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

05585057 SUPPLIER NUMBER: 11730751 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Clearing the air. (sulfur dioxide emission control in the United States and Europe) (Emissions Control)
Sulphur, n217, p28(4)
Nov-Dec, 1991
ISSN: 0039-4890 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 3469 LINE COUNT: 00275

... a product of the FGD process, can also be an environmental problem if satisfactory disposal **methods** are **not** implemented. National Power has, however, **already found** a buyer for the **site** 's anticipated annual production of 80,000-100,000 tonnes of gypsum. A contract has...

14/3,K/21 (Item 8 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

05479798 SUPPLIER NUMBER: 11440777 (USE FORMAT 7 OR 9 FOR FULL TEXT)
High-performance oscilloscopes. (EDN Special Report) (Cover Story)
Conner, Doug
EDN, v36, n21, p146(9)
Oct 10, 1991
DOCUMENT TYPE: Cover Story ISSN: 0012-7515 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3869 LINE COUNT: 00302

... Some of the scopes that generate histograms use a 2-D histogram database. As the **scope acquires data** , it puts each **new** acquisition

in the correct histogram location. Tektronix's CSA 404 and CSA 803 use a...

14/3,K/22 (Item 9 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

03916599 SUPPLIER NUMBER: 07600705 (USE FORMAT 7 OR 9 FOR FULL TEXT)
PNE board checking into possible relocation sites. (Pacific National Exhibition)
Zhito, Lisa
Amusement Business, v101, n19, p1(2)
May 13, 1989
ISSN: 0003-2344 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 839 LINE COUNT: 00062

... neither the city nor the community would be in favor of," due to the size, **scope** and expense of the proposal.
In **finding** a **new site** , Swangard said the committee must consider Vancouver's growth. "We have to say, `what will...

14/3,K/23 (Item 10 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

02860131 SUPPLIER NUMBER: 07111872 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Consolidated Natural Gas names David P. Hunt president of CNG Producing Company.
PR Newswire, 0316NY081A
March 16, 1989
LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 271 LINE COUNT: 00023

... Ohio Gas Company, another Consolidated subsidiary.
"David Hunt combines proven managerial ability with a first- **rate record** of **success** in **finding new** reserves of gas and oil," George A. Davidson, Jr., chairman and chief executive officer said...

14/3,K/24 (Item 11 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2004 The Gale Group. All rts. reserv.

03718994 SUPPLIER NUMBER: 06833872 (USE FORMAT 7 OR 9 FOR FULL TEXT)
SDIs: the star wars of business searching. (column)
Ojala, Marydee
Database, v11, n6, p82(8)
Dec, 1988
DOCUMENT TYPE: column ISSN: 0162-4105 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 3003 LINE COUNT: 00229

... search to run. You needn't worry about stories previously read if you follow your **profile** name with NO. That restricts the search to **information not retrieved earlier**
DIALOG
Knight-Ridder's DIALOG calls its SDI service SDI.. Of the traditional SDI services...

14/3,K/25 (Item 1 from file: 624)
DIALOG(R)File 624:McGraw-Hill Publications
(c) 2004 McGraw-Hill Co. Inc. All rts. reserv.

01114570
A Better Way to Float Your Resume: You can customize your job hunt on small sites

Business Week October 9, 2000; Pg 202; Number 3702
Journal Code: BW ISSN: 0007-7135
Section Heading: BusinessWeek Lifestyle: Online Job Sites
Word Count: 1,381 *Full text available in Formats 5, 7 and 9*

BYLINE:
BY ALEX SALKEVER

TABLE:
...listers. But its resume process and
endless listings can be cumbersome.

telecomcareers.net	National in **scope** , this **New** Orleans-based telecom **site** lets job seekers **find** highly specialized postings.
thestandard.com/jobs	Its star attraction: upper management postings rarely seen in...

14/3,K/26 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

02495036 117543622
The manager's guide to internal control: diary of a control freak
Pickett, K H Spencer
Management Decision v37n2 PP: 93 1999
ISSN: 0025-1747 JRNL CODE: MGD
WORD COUNT: 90354

...TEXT: people less effective - more mistakes and stress (Brown, 1982, p. 121)."

"When a manager has **identified** a breach of procedure there must be **scope** to take that reflects the severity of the situation and the implications of the breach...

14/3,K/27 (Item 2 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

02025564 53833954
Discovery of e-data in the new millennium
Brock, David G
Defense Counsel Journal v67n2 PP: 251-253 Apr 2000
ISSN: 0895-0016 JRNL CODE: ISC
WORD COUNT: 1583

...TEXT: examine some of the issues raised by the disclosure of electronic data in litigation.

Broadening **scope** of disclosure

Discovery of "e- **data** " is not **new** . Over the past quarter century, courts have consistently recognized that the electronic storage of information...

14/3,K/28 (Item 3 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

01627943 02-78932
Like politics, all Web caching should be local
Trowbridge, David
Computer Technology Review v18n4 PP: 1, 18+ Apr 1998
ISSN: 0278-9647 JRNL CODE: CTN
WORD COUNT: 1800

...TEXT: update frequency for each object.

Caches may also use prefetching to speed user access to **pages not already** in memory, by **retrieving pages** linked to a requested **page** before they are in turn requested by the user. This **strategy** exploits the same locality of reference that makes disk caching so effective. The CacheFlow products...

14/3,K/29 (Item 4 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)

01077410 97-26804
Gaming destinations
Arnott, Nancy
Incentive v169n8 PP: 115-126 Aug 1995
ISSN: 1042-5195 JRNL CODE: IMK
WORD COUNT: 2628

...TEXT: addition, many of the established properties will be expanding or introducing new attractions. No matter **how many times** you've visited The Strip, you'll **find** new sights-and **sites** --to delight you.

The Hard Rock Cafe Hotel & Casino, which opened in March, is the...

14/3,K/30 (Item 5 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)

00973930 96-23323
A stakeholder framework for analyzing and evaluating corporate social performance
Clarkson, Max B E
Academy of Management Review v20n1 PP: 92-117 Jan 1995
ISSN: 0363-7425 JRNL CODE: AMR
WORD COUNT: 10231

...TEXT: of the third year of field research, 30 studies had been completed using the initial **methodology** based on Preston's matrix.

Changing **methodologies** is **not** done lightly, because **data obtained previously** must be reorganized to be useful. But because the Wartick and Cochran model appeared to...

14/3,K/31 (Item 6 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)

00851828 95-01220
Technological convergence and scope of organizational innovation
Harianto, Farid; Pennings, Johannes M
Research Policy v23n3 PP: 293-304 May 1994
ISSN: 0048-7333 JRNL CODE: RPO

...ABSTRACT: arrangements which provide access to distant technology. In a study of commercial banks, it was **found** that the **scope** of **new information** technologies is contingent upon a firm having developed linkages, particularly with firms whose industries provide...

14/3,K/32 (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext

01097369 CMP ACCESSION NUMBER: IWK19960715S0062

Product Review - Slicing Data On The Desktop - Easy-to- manage desktop query tools can be used for low-cost multidimensional OLAP analysis

Jay Tyo

INFORMATIONWEEK, 1996, n 588, PG59
PUBLICATION DATE: 960715
JOURNAL CODE: IWK LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: InformationWeek Labs
WORD COUNT: 2600

... sales, plus quarterly and monthly sales.

If the user wants more or less data, the **scope** of analysis can be changed on-the-fly and **new data retrieved** . Once the query is run, the user is presented with a document containing the single...